

9.0 References Geology

- Albright L. B. 1998. The Arikareean Land Mammal Age in Texas and Florida: Southern extension of Great Plains faunas and Gulf Coastal Plain endemism. Special Paper 325: Depositional Environments, Lithostratigraphy, and Biostratigraphy of the White River and Arikaree Groups (Late Eocene to Early Miocene, North America): Vol. 325, pp. 167–183.
- Alexander, C. I. 1933. Shell Structure of the Ostracode Genus *Cytheropteron*, and Fossil Species from the Cretaceous of Texas. 1933. SEPM Society for Sedimentary Geology.
- Arnall, Erin, Ganguli, A., and Hickman, K. 2008 Oklahoma State University. Oklahoma Rangelands. Retrieved August 26, 2008 from:
<http://okrangelandswest.okstate.edu/OklahomaRangelands.html>
- Averitt, P. 1963. Coal in Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Retrieved July 30, 2008 from: <http://www.mbm.g.mtech.edu/sp28/intro.htm>
- Baker, E.T. 1979. Stratigraphic and hydrogeologic framework of part of the Coastal Plain of Texas. Texas Dept. of Water Resources Report 236.
- Baskin, J. A. and F. G. Cornish 1989. Late Quaternary Fluvial Deposits and Vertebrate Paleontology, Nueces River Valley, Gulf Coastal Plain, South Texas. *In* Baskin, J. A. and Prouty, J. S. (eds.), South Texas Clastic Depositional Systems. GCAGS 1989 Convention Field Trip. Corpus Christi Geological Society. Pp. 23-30.
- Bassler, R. S. and M. W. Moodey, 1943. Bibliographic and faunal index of Paleozoic pelmatozoan echinoderms: Geological Society of America Special Paper 45.
- Bergantino, R.N. 2002. Geologic map of the Whitewater 30' x 60' quadrangle, Montana Bureau of Mines and Geology: Open File Report 471, 6 p., 1 sheet(s), 1:100,000.
- Bergantino, R.N. 2001. Geologic map of the Opheim 30' x 60' quadrangle, eastern Montana, Montana Bureau of Mines and Geology: Open File Report 440, 1 sheet(s), 1:100,000.
- Bergantino, R.N. 1999. Geologic map of the Glasgow 30' x 60' quadrangle, northeast Montana, Montana Bureau of Mines and Geology: Open File Report 390, 4 p., 2 sheet(s), 1:100,000.
- Bingham, R. H. and D.L. Bergman. 1980. Reconnaissance of the Water Resources of the Enid Quadrangle, North-Central Oklahoma. Hydrologic Atlas Number 7, Oklahoma Geological Survey, Scale 1:250,000.
- Bingham, R. H. and R.L. Moore. 1975. Reconnaissance of the Water Resources of the Oklahoma City Quadrangle, Central Oklahoma. Hydrologic Atlas Number 4, Oklahoma Geological Survey, Scale 1:250,000.
- Bjork, P. 1995. Triceratops, State Fossil of South Dakota. Retrieved August 14, 2008:
<http://www.northern.edu/natsource/earth/Tricer1.htm>
- Blatt, H. and J. R. Caprara 1985. Feldspar Dispersal Patterns in Shales of the Vanoss Formation (Pennsylvanian), South-Central Oklahoma. *Journal of Sedimentary Research*. Vol. 55. No. 4. July 1985. pp. 548-552.

- Bureau of Land Management (BLM). 2007. Instruction Memorandum No. 2008-009, October 18, 2007. Retrieved August 13, 2008:
http://www.blm.gov/wo/st/en/info/regulations/Instruction_Memos_and_Bulletins/national_instruction/20080/im_2008-009.html
- BLM. 2006. Class I Cultural/Paleontological Report, p. 124 to 152. Available at the BLM Miles City Montana Resource Management Plan. Retrieved August 12, 2008:
http://www.blm.gov/rmp/mt/milescity/Class_I_Paleo.pdf
- BLM. 1992. Judith Valley Phillips Resource Management Plan Environmental Impact Statement. Montana State Office, October 1992. Retrieved August 13, 2008:
<http://www.blm.gov/mt/st/en/prog/planning/JVP.html>
- BLM. 1992. Judith Valley Phillips: Resource Management Plan and Environmental Impact Statement. Volume 1. October 1992.
- BLM. 1992. Judith Valley Phillips: Resource Management Plan and Environmental Impact Statement. Volume 2. October 1992.
- BLM. 1986.
- BLM. 1984. VRM Manual
- Bloom, M. 2008. Montana Bureau of Land Management Miles City Field Office. Communication with ENSR October 22, 2008.
- Boyd, D.T. 2002a. Map of Oklahoma Oil and Gas Fields, scale 1:500,000. Retrieved February 9, 2006: http://www.ogs.ou.edu/fossilfuels/pdf/GM-37_final.pdf
- Boyd, D.T. 2002b. Map of Oil and Gas Production by Reservoir Age, scale 1:500,000. Retrieved February 9, 2006: <http://www.ogs.ou.edu/fossilfuels/pdf/GM-38.pdf>
- Bretz, R.F. and A. Barari (1996). Groundwater study for the city of Keystone, South Dakota. South Dakota Geol. Survey Open File Report 45-UR.
- Bureau of Economic Geology. 1986. Geology and Ground-water Hydrology of Deep-basin Lignite in the Wilcox Group of East Texas. The University of Texas at Austin.
- Bureau of Land Management (BLM). Amarillo Field Office. 2008. Retrieved August 27, 2008:
http://www.blm.gov/nm/st/en/fo/Amarillo_Field_Office.html
- Bureau of Land Management (BLM). Oklahoma Field Office. 2007a. Retrieved August 27, 2008:
http://www.blm.gov/nm/st/en/fo/Oklahoma_Field_Office.html
- Bureau of Land Management (BLM). Wilderness Study Areas. 2007b. Retrieved August 27, 2008:
http://www.blm.gov/nm/st/en/prog/wilderness/wilderness_study_areas.2.html
- Burchett, R. R., 1986, Geologic Bedrock Map of Nebraska: Nebraska Geological Survey. Scale 1:1 Million.

- Burke, R.B. 2006. Deep Gas production in North Dakota's Williston Basin – Look Again (abstr). Retrieved July 30, 2008: http://www.searchanddiscovery.net/documents/2006/06088houston_abs/abstracts/burke.htm
- Burton, Bruce. 2008. Oklahoma Department of Wildlife Conservation. Deep Fork Wildlife Management Area. Retrieved August 26, 2008: <http://www.wildlifedepartment.com/DeepFork2.htm>
- Busby, J.F., Kimball, B.A., Downey, J.S., and K.D. Peter, 1995. Geochemistry of water in aquifers and confining units of the Northern Great Plains in parts of Montana, South Dakota, North Dakota, and Wyoming. U.S. Geological Survey Prof. Paper 1402-F.
- Busby, J.F., Roger, W.L., and B.B. Hanshaw, 1983. Major geochemical processes related to hydrology of the Madison aquifer system and associated rocks in parts of Montana, South Dakota, and Wyoming. U.S. Geological Survey Water Resources Investigation 83-4093.
- Campbell, L. 2003. Endangered and Threatened Animals of Texas: Their Life History and Management. Retrieved August 12, 2008: <http://www.tpwd.state.tx.us/huntwild/wild/species/endang/index.phtml>
- Carr, J.E. and M.V. Marcher. 1977. Preliminary Appraisal of the Garber-Wellington Aquifer, Southern Logan and Northern Oklahoma Counties, Oklahoma. United States Geological Survey Open File Report 77-278.
- Carter, J.M. 1998. Water Resources of Mellette and Todd Counties, South Dakota. U.S. Geological Survey WRI 98-4146.
- Chowhurdy, A.H. and M.J. Turco. 2006. Geology of the Gulf Coast Aquifer, Texas. Texas Water Development Board. Retrieved August 1, 2008: <http://www.twdb.state.tx.us/publications/reports/GroundWaterReports/GWRReports/R365/ch02-Geology.pdf>
- Clement, J.H. 1987. Cedar Creek: A Significant Paleotectonic Feature of the Williston Basin in Longman, J.A. (ed.), Williston Basin: Anatomy of a Cratonic Oil Province, Papers collected and edited by J.A. Peterson, D.M. Kent, S.B. Anderson, R.H. Pilaske, and M.W. Longman. The Rocky Mountain Association of Geologists, Denver, Colorado, 1987, p. 323-336
- Cobban, W. A. and W. J. Kennedy. 1992. Campanian Ammonites from the Upper Cretaceous Gober Chalk of Lamar County, Texas. *Journal of Paleontology*. Vol. 66. No. 3. May 1992. pp. 440-454.
- Cobban, W. A. and W. J. Kennedy. 1993. Middle Campanian Ammonites and Inoceramids from the Wolfe City Sand in Northeastern Texas. *Journal of Paleontology*. Vol. 67. No. 1. January 1993. pp. 71-82.
- Condensed Version of USEPA Levels Document. Based on Information of Levels of Environmental Noise Requisite to Protect Public Health and Welfare with Adequate Margin of Safety, EPA/ONAC 550/9-74-004, March 1974.
- Condon, S.M. 2000. Stratigraphic Framework of Lower and Upper Cretaceous Rocks in Central and Eastern Montana. U. S. Geological Survey Digital Data Series DDs-57.
- Cripe, C. and A. Barari. 1978. Groundwater study for the city of Murdo, South Dakota. South Dakota Geol. Survey Open File Report 21-UR.

- Crone, A.J. and R.L. Wheeler. 2000. Data for Quaternary faults, liquefaction features, and possible tectonic features in the Central and Eastern United States, east of the Rocky Mountain front. U.S. Geological Survey Open File Report 00-260. U.S. Geological Survey, Reston, VA. Retrieved July 31, 2008: <http://pubs.usgs.gov/of/2000/ofr-00-0260/ofr-00-0260.pdf>
- Dalsin, J.J. and A. Barari. 1980. Groundwater study for the Bad River Rural Water System. South Dakota Geol. Survey Open File Report 29-UR.
- Dane, C. H. 1926. U. S. Geological Survey Press Bulletin 8823. September 1926.
- Davies, W.E., Simpson, J.H., Ohlmacher, G.C., Kirk, W.S., and E.G. Newton, 1984. Engineering Aspects of Karst. U.S. Geological Survey, National Atlas, scale 1:7,5000
- Douglas, N.H. 1974. Freshwater Fishes of Louisiana. Louisiana Department of Wildlife and Fisheries Commission and Claitor's Publishing Division. 443 pp.
- Downey, J.S., and Dinwiddie, G.A. 1988. Regional aquifer system underlying the Northern Great Plains in parts of Montana, North Dakota, South Dakota, and Wyoming-Summary: U.S. Geological Survey Prof. Paper 1402-A.
- Duck, L.G. and J. B. Fletcher. 1943. The game types of Oklahoma: A report to the Oklahoma Game and Fish Commission. Retrieved August 27, 2008: <http://www.biosurvey.ou.edu/duckfit/dfhome.html>
- Dugan, J.T. 1986. Hydrologic characteristics of soils in parts of Arkansas, Colorado, Kansas, Missouri, Nebraska, Oklahoma, South Dakota, and Texas. U.S. Geological Survey Hydrologic Atlas HA-678.
- Emmons, P.J. and P.R. Bowman. 1999. Ground Water Flow and Water Quality in the Indian Well Field near Grand Island, Nebraska, 1994-1995. USGS Fact Sheet FS 179-99.
- Erickson, H.D. 1956. Areal Geology of the Willett and Midland No. 1 Quadrangles. South Dakota Geological Survey, scale 1:62,500.
- Fenneman, N.H. 1928. Physiographic Divisions of the United States. *Annals of the Association of American Geographers*, Vol. 18, No. 4, (Dec., 1928), pp.261-353.
- Fischer, D.W., J. A. LeFever, J.A. Sorensen, S. A. Smith, L. D. Helms, R. D. LeFever, S. G. Whittaker, E. N. Steadman, and J. A. Harju. 2005. The Influence of Tectonics on the Potential Leakage of CO₂ from Deep Geological Sequestration Units in the Williston Basin. Plains CO₂ Reduction Partnership, University of North Dakota. Retrieved July 29, 2008: http://www.netl.doe.gov/technologies/carbon_seq/partnerships/phase1/pdfs/InfluenceTectonicsPotenital.pdf
- Frankel, A., C. Mueller, T. Barnhard, D. Perkins, E.V. Leyendecker, N. Dickman, S. Hanson, and M. Hopper. 1997. Seismic-hazard Maps for the Conterminous United States, Map C - Horizontal Peak Acceleration with 2 Percent Probability of Exceedance in 50 Years, U.S. Geological Survey Open-File Report 97-131-F.
- Frizzell, D. L. and I. J. Anderson. 1950. Diastems in the Pecan Gap Chalk of Travis County, Texas. *Journal of Sedimentary Research*. Vol. 20. No. 1. April 1950. pp. 55-59.

- Gabrysch, R.K. 1994. Case History No. 9.12. The Houston-Galveston Region, Texas, USA. In J. F. Poland, ed., Guidebook to Studies of Land Subsidence Due to Groundwater Withdrawal. UNESCO. pp. 253-263. Retrieved August 4, 2008:
<http://www.rcamnl.wr.usgs.gov/rgws/Unesco/PDF-Chapters/Guidebook.pdf>
- Garner, L.E. 2008. Handbook of Texas Online, s.v., Mineral Resources and Mining. Retrieved July 31, 2008: <http://www.tshaonline.org/handbook/online/articles/MM/gpm1.html>
- Gibeaut, J.C. et al. 2000. Coastal Hazards Atlas of Texas: A Tool for Hurricane Preparedness and Coastal Management – Volume 1 The Southeast Coast. Bureau of Economic Geology at the University of Texas. Retrieved August 4, 2008:
http://www.beg.utexas.edu/coastal/presentations_reports/hazardsatlas_v1_2000.pdf
- Gill, J. R., and W.A. Cobban. 1966. The Red Bird section of the Upper Cretaceous Pierre Shale in Wyoming, U.S. Geological Survey Professional Paper. 393-A, 73 p.
- Glaessner, M. F. 1955. Taxonomic, Stratigraphic and Ecological Studies of Foraminifera and Their Interrelations. *Micropaleontology*. Vol. 1. No. 1. January 1955. pp. 3-8.
- Gries, J.P. 1996. Roadside Geology of South Dakota. Mountain Press Publishing Company, Missoula, Montana, 358 p.
- Grubb, H.F. 1997. Summary of the Hydrology of the Regional Aquifer Systems, Gulf Coastal Plain, South-Central United States. United States Geological Survey Professional Paper 1416-A.
- Grubb, H.F. 1987. Overview of the Gulf Coast Regional Aquifer System Analysis, south-central United States. In Vecchioli, J. and A.I. Johnson, (eds.), Aquifers of the Atlantic and Gulf Coastal Plain. American Water Resources Association, Monograph 9, p. 101-118.
- Gutentag, E.D., F.J. Heimes, N.C. Krothe, R.R. Luckey, and J.B. Weeks. 1984. Geohydrology of the High Plains Aquifer in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming. USGS Prof. Paper 1400-B.
- Hamm, S. A. and K. Shimada. 2004. A Late Cretaceous Durophagus Shark, *Ptychodus martini* Williston, from Texas. *The Texas Journal of Science*. August 2004.
- Hammond, E.H. 1965 [1970]. Physical Subdivisions of the United States in The National Atlas of the United States of America: Washington, D.C., US Department of the Interior, Geological Survey p. 61, scale 1:17,000,000.
- Hammond, P.D. 1994. Groundwater quality investigations in selected areas of Todd and Mellette Counties, South Dakota. South Dakota Geol. Survey Open File Report 45-UR.
- Harksen, J.C. 1964. Tertiary Sedimentary Rocks in Mineral and Water Resources of South Dakota, South Dakota Geological Survey Bulletin Number 16; p. 43-45.
- Harris, G. D. 1894. American Journal of Science, Vol. 47. pp. 303-304.
- Harris, G. D. 1896. American Paleontology Bulletin, Vol. 1. pp. 10-38.
- Hentz, T.F. 2008. Handbook of Texas Online, s.v., Geology. Retrieved July 31, 2008:
<http://www.tshaonline.org/handbook/online/articles/GG/swgqz.html>

- Hess H., W. I. Ausich, C. E. Brett, M. J. Simms. 1999 *Fossil Crinoids*. Cambridge University Press, New York.
- Hill, R.T. 1901. Geography and Geology of the Black and Grand Prairies, Texas: Twenty-first Annual Report of the United States Geological Survey. Retrieved July 31, 2008: <http://www.lib.utexas.edu/books/landscapes/publications/txu-oclc-4171875/txu-oclc-4171875-a-001.html>
- Hill, R. T. 1888. Arkansas Geological Survey Annual Report 1888. Vol. 11. p. 21.
- Hoese, H. D. and Moore, R.H. 1977. Fishes of the Gulf of Mexico, Texas, Louisiana and Adjacent Waters, 3rd Printing. Texas A & M University Press. 327 pp.
- Holzer, T.L. and R.K. Gabrysch. 1982. Historical Surface Faulting in Part of the Houston-Galveston, Texas, Subsidence Bowl Arrested by Partial Water-Level Recoveries: Geological Society of America Abstracts with Programs. Vol. 14, No. 7. p. 517.
- Hosman, R.L., and J.S. Weiss. 1991. Geohydrologic units of the Mississippi embayment and Texas coastal uplands aquifer systems, south-central United States. United States Geological Survey Professional Paper 1416-B.
- Haven, J.S. 1989. Geohydrology of the Alluvial and Terrace Deposits of the North Canadian River from Oklahoma City to Eufaula Lake, central Oklahoma. United States Geological Survey WRI 88-4234.
- Hopkins, W.B., and Tilstra, J.R. 1966. Available groundwater from alluvium along the Missouri River in northeastern Montana. U.S. Geological Survey Hydrologic Atlas-224.
- Hotchkiss, W.R., and Levings, J.F. 1986. Hydrogeology and simulation of water flow in strata above the Bearpaw Shale and equivalents of eastern Montana and northeastern Wyoming. U.S. Geological Survey Water Resources Investigation 85-4281.
- Iles, D. 2008. South Dakota State Geologist, South Dakota Geologic Survey, personal communication to B. Berg of ENSR Corporation, July 7, 2008.
- Jacobi, D. J. 2004. Stable Isotope Stratigraphy Across the Silurian-Devonian Boundary in Southern Oklahoma and Subsurface West Texas. A Thesis in Geoscience. Texas Tech University.
- Joeckel, R.M. 2008. Description of Mapping Units for Surficial Geologic Maps: Endicott, Fairbury SW, and Reynolds Quadrangles, Nebraska. Retrieved August 14, 2008: <http://snr.unl.edu/csd/information/surficial/surf-endicottFairburySWReynolds.pdf>
- Johnson, K.S. 1996. Geology of Oklahoma, p. 1-9. In, K.S. Johnson and N.H. Suneson (eds.), Rockhounding and Earth-Science Activities in Oklahoma. Oklahoma Geological Survey Special Publication, 96-5.
- Johnson, K.S. 1998. Industrial-Mineral Sources of Oklahoma. Oklahoma Geological Survey Information Series #4, Norman, Oklahoma, 9 p.
- Jorgensen, D.G., J.O. Helgensen, D.C. Signor, R.B. Leonard, J.L. Imes, and S.G. Christenson 1996. Analysis of Regional Aquifers in the Central Midwest of the U.S. in Kansas, Nebraska, and parts of Arkansas, Colorado, Missouri, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming. Summary. U.S. Geological Survey Prof. Paper 1414-A.

- Jorgensen, D.G., J.O. Helgesen, and J.L. Imes. 1993. Regional aquifers in Kansas, Nebraska, and parts of Arkansas, Colorado, Missouri, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming-Geohydrologic Framework. U.S. Geological Survey Prof. Paper 1414-B.
- Kansas Department of Health and Environment (KDHE). 2004. Kansas 2004 303(d) List – Draft 7/19/04. Kansas Department of Health and Environment/Division of Environment/Bureau of Water/Watershed Planning Section, Topeka, Kansas. Retrieved February 1, 2006: <http://www.kdheks.gov/tmdl/index.htm>
- Kansas Geological Society (KGS). 1999b. Flint Hills: Rock and Minerals. Geofacts. Retrieved February 2, 2006: http://www.kgs.ku.edu/Extension/flinthills/FH_factsheet1.pdf
- Kaiser, W.R., Ayers, W.B., Jr., and L.W. La Brie. 1980. Lignite resources in Texas: The University of Texas at Austin Bureau of Economic Geology Report of Investigations 104.
- Kansas Geological Survey. 2008. Earthquakes in Kansas. Retrieved August 14, 2008: http://www.kgs.ku.edu/Publications/pic3/pic3_4.html
- Kasmarek, M.C. and E.W. Strom 2002. Hydrogeology and Simulation of Groundwater Flow and Land-Surface Subsidence in the Chicot and Evangeline Aquifers, Houston Area, Texas. United States Geological Survey WRI 2002-4022.
- Kazlev, M. Alan. 2002a The Paleozoic – 1 & 2. Retrieved August 16, 2008: <http://www.palaeos.com/Paleozoic/Paleozoic.htm>
- Kazlev, M. Alan. 2002b The Permian – 1 & 2. Retrieved August 16, 2008: <http://www.palaeos.com/Paleozoic/Permian/Permian.htm>
- Kazlev, M. Alan. 2002c The Carboniferous. Retrieved August 16, 2008: <http://www.palaeos.com/Paleozoic/Carboniferous/Carboniferous.htm>
- Kazlev, M. Alan. 2002d The Cretaceous. Retrieved August 16, 2008: <http://www.palaeos.com/Mesozoic/Cretaceous/Cretaceous.htm>
- Keech, C.F. 1962. Ground Water Resources of Hamilton County, Nebraska. USGS Water Supply Paper WSP 1539-N.
- Kennedy, B.B. 1990. Surface Mining. Society for Mining, Metallurgy, and Exploration (U.S.), 1206 p.
- Kennedy, W. J., N. H. Landman and W. A. Cobban. 2001. Santonian Ammonites from the Blossom Sand in Northeast Texas. *American Museum Novitates*. Vol. 3332. No. 1. April 2001. pp. 1-9.
- Kissell, R. A. and Lehman, T. M. 2002 Upper Pennsylvanian Tetrapods From the Ada Formation of Seminole County, Oklahoma. *Journal of Paleontology*. Vol. 76. No. 3. May 2002. pp. 529-545.
- Knapp, W.D. 1969. Declinida, a new order of late Paleozoic inadunate crinoids: *Journal of Paleontology*. Vol. 43. pp. 340-391.
- Kroger, B. and R. H. Mapes. Lower Carboniferous (Chesterian) Embryonic Orthoceratid Nautiloids. *Journal of Paleontology*. Vol. 78. No. 3. May 2004. pp. 560-573.
- Kurten, B., and Anderson. 1980. Pleistocene Mammals of North America. Columbia University Press, New York.

- LaFave, J.I. 1998. Potentiometric surface map for the Deep Hydrologic Unit, lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 6.
- LaFave, J.I. 1998. Potentiometric surface map for the Fox Hills-Lower Hell Creek Hydrologic Unit, lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 7.
- LaFave, J.I. and Patton, T.W. 1998. Dissolved constituents map for the Shallow Hydrologic Unit lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 8.
- LaFave, J.I. 1998. Dissolved constituents map for the Deep Hydrologic Unit lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 9.
- LaFave, J.I. 1998. Dissolved constituents map for the Fox Hills-Lower Hell Creek Hydrologic Unit lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 10.
- Lange, A.U. 1967. Geology of the Deer's Ears Buttes Quadrangle, South Dakota. South Dakota Geological Survey; scale 1:62,500.
- LaRique, G.A. Jr. 1966. General availability and depth to the static water level in the Missouri River Basin. U.S. Geological Survey Hydrologic Atlas-217.
- Layman, T. B. 1987. Paleoenvironmental Significance of Benthic Foraminiferal Biofacies in the Yegua Formation (Middle Eocene), Southeast Texas. (Lagoe, M. B.). Degree: MA. Call Number: Thesis 1987 L454.
- Libmeyer, D.H. 1985. Freshwater heads and groundwater temperatures in the aquifers of the Northern Great Plains in parts of Montana, North Dakota, South Dakota, and Wyoming. U.S. Geological Survey Prof. Paper 1402-D.
- Luza K.V. and K.S. Johnson. 2005. Geological Hazards in Oklahoma. Reprinted from *Oklahoma Geology Notes*. Oklahoma Geological Survey, Vol. 63, no. 2, p. 52-70.
- Maher, H., G. Engelmann, and R. Shuster. 2003. *Roadside Geology of Nebraska*. Missoula: Mountain Press Publishing Company.
- Martin, J.E., F. Sawyer, M.D. Fehrenbach, D.W. Tomhave, and L.D. Schulz. 2004. Geologic Map of South Dakota. South Dakota Geological Survey General Map 10, June 30, 2004, scale 1:500,000.
- Martin, P. S. and R. G. Klein. 1984. *Quaternary Extinctions: A Prehistoric Revolution*. Tucson: University of Arizona Press.
- May, W.J. and J.D. Hall. 2002. Geology and Vertebrate Fauna of a new Site in the Wellington Formation (Lower Permian) of Oklahoma. Oklahoma Geology Notes Volume 62, number 2, Summer 2002. Retrieved February 9, 2006: <http://www.bluesinheaven.com/pgs/paleo/noble/KirbyQuarryPaper.pdf>

- McDonald, R.E. 1971. Eocene and Paleocene Rocks of the Southern and Central Basins, in Mallory, W. (ed.), 1972, Geologic Atlas of the Rocky Mountain Region, Rocky Mountain Association of Geologists, Denver, Colorado, p 243-256.
- McGregor, D.J. 1975. Mineral and Water Resources of South Dakota. South Dakota Geologic Survey Bulletin 16.
- McMahan, D., Frye, R.G., and K.L. Brown. 1984. The vegetation types of Texas, including cropland. An illustrated synopsis to accompany the map. Wildlife Division. Texas Parks and Wildlife Department. Austin, TX.
- Merewether, E.A. 1964. Mesozoic Rocks in Mineral and Water Resources of South Dakota, South Dakota Geological Survey Bulletin Number 16; p.38-43.
- Mid-continent Oil and Gas Association of Oklahoma. 2006. Retrieved February 9, 2006: <http://www.okmoga.com>
- Miller, J.A., and C.L. Appel. 1997. Ground Water Atlas of the United States, Segment 3, Kansas, Missouri, Nebraska. USGS Hydrologic Atlas HA-730-D.
- Miller, R.J. and Robison, H.W. 2004. Fishes of Oklahoma. University of Oklahoma Press. Norman, OK. 450 pp.
- Montana Board of Oil and Gas. 2007. Montana Oil and Gas Annual Reviews 1951 to 2006. Department of Natural Resources and Conservation of the State of Montana; Oil and Gas Conservation Division, Billings Montana, 93 p. Retrieved July 30, 2008: <http://bogc.dnrc.state.mt.us/annualreviews.asp>
- Montana Bureau of Mines and Geology/U.S. Geological Survey. 2004. Mineral Industry of Montana. Retrieved July 1, 2008: <http://minerals.usgs.gov/minerals/pubs/state/mt.html>
- Montana Bureau of Mines and Geology. 1963. Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Retrieved July 30, 2008: <http://www.mbmgs.mtech.edu/sp28/intro.htm>
- Montana Department of Environmental Quality (MTDEQ). 2006. 2006 Integrated 303(d)/305(b) Water Quality Report for Montana. Montana Department of Environmental Quality, Water Quality Planning Bureau, Helena, Montana. Retrieved August 6, 2007: http://cwaic.mt.gov/wq_reps.aspx?yr=2006qryld=37017
- Montana Department of Environmental Quality (MTDEQ). 2006. Administrative Rules of Montana (ARM), Title 17, Chapter 30. Retrieved August 1, 2007: <http://www.deq.state.mt.us/dir/legal/title17.asp>
- Montana Department of Environmental Quality (MTDEQ). 2004. Application Requirements for Linear Facilities, Alternative Siting Study Baseline Study Impact Assessment. MDEQ Circular MFSA-2, 2004 edition.
- Moore, R. C., C. G. Lalickaer and A. G. Fischer. 1952. *Invertebrate Fossils*. McGraw-Hill Book Co. New York.
- Moore, R. C. 1939. New Crinoids from Upper Pennsylvanian and Lower Permian Rocks of Oklahoma, Kansas, and Nebraska: Denison University Bulletin, Journal of the Scientific Laboratories, Vol. 34, pp. 171-279.

- Moore, R. C. and Laudon, L. R. 1944. Class Crinoidea. *In* Shimer, H. W. and Shrock, R. R., Index Fossils of North America. p. 137-209. John Wiley and Sons, Inc. New York.
- Morton, R.B. 1992. Simulation of Groundwater Flow in the Antlers Aquifer of Southeastern Oklahoma and Northeastern Texas. United States Geological Survey WRI 88-4208.
- Muller, D.A., and R.D. Price. 1979. Groundwater availability in Texas. Texas Dept. of Water Resources Report 238.
- National Atlas. 2008. Retrieved July 11, 2008:
<http://nationalatlas.gov/maplayers.html?openChapters=chpgeol>
- National Atlas. 2008b. MapMaker layers for coal fields, earthquakes, karst, and landslide incidence and susceptibility. Retrieved August 13, 2008: <http://nationalatlas.gov/natlas/Natlasstart.asp>
- National Atlas. 2008b. Engineering Aspects of Karst. Retrieved August 14, 2008:
http://www.natinalatlas.gov/articles/geology/a_karst.html
- National Park Service (NPS). 2006. Big Thicket Biological Crossroads. Retrieved August 26, 2008:
<http://www.nps.gov/bith/bigthicketbiologicalcrossroads>
- National Wild and Scenic Rivers System (NWSRS). 2008. Retrieved August 27, 2008:
<http://www.rivers.gov>
- National Research Council. 2004. Partnerships for Reducing Landslide Risk. The National Academies Press, Washington D.C., 144 p. Retrieved August 1, 2008:
http://www.nap.edu/catalog.php?record_id=10946#toc
- Natural Resource Conservation Service (NRCS). 2008. Conservation Reserve Program (CRP). Retrieved August 15, 2008: <http://www.nrcs.usda.gov/programs/CRP>
- Natural Resource Conservation Service (NRCS). 2008. Wetland Reserve Program (WRP). Retrieved August 15, 2008: <http://www.nrcs.usda.gov/programs/WRP>
- NatureServe. 2008. NatureServe Explorer: An Online Encyclopedia of Life. Version 7.0. NatureServe, Arlington, Virginia. Retrieved August 12, 2008:
<http://www.natureserve.org/explorer/>
- Nebraska Department of Environmental Quality (NDEQ). 2004. 2004 Surface Water Quality Integrated Report. Nebraska Department of Environmental Quality, Water Quality Division, Lincoln, Nebraska. Retrieved January 25, 2006:
<http://www.deq.state.ne.us/Publica.nsf/Pages/WAT021>
- Nebraska Department of Environmental Quality (NDEQ). 2006. Nebraska Administrative Code, Title 117. Retrieved July 8, 2008: http://www.sos.state.ne.us/rules-and-regs/regsearch/Rules/index.cgi?l=Environmental_Quality_Dept_of&t=Title-117
- Nebraska Game and Parks Commission (NGPC). 2005. The Nebraska Natural Legacy Project – A Comprehensive Wildlife Conservation Strategy. Retrieved August 14, 2008:
<http://www.ngpc.state.ne.us/wildlife/programs/legacy/review.asp>
- Nebraska Oil and Gas Conservation Commission. 2008. Online Data Delivery System, search of well database. Retrieved August 14, 2008: <http://www.nogcc.ne.gov/NOGCCOnlineGIS/>

- Newman, K., J. Scotchmoor, and S. Rieboldt. 2008. Time and Space: Texas, USA. Retrieved August 14, 2008: <http://www.paleoportal.org/index.php>
- Newport, T.G., and R.A. Krieger. 1959. Ground Water Resources of the Lower Niobrara River and Ponca Creek Basins, Nebraska and South Dakota. USGS Water Supply Paper WSP 1460-G.
- North Dakota Industrial Commission. 2007. Production Statistics. Retrieved July 30, 2008: <https://www.dmr.nd.gov/oilgas/stats/statisticsvw.asp>
- Oklahoma Department of Environmental Quality (OKDEQ). 2002. The State of Oklahoma 2002 Water Quality Assessment Integrated Report. Oklahoma Department of Environmental Quality, Oklahoma City, Oklahoma. Retrieved August 1, 2008: http://www.deq.state.ok.us/WQDnew/305b_303d/305b_archive.html
- Oklahoma Department of Wildlife Conservation (ODWC). 2008. Minutes from meeting between ENSR and ODWC staff on July 1, 2008.
- Oklahoma Natural Heritage Inventory (ONHI). 2003. Federal and State Endangered, Threatened and Candidate Species in Oklahoma by County. Retrieved August 7, 2008: <http://www.biosurvey.ou.edu/download/heritage/countypr0503.pdf>
- Oklahoma Water Resources Board. 2008. Title 785, Oklahoma Water Resources Board, Chapter 45. Oklahoma Water Quality Standards. 121pp. Web address: <http://www.owrb.ok.gov/quality/standards/standards.php>
- Oklahoma Water Resources Board. 2008. Groundwater Vulnerability Map for Oklahoma.
- Olive, W.W., A.F. Chleborad, C.W. Frahme, Julius Schlocker, R.R. Schneider, and R.L. Shuster. 1989. Swelling Clays Map of The Conterminous United States. Retrieved August 14, 2008: http://pilevoid.com/surevoid_web/soil_maps/reg_rm.html
- Osborn, B. and H. L. Whittaker. 1936. Legend for reconnaissance mapping of natural vegetation in the central Great Plains region. U.S.D.A. Soil Conservation Service, Region 7, Salina, Kansas. Biol. Leaflet Number 9.
- Osborn, B. and H. L. Whittaker. 1937. Reconnaissance mapping of natural vegetation of the central Great Plains region. U.S.D.A. Soil Conservation Service, Region 7, Salina, Kansas. Biol. Leaflet Number 12.
- Paleontology Portal. 2008. Texas: Paleontology and Geology. Retrieved August 1, 2008: www.paleoportal.com.
- Parkhurst, D.L, S. Christenson, and G.N. Breit. 1996. Groundwater Quality Assessment of the Central Oklahoma Aquifer, Oklahoma-Geochemical and Geohydrologic Investigations. United States Geological Survey WSP 2357-C.
- Patillo, M.E., Czaplá, T.E., Nelson, D.M. and M.E. Monaco. 1997. Distribution and abundance of fishes and invertebrates in Gulf of Mexico estuaries, Vol. II: Species life history summaries. ELMR Rep. No. 11. NOAA/NOS Strategic Environmental Assessments Division, Silver Spring, MD. 377pp.
- Patton, T.W., Rose, J.C. LaFave, J.I., and L.N. Smith. 1998. Potentiometric surface map for the Shallow Hydrologic Unit, lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 5.

- Peppers, R. A. 1996. Palynological Correlation of Major Pennsylvanian (Middle and Upper Carboniferous) Chronostratigraphic Boundaries in the Illinois and Other Coal Basins. *Geological Society of America Memoir 188*.
- Petersen, Mark D., Frankel, Arthur D., Harmsen, Stephen C., Mueller, Charles S., Haller, Kathleen M., Wheeler, Russell L., Wesson, Robert L., Zeng, Yuehua, Boyd, Oliver S., Perkins, David M., Luco, Nicolas, Field, Edward H., Wills, Chris J., and Rukstales, Kenneth S., 2008, Documentation for the 2008 Update of the United States National Seismic Hazard Maps: U.S. Geological Survey Open-File Report 2008–1128, 61 p.
- Peterson, J.A. and L.M. McCary. 1987. Regional Stratigraphy and General Petroleum Geology of the U.S. Portion of the Williston Basin and Adjacent Areas, in Longman, J.A. (ed.), Williston Basin: Anatomy of a Cratonic Oil Province, Papers collected and edited by J.A. Peterson, D.M. Kent, S.B. Anderson, R.H. Pilaske, and M.W. Longman. The Rocky Mountain Association of Geologists, Denver, Colorado, 1987, p. 9-43.
- Pfleger, W.L. 1997. The Fishes of Missouri, Revised Ed. Missouri Department of Conservation. Jefferson City, MO. 372 pp.
- Pierson, D.G. 2008. A Natural History of North Central Texas: Geology of North Central Texas. Retrieved August 13, 2008: <http://www.nhnct.org/geology/geohist.html>
- Pipiringos, G.N., Chisholm, W.A., and R.C. Kepferle. 1965. Geology and Uranium Deposits in the Cave Hills Area, Harding County, South Dakota. U.S. Geological Survey Professional Paper 476-A.
- Radbruch-Hall, D. H., R. B. Colton, W. E. Davies, I. Lucchitta, B. A. Skipp, and D. J. Varnes. 1982. Landside Overview Map of the United States. U.S. Geological Survey Professional Paper 1183.
- Rainwater Basin Joint Venture. 2008. Rainwater Basin Fact Sheet. Retrieved August 14, 2008: http://www.rwbjv.org/pdf/Rainwater_Basin_Fact_Sheet.pdf
- Ramsbottom, W. H. C. and W. B. Saunders. 1985. Evolution and Evolutionary Biostratigraphy of Carboniferous Ammonoids. *Journal of Paleontology*. Vol. 59. No. 1. January 1985. pp. 123-139.
- Rich, T. 2005. Results of Monitoring for 1989-1997 for the statewide groundwater quality monitoring network. South Dakota Geol. Survey Open File Report 89-UR.
- Robison, H.W. and Buchanan. 1988. Fishes of Arkansas. The University of Arkansas Press. Fayetteville, AR. 536 pp.
- Ross, S T., 2001. The Inland Fishes of Mississippi. University Press of Mississippi. Jackson, MS. 624 pp.
- Ryder, P.D. 1996. Groundwater Atlas of the United States-Segment 4-Oklahoma and Texas. United States Geological Survey Hydrologic Atlas HA-730-E.
- Ryder, P.D. and A.F. Ardis. 2002. Hydrogeology of the Texas Gulf Coast Aquifer Systems. United States Geological Survey Professional Paper 1416-E.

- Schiebout, J. A. and S. Ting. in press. Miocene Terrestrial Microvertebrates Recovered from Conglomerate Rich in Pedogenic Nodules, Fleming Formation near Coldspring, Texas. *Texas Journal of Science*, Vol. 50. No.3.
- Scott, G. and M. H. Moore. 1928. Ammonites of Enormous Size from the Texas Cretaceous. *Journal of Paleontology*. Vol. 2. No. 4. December 1928. pp. 273-278.
- Seaber, P. R., F. P. Kapinos, and G. L. Knapp. 1994. Hydrologic Unit Maps. U.S. Geological Survey, Water-Supply Paper 2294. Second printing, U.S. Government Printing Office, Washington, D.C.
- Signor, D.C., J.O. Helgensen, D.G. Jorgensen, and R.B. Leonard. 1996. Geohydrology and Simulation of Steady-State Flow Conditions in Regional Aquifer Systems in Cretaceous and Older Rocks underlying Kansas, Nebraska, and parts of Colorado, Missouri, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming. United States Geological Survey Prof. Paper 1414-C.
- Slagle, S.E. 1983. Water resources of the Fort Union coal region, east-central Montana. U.S. Geological Survey Water Resources Investigation 83-4151
- Smith, L.N. 1998. Geologic framework of hydrologic units in the lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1, part B, Map 1.
- Smith, L.N., LaFave, J.I., Patton, T.W., Rose, J.C. and McKenna, D.A. 2000. Groundwater resources of the Lower Yellowstone River area: Dawson, Fallon, Prairie, Richland, and Wibaux Counties, Montana. Montana Groundwater Assessment Atlas No. 1.
- South Dakota Administrative Rules. 2007: Chapter 74:54:01. Web address: legis.state.sd.us/rules/displayrule.aspx?Rule=74:54
- South Dakota Department of Environment and Natural Resources (SDDENR). 2008. The 2008 South Dakota Integrated Report for Surface Water Quality Assessment. South Dakota Department of Environment and Natural Resources, Pierre, South Dakota. Retrieved June 20, 2008: <http://www.state.sd.us/denr/DES/Surfacewater/TMDL.htm>
- South Dakota Geological Survey/U.S. Geological Survey. 2005. Mineral Industry in South Dakota, 2005 Minerals Yearbook. Retrieved August 11, 2008: <http://minerals.usgs.gov/minerals/pubs/state/2005/myb2-2005-sd.pdf>
- South Dakota Oil and Gas Section. 2008. Historical Production Statistics. Retrieved July 30, 2008: <http://www.state.sd.us/denr/DES/Mining/Oil&Gas/producti.htm>
- Spearing, D. 1991. Roadside Geology of Texas. Montana: Mountain Press Publishing Company.
- SWCA Environmental Consultants. 2008. Paleontological Assessment for Federal Land along the Montana Segment of the Keystone XL Pipeline Project. Prepared for ENSR Corporation and BLM, August 8, 2008; 182 p.
- Stanton, J. and S.L. Qi. 2006. Ground Water Quality of the Northern High Plains Aquifer, 1997, 2002-2004. USGS Scientific Investigations Report SIR 2006-5138.
- Steece, F.V. 1981. Groundwater study for the city of Bison, South Dakota. South Dakota Geol. Survey Open File Report 5-UR.

- Stephenson, L. W. 1941. The Larger Invertebrate Fossils of the Navarro Group of Texas (Exclusive of Corals and Crustaceans and Exclusive of the Fauna of the Escondido Formation). *University of Texas Bureau of Economic Geology Publication 17 (3)1*. 1941. p. 641.
- Stephenson, L. W. 1952. Larger Invertebrate Fossils of the Woodbine Formation (Cenomanian) of Texas. U.S. Geological Survey Professional Paper 242.
- Stone, J.L. 2008. Assistant Professor Civil Engineering, South Dakota School of Mines and Technology, personal communication to B. Berg of ENSR Corporation, August 14, 2008.
- Stone, J., L. Stetler, A. Schwalm, R. Wintergerst, L. Walters-Clark. 2006. Study of abandoned uranium mining impacts on private lands surrounding the North Cave Hills, Custer National Forest, South Dakota. North Cave Hills Uranium Mining Impacts Study. Custer National Forest, South Dakota South Dakota School of Mines and Technology; August 15, 2006. Retrieved August 14, 2008:
<http://www.deq.state.mt.us/AbandonedMines/NAAML/AML/NAAML%20Papers/2006%2028th%20Annual%20NAAML%20Papers/Paper%205%20--%20Stone-South%20Dakota.pdf>
- Stovall, J. W. 1945. The Occurrence of *Petrodus* in Oklahoma. *American Midland Naturalist*. Vol. 34. No. 3. November 1945. pp. 720-722.
- Strimple, H. L. 1975. Erratum: Lower Pennsylvanian (Morrowan) crinoids from Arkansas, Oklahoma and Texas: University of Kansas Paleontological Contributions. Paper 76. p. 30.
- Swenson, F.A. and Drum, W.H. 1955. Geology and groundwater resources of the Missouri River Valley in northeastern Montana. U.S. Geological Survey Water Supply Paper 1263.
- Taff, J.A. 1899. U.S. Geological Survey Annual Report. Part 3. p. 436
- Texas Department of Environmental Quality. 2003. Procedures to Implement the Texas Surface Water Quality Standards. Water Quality Division, Texas Commission on Environmental Health. 153pp. Web address: www.tceq.state.tx.us/puplications
- Texas Parks and Wildlife Department (TPWD). 2008. Rare, Threatened, and Endangered Species of Texas. Retrieved August 7, 2008:
<http://gis.tpwd.state.tx.us/TpwEndangeredSpecies/DesktopDefault.aspx>
- Texas Parks and Wildlife Department (TPWD). 2008a. Minutes from meeting between ENSR and TPWD staff on May 23, 2008.
- Texas Parks and Wildlife. 2006. Natural regions of Texas (map). Source: *Perserving Texas' Natural Heritage*. LBJ School of Public Affairs and Policy Research Project Report 31, 1978. Map compiled by Texas Parks and Wildlife Department GIS lab.
- Thomas, C.T., Bonner, T.H. and Whiteside, B.G. 2007. Freshwater Fishes of Texas. Texas A & M University Press. College Station, TX. 202 pp.
- Thompson, M. L. Thompson. 1935. Fusilinids from the Lower Pennsylvanian Atoka and Boggy Formations of Oklahoma. *SEPM Society for Sedimentary Geology*.
- Thornbury, W.D. 1965. Regional Geomorphology of the United States. John Wiley and Sons, Inc., New York.
- Trimble, D.E. 1980. The Geologic Story of the Great Plains. U.S. Geological Survey Bulletin 1493.

- U.S. Army Corp of Engineers (USACE). 1995. Uniform Building Code Seismic Zone Map. Retrieved July 31, 2008: <http://www.usace.army.mil/publications/eng-regs/er1110-2-1806/a-c.pdf>
- United States Department of Agriculture – Forest Service (FS). 2008. Caddo-LBJ National Grasslands. Retrieved August 26, 2008: http://www.fs.fed.us/r8/texas/recreation/caddo_lbj/caddo-lbj_gen_info.shtml
- United States Department of Agriculture (USDA). 1932. Natural Resources Conservation Service Web Soil Survey. Retrieved August 5, 2008: <http://websoilsurvey.nrcs.usda.gov/app>
- United States Department of Agriculture, Natural Resources Conservation Service. 2006. *Land Resource Regions and Major Land Resource Areas of the United States, the Caribbean, and the Pacific Basin*. U.S. Department of Agriculture Handbook 296.
- United States Department of Agriculture – National Agricultural Statistics Service (NASS). 2006 – 2007. Retrieved August 26, 2008: http://www.nass.usda.gov/Data_Statistics/Quick_Stats/index.asp
- U.S. Department of the Interior Fish and Wildlife Service National Wildlife Refugee System (USFWS). 2005. Rainwater Basin Wetland Management District Annual Narrative Report. Kearney, NE. 46 pgs.
- U.S. Department of the Interior Fish and Wildlife Service National Wildlife Refugee System (USFWS). 2007. Comprehensive Conservation Plan Rainwater Basin Wetland Management District. Kearney, NE. 211 pgs.
- U. S. Environmental Protection Agency (USEPA). 2004. The Incidence and Severity of Sediment Contamination in Surface Waters of the United States; National Sediment Quality Survey, Second Edition. EPA-823-R-04-007.
- U.S. Environmental Protection Agency (EPA). 1978. Protective Noise Levels.
- U.S. Fish and Wildlife Service (USFWS). 2007. Oklahoma Ecological Services Field Office. County Occurrences of Oklahoma Federally-Listed Endangered, Threatened, Proposed and Candidate Species. Retrieved August 7, 2008: <http://www.fws.gov/southwest/es/oklahoma/Documents/USFWS%20OKESFO%20FEDERALLY%20LISTED%20SPECIES%20-%20COUNTY%20LIST%2010.17.2007%20CMO.pdf>
- U.S. Fish and Wildlife Service (USFWS). 2008. Southwest Region, Endangered Species Lists. Retrieved August 7, 2008: <http://www.fws.gov/southwest/es/EndangeredSpecies/lists/default.cfm>
- U.S. Fish and Wildlife Service (USFWS). 2008b. Minutes from meeting between ENSR and USFWS Tulsa, OK, Ecological Services staff on April 16, 2008.
- U.S. Fish and Wildlife Service (USFWS). 2008c. Minutes from meeting between ENSR and USFWS Arlington, TX, Ecological Services staff on April 10, 2008.
- U.S. Fish and Wildlife Service (USFWS). 2008d. Minutes from meeting between ENSR and USFWS Clear Lake, TX, Ecological Services staff on April 29, 2008.
- U.S. Fish and Wildlife Service (USFWS). 2008e. Minutes from meeting between ENSR and USFWS Lufkin, TX, Ecological Services sub-office staff on June 3, 2008.

- U.S. Geological Survey (USGS). 2008a. Seismic Hazard Map of Oklahoma. Retrieved August 7, 2008: <http://earthquake.usgs.gov/regional/states/oklahoma/hazards.php>
- U.S. Geological Survey. 2008a. Assessment of Undiscovered oil resources in the Devonian-Mississippian Bakken Formation, Williston Basin Province, Montana and North Dakota. U.S. Geological Survey Fact Sheet 2008-3021.
- U.S. Geological Survey. 2008a. National Earthquake Information Center Earthquake Search; U.S. Geological Survey/National Earthquake Information Center 1973 to present Database. Retrieved August 14, 2008: http://neic.usgs.gov/neis/epic/epic_rect.html
- U.S. Geological Society (USGS). 2008b. National Seismic Hazards Map. Retrieved August 7, 2008: <http://earthquake.usgs.gov/research/hazmaps>
- U.S. Geological Survey. 2008b. Earthquake Hazards Program search for Nebraska. Retrieved August 14, 2008: <http://earthquake.usgs.gov/regional/states/nebraska/hazards.php>
- U.S. Geological Survey. 2008b. Visual Glossary. Retrieved August 14, 2008: <http://earthquake.usgs.gov/learning/glossary.php?term=active%20fault>
- U.S. Geological Survey. 2008c. Seismicity Map of Montana. Retrieved July 1, 2008: <http://earthquake.usgs.gov/regional/states/montana/seismicity.php>
- U.S. Geological Survey. 2008d. National Earthquake Information Center Earthquake Search; U.S. Geological Survey/National Earthquake Information Center 1973 to present Database. Retrieved July 31, 2008: http://neic.usgs.gov/neis/epic/epic_rect.html
- U.S. Geological Survey. 2004. Landslide Types and Processes. USGS Fact Sheet 2004-3072. Retrieved July 31, 2008: <http://pubs.usgs.gov/fs/2004/3072/pdf/fs2004-3072.pdf>
- U.S. Geological Society (USGS). 2004. The Mineral Industry of Oklahoma. (2003). Retrieved January 18, 2006: <http://minerals.usgs.gov/minerals/pubs/state/2003/okstmyb03.pdf>
- U.S. Geological Society (USGS) 2004. Landslide Types and Processes. USGS Fact Sheet 2004-3072. Retrieved July 31, 2008: <http://pubs.usgs.gov/fs/2004/3072/pdf/fs2004-3072.pdf>
- U.S. Geological Survey and Montana Bureau of Mines and Geology. 2006. Quaternary fault and fold database for the United States. Retrieved July 31, 2008: <http://earthquakes.usgs.gov/regional/qfaults/>
- U.S. Office of Surface Mining Reclamation and Enforcement (OSMRE). 2008. Texas: The Largest Producer of Lignite Coal. Retrieved August 1, 2008: <http://www.osmre.gov/pdf/texas.pdf>
- Vuke, S.M. and R.B. Colton. 2003. Geologic Map of the Terry 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 477, 9 p., 1 sheet(s), 1:100,000.
- Van Houten, F.B. 1973. Origin of red beds: a review, 1961-1972. *Annual Review Earth Planetary Science* 1, pp 39-61.
- Vuke, S.M., E.M. Wilde, R.B. Colton, and M.C. Stickney, M.C. 2003. Geologic Map of the Wibaux 30' x 60' Quadrangle, Eastern Montana and Adjacent North Dakota, Montana Bureau of Mines and Geology: Open File Report 465, 11 p., 1 sheet(s), 1:100,000.

- Vuke, S.M., E.M. Wilde, R.N. Bergantino, and R.B. Colton. 2001. Geologic Map of the Ekalaka 30' x 60' Quadrangle, Eastern Montana and adjacent North and South Dakota, Montana Bureau of Mines and Geology: Open File Report 430, 1 sheet(s), 1:100,000.
- Wedel, M. J. and R. L. Cifelli. 2005. Sauroposeidon: Oklahoma's Native Giant. *Oklahoma Geology Notes*. Vol. 65. No. 2. Summer 2005. pp. 40-57.
- Weeks, J.B., E.D. Gutentag, F.J. Heimers, and R.R. Luckey. 1988. Summary of the High Plains Regional Aquifer System Analysis in parts of Colorado, Kansas, Nebraska, New Mexico, Oklahoma, South Dakota, Texas, and Wyoming. USGS Prof. Paper 1400-A.
- Weissenborn, A.E. and Weis, P.L. 1963. Uranium in Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Retrieved July 30, 2008: <http://www.mbmgs.mtech.edu/sp28/intro.htm>
- Weis, P.L. 1963. Sand and Gravel in Mineral and Water Resources of Montana, Montana Bureau of Mines and Geology Special Publication 28, May 1963. Digital version prepared in 2002-2003. Retrieved July 30, 2008: <http://www.mbmgs.mtech.edu/sp28/intro.htm>
- Welton, B. J. and R. F. Farrish. 1993. The Collector's Guide to Fossil Sharks and Rays from the Cretaceous of Texas. Lewisville: Before Time.
- Wermund, E.G. 2008. Physiography of Texas. Bureau of Economic Geology, Austin, Texas. Retrieved July 31, 2008: <http://www.beg.utexas.edu/UTopia/images/pagesizemaps/physiography.pdf>
- Wheeler, R.L. (compiler). 1999. Fault number 707, Brockton-Froid fault zone, in Quaternary Fault and Fold Database of the United States. Retrieved July 31, 2008: <http://earthquakes.usgs.gov/regional/qfaults>
- Whitehead, R.L. 1996. Groundwater Atlas of the United States, Segment 8: Montana, North Dakota, South Dakota, and Wyoming. U.S. Geological Survey Hydrologic Atlas 730-I.
- Wilde, E.M. and R.N. Bergantino. 2004. Geologic Map of the Fort Peck Lake East 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 498, 10 p., 1 sheet(s), 1:100,000.
- Wilde, E.M. and L.M. Smith. 2003a. Geologic and Structure Contour Map of the Richey 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 475, 9 p., 1 sheet(s), 1:100,000.
- Woods, A.J., Omernik, J.M., Butler, D.R., Ford, J.G., Henley, J.E., Hoagland, B.W., Arndt, D.S., and Moran, B.C. 2005 Ecoregions of Oklahoma (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,250,000).
- World Wildlife Fund. 2001. Nebraska Sand Hills mixed grasslands (NA0809) description. Reviewed August 14, 2008: http://worldwildlife.org/wildworld/profiles/terrestrial/na/na0809_full.html
- Zachos, L. G. and A. Molineux. 2003. Eocene Echinoids of Texas. *Journal of Paleontology*. Vol. 77. No. 3. May 2003. pp. 491-508.
- Zachol, L.G. and A. Molineux. 2003b. Geologic Map of the Circle 30' x 60' Quadrangle, Eastern Montana, Montana Bureau of Mines and Geology: Open File Report 470, 5 p., 1 sheet(s), 1:100,000.