# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13/14/15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-09

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

S 4
T 037N
R 032E

S 9
T 037N
R 032E

S 16
T 037N
R 032E

S 21
T 037N
R 032E

S 28
T 037N
R 032E

S 33
T 037N
R 032E

S 3
T 036N
R 032E

MP 1

PS-09

MP 0

MP 57

S 5
T 037N
R 032E

S 8
T 037N
R 032E

S 17
T 037N
R 032E

S 20
T 037N
R 032E

S 29
T 037N
R 032E

S 32
T 037N
R 032E

S 4
T 036N
R 032E

Phillips County

MT

MP 56

S 6
T 037N
R 032E

S 7
T 037N
R 032E

S 18
T 037N
R 032E

S 19
T 037N
R 032E

S 30
T 037N
R 032E

S 31
T 037N
R 032E

SEE SHEET 09-01

SEE SHEET 09-02

East Fork Whitewater Creek

S 5
T 036N
R 032E

MP 55

MP 54

MP 53

MP 52

MP 51

MP 50

S 1
T 037N
R 031E

S 12
T 037N
R 031E

S 13
T 037N
R 031E

S 24
T 037N
R 031E

S 25
T 037N
R 031E

S 36
T 037N
R 031E

S 6
T 036N
R 032E

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-09-01-A | 01 of 10 | 0 |

S 4
T 037N
R 032E

S 9
T 037N
R 032E

S 16
T 037N
R 032E

S 21
T 037N
R 032E

S 28
T 037N
R 032E

S 33
T 037N
R 032E

T 036N
R 032E

MP 1

PS-09

MP 0

MP 57

S 5
T 037N
R 032E

S 8
T 037N
R 032E

S 17
T 037N
R 032E

S 20
T 037N
R 032E

S 29
T 037N
R 032E

S 32
T 037N
R 032E

S 4
T 036N
R 032E

Phillips
County

MT

MP 56

S 6
T 037N
R 032E

S 7
T 037N
R 032E

S 18
T 037N
R 032E

S 19
T 037N
R 032E

S 30
T 037N
R 032E

S 31
T 037N
R 032E

SEE SHEET 09-01

SEE SHEET 09-02

East Fork Whitewater Creek

S 5
T 036N
R 032E

MP 55

MP 54

MP 53

MP 52

MP 51

MP 50

S 1
T 037N
R-031E

S 12
T 037N
R 031E

S 13
T 037N
R 031E

S 24
T 037N
R 031E

S 25
T 037N
R 031E

S 36
T 037N
R 031E

S 6
T 036N
R 032E

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Artie Reservoir

Artie Reservoir

Saskatchewan, Canada

Valley
County

Phillips
County

N

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips

TransCanada
In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-01 -Q | 01 of 10 | 0 |

S 32 T 037N R 032E
S 4 T 036N R 032E
S 9 T 036N R 032E
S 16 T 036N R 032E
S 21 T 036N R 032E
S 28 T 036N R 032E
S 33 T 036N R 032E
N
W
E
S
S 31 T 037N R 032E
SEE SHEET 09-01
SEE SHEET 09-02
S 5 T 036N R 032E
S 8 T 036N R 032E
S 17 T 036N R 032E
S 20 T 036N R 032E
S 29 T 036N R 032E
S 32 T 036N R 032E
SEE SHEET 09-02
SEE SHEET 09-03
MP 50
East Fork Whitewater Creek
S 36 T 037N R 031E
Phillips County
MT
S 6 T 036N R 032E
S 7 T 036N R 032E
S 18 T 036N R 032E
S 19 T 036N R 032E
S 30 T 036N R 032E
S 31 T 036N R 032E
MP 49
MP 48
MP 47
MP 46
MP 45
MP 44
S 35 T 037N R 031E
S 1 T 036N R 031E
S 12 T 036N R 031E
S 13 T 036N R 031E
S 24 T 036N R 031E
S 25 T 036N R 031E
S 36 T 036N R 031E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline
S 11 T 036N
S 14 T 036N

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-02 -A | 02 of 10 | 0 |

S 32 T 037N R 032E
S 4 T 036N R 032E
S 9 T 036N R 032E
S 16 T 036N R 032E
S 21 T 036N R 032E
S 28 T 036N R 032E
S 33 T 036N R 032E
S 31 T 037N R 032E
S 5 T 036N R 032E
S 8 T 036N R 032E
S 17 T 036N R 032E
S 20 T 036N R 032E
S 29 T 036N R 032E
S 32 T 036N R 032E
SEE SHEET 09-01
SEE SHEET 09-02
Nerve Reservoir
Coal Creek
Dodge Coulee
SEE SHEET 09-02
SEE SHEET 09-03
MP 50
MP 49
MP 48
MP 47
MP 46
MP 45
MP 44
East Fork Whitewater Creek
Whitewater Creek
East Fork
S 36 T 037N R 031E
Phillips County
S 6 T 036N R 032E
S 7 T 036N R 032E
S 18 T 036N R 032E
S 19 T 036N R 032E
S 30 T 036N R 032E
S 31 T 036N R 032E
S 35 T 037N R 031E
S 1 T 036N R 031E
S 12 T 036N R 031E
S 13 T 036N R 031E
S 24 T 036N R 031E
S 25 T 036N R 031E
S 36 T 036N R 031E
S 11 T 036N
S 14 T 036N
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
PS-09

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-02 -Q | 02 of 10 | 0 |

S 17
T 035N
R 032E

S 8
T 035N
R 032E

S 5
T 035N
R 032E

S 32
T 036N
R 032E

S 19
T 035N
R 032E

S 30
T 035N
R 032E

S 18
T 035N
R 032E

S 7
T 035N
R 032E

S 6
T 035N
R 032E

S 36
T 035N
R 031E

S 31
T 036N
R 032E

S 25
T 035N
R 031E

S 24
T 035N
R 031E

East Fork Whitewater Creek

S 13
T 035N
R 031E

S 35
T 035N
R 031E

Phillips
County

MT

S 12
T 035N
R 031E

S 1
T 035N
R 031E

S 23
T 035N
R 031E

S 26
T 035N
R 031E

S 36
T 036N
R 031E

S 25
T 036N
R 031E

S 14
T 035N
R 031E

S 11
T 035N
R 031E

S 2
T 035N
R 031E

S 35
T 036N
R 031E

S 26
T 036N
R 031E

S 22
T 035N
R 031E

S 27
T 035N
R 031E

S 15
T 035N

S 10
T 035N

Whitewater Creek

Whitewater Rd

Main St

2nd Ave

1st Ave

Railroad Grade St

SEE SHEET 09-02

SEE SHEET 09-03

SEE SHEET 09-04

MP 44

MP 43

MP 42

MP 41

MP 4

MP 38

MP 39

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-03 -A | 03 of 10 | 0 |

S 17
T 035N
R 032E

S 8
T 035N
R 032E

S 5
T 035N
R 032E

S 32
T 036N
R 032E

S 19
T 035N
R 032E

S 30
T 035N
R 032E

S 18
T 035N
R 032E

S 7
T 035N
R 032E

S 6
T 035N
R 032E

S 36
T 035N
R 031E

S 31
T 036N
R 032E

S 25
T 035N
R 031E

S 24
T 035N
R 031E

S 13
T 035N
R 031E

S 35
T 035N
R 031E

S 12
T 035N
R 031E

S 1
T 035N
R 031E

S 23
T 035N
R 031E

S 26
T 035N
R 031E

S 36
T 036N
R 031E

S 14
T 035N
R 031E

S 25
T 036N
R 031E

S 11
T 035N
R 031E

S 2
T 035N
R 031E

S 35
T 036N
R 031E

S 22
T 035N
R 031E

S 27
T 035N
R 031E

S 26
T 036N
R 031E

S 15
T 035N
R 03

S 10
T 035N

SEE SHEET 09-02

SEE SHEET 09-03

SEE SHEET 09-04

MP 44

MP 43

MP 42

MP 41

MP 4

MP 38

MP 39

Phillips County

Valley County

East Fork Whitewater Creek

Whitewater Creek

Whitewater Rd

Main St

25th Ave

Railroad Ave

1st St

2nd St

N

E

S

W

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
PS-09

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-03 -Q | 03 of 10 | 0 |

S 30 T 035N R 032E
S 31 T 035N R 032E
S 6 T 034N R 032E
S 7 T 034N R 032E
S 18 T 034N R 032E
T 034N R 032E
T 034N R 032E
T 034N R 032E
S 19 T 034N R 032E
30 T 034N R 032E
Whitewater Rd
East Fork Whitewater Creek
SEE SHEET 09-04
SEE SHEET 09-05
Whitewater Youth Ro
N
E
S
W
MP 31
MP 30
S 25 T 035N R 031E
S 36 T 035N R 031E
S 1 T 034N R 031E
S 12 T 034N R 031E
MT
S 13 T 034N R 031E
Whitewater Creek
S 24 T 034N R 031E
S 25 T 034N R 031E
Phillips County
Main St
2nd Ave
1st Ave
2nd St
1st St
Railroad St
S 26 T 035N R 031E
SEE SHEET 09-03
SEE SHEET 09-04
S 35 T 035N R 031E
S 2 T 034N R 031E
S 11 T 034N R 031E
S 14 T 034N R 031E
MP 32
S 23 T 034N R 031E
S 26 T 034N R 031E
S 27 T 035N
S 34 T 035N
Whitewater Rd
MP 36
S 3 T 034N R 031E
MP 35
S 10 T 034N R 031E
Austin Lake MP
S 15 T 034N
MP 33
S 22 T 034N R 031E
S 27 T 034N R 031E
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-09-04-A | 04 of 10 | 0 |

S 30
T 035N
R 032E

S 31
T 035N
R 032E

S 6
T 034N
R 032E

S 7
T 034N
R 032E

T 034N
R 032E

S 18
T 034N
R 032E

T 034N
R 032E

S 19
T 034N
R 032E

SEE SHEET 09-04

SEE SHEET 09-05

T 034N
R 032E

S 30
T 034N
R 032E

Whitewater Rd

East Fork Whitewater Creek

Whitewater Youth Rd

MP 31

MP 30

S 25
T 035N
R 031E

S 36
T 035N
R 031E

S 1
T 034N
R 031E

S 12
T 034N
R 031E

NORTHERN

BURLINGTON

MT

Phillips County

Whitewater Creek

S 13
T 034N
R 031E

S 24
T 034N
R 031E

S 25
T 034N
R 031E

Whitewater Creek

Austin Dam

Main St

2nd Ave

1st Ave

Railroad Line

Whitewater Creek

SEE SHEET 09-03

SEE SHEET 09-04

MP 32

S 26
T 035N
R 031E

S 35
T 035N
R 031E

S 2
T 034N
R 031E

S 11
T 034N
R 031E

S 14
T 034N
R 031E

S 23
T 034N
R 031E

S 26
T 034N
R 031E

S 27
T 035N

S 34
T 035N

Whitewater Rd

MP 36

MP 35

S 3
T 034N
R 031E

S 10
T 034N
R 031E

Austin Lake

MP

S 15
T 034N

7/31/08 Centerline

MP 33

S 22
T 034N
R 031E

S 27
T 034N
R 031E

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-04 -Q | 04 of 10 | 0 |

S 21 T 034N R 032E
S 28 T 034N R 032E
S 33 T 034N R 032E
S 4 T 033N R 032E
S 9 T 033N R 032E
S 16 T 033N R 032E
T 33N R 32E
SEE SHEET 09-06
SEE SHEET 09-05
N
E
S
W
MP 23
S 20 T 034N R 032E
S 29 T 034N R 032E
S 32 T 034N R 032E
S 5 T 033N R 032E
S 8 T 033N R 032E
S 17 T 033N R 032E
S 20 T 033N R 032E
Phillips County
MT
Whitewater Youth Ranch Rd
Whitewater Creek
MP 29
MP 28
MP 27
MP 26
MP 25
MP 24
S 19 T 034N R 032E
S 30 T 034N R 032E
S 31 T 034N R 032E
S 6 T 033N R 032E
S 7 T 033N R 032E
S 18 T 033N R 032E
S 19 T 033N R 032E
SEE SHEET 09-04
SEE SHEET 09-05
MP 30
S 24 T 034N R 031E
S 25 T 034N R 031E
S 36 T 034N R 031E
S 1 T 033N R 031E
S 12 T 033N R 031E
S 13 T 033N R 031E
S 24 T 033N R 031E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-05 -A | 05 of 10 | 0 |

S 21
T 034N
R 032E

S 28
T 034N
R 032E

S 33
T 034N
R 032E

S 4
T 033N
R 032E

S 9
T 033N
R 032E

S 16
T 033N
R 032E

S 20
T 034N
R 032E

S 29
T 034N
R 032E

S 32
T 034N
R 032E

S 5
T 033N
R 032E

S 8
T 033N
R 032E

S 17
T 033N
R 032E

S 20
T 033N
R 032E

S 19
T 034N
R 032E

S 30
T 034N
R 032E

S 31
T 034N
R 032E

S 6
T 033N
R 032E

S 7
T 033N
R 032E

S 18
T 033N
R 032E

S 19
T 033N
R 032E

S 24
T 034N
R 031E

S 25
T 034N
R 031E

S 36
T 034N
R 031E

S 1
T 033N
R 031E

S 12
T 033N
R 031E

S 13
T 033N
R 031E

S 24
T 033N
R 031E

Phillips County

Valley County

MT

Whitewater Youth Ranch Rd

Whitewater Creek

Coulee

Clark

Creek

Spring

Whitewater

Joe Bell

Whitewater

BURLINGTON NORTHERN

Flat Coulee

Rattmall

MP 23
MP 24
MP 25
MP 26
MP 27
MP 28
MP 29
MP 30

SEE SHEET 09-03
SEE SHEET 09-04
SEE SHEET 09-05

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-05 -Q | 05 of 10 | 0 |

S 10 T 033N R 032E
S 14 T 033N R 032E
S 24 T 033N R 032E
S 25 T 033N R 032E
S 31 T 033N R 033E
S 15 T 033N R 032E
S 23 T 033N R 032E
Shotgun Creek
S 9 033N 032E
S 36 T 033N R 032E
S 5 T 032N R 033E
SEE SHEET 09-06
SEE SHEET 09-07
S 26 T 033N R 032E
Whitewater Creek
S 22 T 033N R 032E
S 16 T 033N R 032E
S 35 T 033N R 032E
S 8 T 032N R 033E
SEE SHEET 09-06
SEE SHEET 09-05
S 6 T 032N R 033E
County Pit Rd
County Pit
MT
MP 20
MP 19
MP 18
S 27 T 033N R 032E
MP 21
S 21 T 033N R 032E
Phillips County
S 17 T 033N R 032E
MP 22
S 7 T 032N R 033E
MP 23
S 34 T 033N R 032E
S 1 T 032N R 032E
S 28 T 033N R 032E
Milk River Rd
S 20 T 033N R 032E
S 18 T 032N R 033E
S 12 T 032N R 032E
S 33 T 033N R 032E
S 2 T 032N R 032E
Milk River
S 13 T 032N R 032E
S 29 T 033N R 032E
S 11 032N 032E
Crossing
S 32 T 033N
S 3 T 032N
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-09-06-A | 06 of 10 | 0 |

S 10 T 033N R 032E
S 14 T 033N R 032E
S 24 T 033N R 032E
S 31 T 033N R 033E
S 15 T 033N R 032E
S 23 T 033N R 032E
S 25 T 033N R 032E
S 9 033N 032E
S 36 T 033N R 032E
S 5 T 032N R 033E
S 26 T 033N R 032E
S 22 T 033N R 032E
S 16 T 033N R 032E
S 35 T 033N R 032E
S 8 T 032N R 033E
S 6 T 032N R 033E
S 27 T 033N R 032E
S 21 T 033N R 032E
S 17 T 033N R 032E
S 34 T 033N R 032E
S 1 T 032N R 032E
S 28 T 033N R 032E
S 20 T 033N R 032E
S 7 T 032N R 033E
S 33 T 033N R 032E
S 2 T 032N R 032E
S 12 T 032N R 032E
S 18 T 032N R 033E
S 29 T 033N R 032E
S 13 T 032N R 032E
S 32 T 033N
S 3 T 032N
S 11 032N 032E

Shotgun Creek
Whitewater Creek
Drill Hole
Gas Well
Coulee
Joe Bell
Whitewater Creek
Chaboock Spring
Storage Bins
Milk River
Milk River Rd
County Pit Rd
County Pit
Grass Xing

BURLINGTON NORTHERN

MP 18
MP 19
MP 20
MP 21
MP 22
MP 23

SEE SHEET 09-05
SEE SHEET 09-06
SEE SHEET 09-07

MT

Phillips County

7/31/08 Centerline

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-06 -Q | 06 of 10 | 0 |

T 032N R 033E | T 032N R 033E | S 22 T 032N R 033E | S 27 T 032N R 033E | S 34 T 032N R 033E | S 3 T 031N R 033E

S 4 T 032N R 033E | S 9 T 032N R 033E | S 16 T 032N R 033E | S 21 T 032N R 033E | S 28 T 032N R 033E | S 33 T 032N R 033E | S 4 T 031N R 033E

Milk River Rd | Whitewater Creek | Beaver Creek | SEE SHEET 09-07 | SEE SHEET 09-08 | Old US Hwy 2

S 5 T 032N R 033E | S 8 T 032N R 033E | S 17 T 032N R 033E | S 20 T 032N R 033E | S 29 T 032N R 033E | S 32 T 032N R 033E | S 5 T 031N R 033E

MP 16 | MP 15 | MP 14 | MP 13 | MP 12 | MP 17

Cole Ponds | Milk River | Phillips County | SEE SHEET 09-07 | SEE SHEET 09-06

MT

County Pit | Milk River Rd

S 6 T 032N R 033E | S 7 T 032N R 033E | S 18 T 032N R 033E | S 19 T 032N R 033E | S 30 T 032N R 033E | S 31 T 032N R 033E | S 6 T 031N R 033E

S 1 | S 12 | S 13 T 032N R 032E | S 24 T 032N R 032E | S 25 T 032N R 032E | S 36 T 032N R 032E | S 1 T 031N R 032E

0 1,000 2,000 4,000 6,000 Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-07 -A | 07 of 10 | 0 |

T 032N R 033E | S 4 | S 9 | S 16 | S 21 | S 28 | S 33 | S 34 | S 3 T 031N R 033E

T 032N R 033E | S 15 | S 22 | S 27

S 5 | S 8 | S 17 | S 20 | S 29 | S 32 | S 5 T 031N R 033E

S 6 T 032N R 033E | S 7 | S 18 | S 19 | S 30 | S 31 | S 6 T 031N R 033E

S 1 | S 12 | S 13 T 032N R 032E | S 24 T 032N R 032E | S 25 T 032N R 032E | S 36 T 032N R 032E | S 1 T 031N R 032E

S 4 T 031N R 033E

Milk River Rd

Whitewater Creek

Cole Ponds

Milk River

Beaver Creek

Robinson Ranch

CANAL

SOUTH

NELSON

Phillips County

County Pit

SEE SHEET 09-07

SEE SHEET 09-06

SEE SHEET 09-08

Old Hwy 2

MP 16 | MP 15 | MP 14 | MP 13 | MP 12 | MP 17

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-07 -Q | 07 of 10 | 0 |

S 34 T 032N R 033E | S 3 T 031N R 033E | S 10 T 031N R 033E | S 15 T 031N R 033E | S 22 T 031N R 033E | S 27 T 031N R 033E | S 34 T 031N R 033E

First Creek

S 33 T 032N R 033E | S 4 T 031N R 033E | S 9 T 031N R 033E | S 16 T 031N R 033E | S 21 T 031N R 033E | S 28 T 031N R 033E | S 33 T 031N R 033E

SEE SHEET 09-07 | SEE SHEET 09-08 | SEE SHEET 09-08 | SEE SHEET 09-09

PR 40 Reservoir

MP 12 | MP 11 | MP 10 | MP 9 | MP 8 | MP 7

S 32 T 032N R 033E | S 5 T 031N R 033E | S 8 T 031N R 033E | S 17 T 031N R 033E | S 20 T 031N R 033E | S 29 T 031N R 033E | S 32 T 031N R 033E

Phillips County

MT

69kV

Old Us Hwy 2

S 31 T 032N R 033E | S 6 T 031N R 033E | S 7 T 031N R 033E | S 18 T 031N R 033E | S 19 T 031N R 033E | S 30 T 031N R 033E | S 31 T 031N R 033E

Beaver Creek

Ashfield Reservoir

0 1,000 2,000 4,000 6,000
Feet

S 12 T 031N | S 13 T 031N

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-08 -A | 08 of 10 | 0 |

S 34 T 032N R 033E | S 3 T 031N R 033E | S 10 T 031N R 033E | S 15 T 031N R 033E | S 22 T 031N R 033E | S 27 T 031N R 033E | S 34 T 031N R 033E

S 33 T 032N R 033E | S 4 T 031N R 033E | S 9 T 031N R 033E | S 16 T 031N R 033E | S 21 T 031N R 033E | S 28 T 031N R 033E | S 33 T 031N R 033E

S 32 T 032N R 033E | S 5 T 031N R 033E | S 8 T 031N R 033E | S 17 T 031N R 033E | S 20 T 031N R 033E | S 29 T 031N R 033E | S 32 T 031N R 033E

S 31 T 032N R 033E | S 6 T 031N R 033E | S 7 T 031N R 033E | S 18 T 031N R 033E | S 19 T 031N R 033E | S 30 T 031N R 033E | S 31 T 031N R 033E

S 12 T 031N | S 13 T 031N

SEE SHEET 09-07

SEE SHEET 09-08

SEE SHEET 09-08

SEE SHEET 09-09

MP 12

MP 11

MP 10

MP 9

MP 8

MP 7

Phillips County

69kV

Old US Hwy 2

First Creek

PR 40 Reservoir

Ashfield Reservoir

Beaver Creek

Nelson

Ashfield

Coulee

Hay

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
PS-09

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-08 -Q | 08 of 10 | 0 |

S 34 T 031N R 033E
S 3 T 030N R 033E
S 10 T 030N R 033E
S 15 T 030N R 033E
Third Creek
S 22 T 030N R 033E
S 27 T 030N R 033E
S 34 T 030N R 033E
S 33 T 031N R 033E
SEE SHEET 09-08
SEE SHEET 09-09
S 4 T 030N R 033E
S 9 T 030N R 033E
S 16 T 030N R 033E
S 21 T 030N R 033E
S 28 T 030N R 033E
SEE SHEET 09-09
SEE SHEET 09-10
S 33 T 030N R 033E
Phillips County
MT
MP 6
MP 5
MP 4
MP 3
MP 2
MP 1
S 32 T 031N R 033E
S 5 T 030N R 033E
Second Creek
S 8 T 030N R 033E
S 17 T 030N R 033E
S 20 T 030N R 033E
S 29 T 030N R 033E
S 32 T 030N R 033E
S 31 T 031N R 033E
S 6 T 030N R 033E
S 7 T 030N R 033E
S 18 T 030N R 033E
S 19 T 030N R 033E
S 30 T 030N R 033E
S 31 T 030N R 033E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-09-09-A | 09 of 10 | 0 |

S 34
T 031N
R 033E

S 3
T 030N
R 033E

S 10
T 030N
R 033E

S 15
T 030N
R 033E

S 22
T 030N
R 033E

S 27
T 030N
R 033E

S 34
T 030N
R 033E

S 33
T 031N
R 033E

SEE SHEET 09-08

SEE SHEET 09-09

S 4
T 030N
R 033E

S 9
T 030N
R 033E

S 16
T 030N
R 033E

S 21
T 030N
R 033E

S 28
T 030N
R 033E

SEE SHEET 09-09

SEE SHEET 09-10

S 33
T 030N
R 033E

Phillips
County

MT

MP 6

MP 5

MP 4

MP 3

MP 2

MP 1

S 32
T 031N
R 033E

S 5
T 030N
R 033E

Second Creek

S 8
T 030N
R 033E

S 17
T 030N
R 033E

S 20
T 030N
R 033E

S 29
T 030N
R 033E

S 32
T 030N
R 033E

Coulee

Thomas Coulee

Gibertson Coulee

Crooks Coulee

S 31
T 031N
R 033E

S 6
T 030N
R 033E

S 7
T 030N
R 033E

S 18
T 030N
R 033E

S 19
T 030N
R 033E

S 30
T 030N
R 033E

S 31
T 030N
R 033E

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
PS-09

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-09 -Q | 09 of 10 | 0 |

S 27 T 030N R 033E
S 34 T 030N R 033E
S 3 T 029N R 033E
S 10 T 029N R 033E
S 15 T 029N R 033E
S 22 T 029N R 033E
S 28 T 030N R 033E
S 33 T 030N R 033E
S 4 T 029N R 033E
S 9 T 029N R 033E
S 16 T 029N R 033E
S 21 T 029N R 033E
S 28 T 029N R 033E
S 29 T 030N R 033E
S 32 T 030N R 033E
S 5 T 029N R 033E
S 8 T 029N R 033E
S 17 T 029N R 033E
S 20 T 029N R 033E
S 29 T 029N R 033E
S 30 T 030N R 033E
S 31 T 030N R 033E
S 6 T 029N R 033E
S 7 T 029N R 033E
S 18 T 029N R 033E
S 19 T 029N R 033E
S 30 T 029N R 033E

SEE SHEET 09-09
SEE SHEET 09-10

EXISTING WAPA 230kV OPERATING AT 161kV

MT

Phillips County

MP 1

MP 0

WAPA 203-161/115kV SUBSTATION LOCATION

7/31/08 Centerline

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
**PS-09**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-09-10-A | 10 of 10 | 0 |

S 27
T 030N
R 033E

S 34
T 030N
R 033E

S 3
T 029N
R 033E

S 10
T 029N
R 033E

S 15
T 029N
R 033E

S 22
T 029N
R 033E

S 28
T 030N
R 033E

SEE SHEET 09-09

SEE SHEET 09-10

S 33
T 030N
R 033E

S 4
T 029N
R 033E

S 9
T 029N
R 033E

S 16
T 029N
R 033E

S 21
T 029N
R 033E

S 28
T 029N
R 033E

EXISTING WAPA 230kV
OPERATING AT 161kV

MT

Phillips
County

MP
1

MP
0

WAPA 203-161/115kV
SUBSTATION LOCATION

S 29
T 030N
R 033E

S 32
T 030N
R 033E

S 5
T 029N
R 033E

S 8
T 029N
R 033E

S 17
T 029N
R 033E

S 20
T 029N
R 033E

S 29
T 029N
R 033E

S 30
T 030N
R 033E

S 31
T 030N
R 033E

S 6
T 029N
R 033E

S 7
T 029N
R 033E

S 18
T 029N
R 033E

S 19
T 029N
R 033E

S 30
T 029N
R 033E

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PHILLIPS COUNTY, MONTANA
PS-09

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 09-10 -Q | 10 of 10 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-10




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

S 26 T 032N R 037E | S 25 T 032N R 037E | S 30 T 032N R 038E | S 29 T 032N R 038E | S 28 T 032N R 038E | S 27 T 032N R 038E | S 26 T 032N R 038E

S 35 T 032N R 037E | S 36 T 032N R 037E | S 31 T 032N R 038E | S 32 T 032N R 038E | S 33 T 032N R 038E | S 34 T 032N R 038E | S 35 T 032N R 038E

S 2 T 031N R 037E | S 1 T 031N R 037E | S 6 T 031N R 038E | S 5 T 031N R 038E | S 4 T 031N R 038E | S 3 T 031N R 038E | S 2 T 031N R 038E

S 11 T 031N R 037E | S 12 T 031N R 037E | S 7 T 031N R 038E | S 8 T 031N R 038E | S 9 T 031N R 038E | S 10 T 031N R 038E | S 11 T 031N R 038E

Bear Creek | Brush Fork | Canyon Creek | Wolf Creek | Reservoir Number Four | Bear Creek Rd

SEE SHEET 10-01 | SEE SHEET 10-02

PS-10 Valley County

MP 46 | MP 47 | MP 48 | MP 49 | MP 50 | MP 51

N | S | E | W

0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-01 -A | 01 of 09 | 0 |

S 26 T 032N R 037E | S 25 T 032N R 037E | S 30 T 032N R 038E | S 29 T 032N R 038E | S 28 T 032N R 038E | S 27 T 032N R 038E | S 26 T 032N R 038E

S 35 T 032N R 037E | S 36 T 032N R 037E | S 31 T 032N R 038E | S 32 T 032N R 038E | S 33 T 032N R 038E | S 34 T 032N R 038E | S 35 T 032N R 038E

S 2 T 031N R 037E | S 1 T 031N R 037E | S 6 T 031N R 038E | S 5 T 031N R 038E | S 4 T 031N R 038E | S 3 T 031N R 038E | S 2 T 031N R 038E

S 11 T 031N R 037E | S 12 T 031N R 037E | S 7 T 031N R 038E | S 8 T 031N R 038E | S 9 T 031N R 038E | S 10 T 031N R 038E | S 11 T 031N R 038E | S 12 T 031N R 038E

Engles Spring
Bear Creek
Spring
Brush Fork
Coulee
Canyon Creek
Wolf Creek
Buggy Creek
Dairy Heifer Camp Spring
Reservoir Reservoir Number Four
Bear Creek Rd
Unger Creek
Cherry Creek

MP 46
MP 47
MP 48
MP 49
MP 50
MP 51

PS-10

SEE SHEET 10-01
SEE SHEET 10-02

Valley County
MT

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-01 -Q | 01 of 09 | 0 |

S 26 T 032N R 038E | S 25 T 032N R 038E | S 30 T 032N R 039E | S 29 T 032N R 039E | S 28 T 032N R 039E | S 27 T 032N R 039E

S 35 T 032N R 038E | S 36 T 032N R 038E | S 31 T 032N R 039E | S 32 T 032N R 039E | S 33 T 032N R 039E | S 34 T 032N R 039E | S 35 T 032N R 039E

S 2 T 031N R 038E | S 1 T 031N R 038E | S 6 T 031N R 039E | S 5 T 031N R 039E | S 4 T 031N R 039E | S 3 T 031N R 039E | S 2 T 031N R 039E

S 11 T 031N R 038E | S 12 T 031N R 038E | S 7 T 031N R 039E | S 8 T 031N R 039E | S 9 T 031N R 039E | S 10 T 031N R 039E | S 11 T 031N R 039E

S 13 T 031N

Wolf Creek | Buggy Creek | Cherry Creek | Crooked Creek | Spring Creek | Jensen Trl

SEE SHEET 10-01 | SEE SHEET 10-02 | SEE SHEET 10-02 | SEE SHEET 10-03

MP 46 | MP 45 | MP 44 | MP 43 | MP 42 | MP 41

Valley County | Phillips County | McCon County

N | S | E | W

0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-02 -A | 02 of 09 | 0 |

S 26 T 032N R 038E
S 25 T 032N R 038E
S 30 T 032N R 039E
S 29 T 032N R 039E
S 28 T 032N R 039E
S 27 T 032N R 039E
S 35 T 032N R 038E
S 36 T 032N R 038E
S 31 T 032N R 039E
S 32 T 032N R 039E
S.33 T 032N R 039E
S 34 T 032N R 039E
S 35 T 032N R 039E
S 2 T 031N R 038E
S 1 T 031N R 038E
S 6 T 031N R 039E
S 5 T 031N R 039E
S 4 T 031N R 039E
S 3 T 031N R 039E
S 2 T 031N R 039E
S 11 T 031N R 038E
S 12 T 031N R 038E
S 7 T 031N R 039E
S 8 T 031N R 039E
S 9 T 031N R 039E
S 10 T 031N R 039E
S 11 T 031N R 039E
S 13 T 031N

SEE SHEET 10-01
SEE SHEET 10-02
SEE SHEET 10-02
SEE SHEET 10-03

MP 46
MP 45
MP 44
MP 43
MP 42
MP 41

Wolf Creek
Buggy Creek
Wolf Creek
Crooked Creek
Cherry Creek
Crooked Creek
Creek
Creek

S 34
T 032N
R 039E

S 35
T 032N
R 039E

S 36
T 032N
R 039E

S 31
T 032N
R 040E

S 32
T 032N
R 040E

S 33
T 032N
R 040E

SEE SHEET 10-02

SEE SHEET 10-03

S 3
T 031N
R 039E

S 2
T 031N
R 039E

S 1
T 031N
R 039E

S 6
T 031N
R 040E

S 5
T 031N
R 040E

S 4
T 031N
R 040E

S 3
T 031N
R 040E

Cherry Creek

MP 41

MP 40

MP 39

S 12
T 03
R 03

Valley County

S 7
T 031N
R 040E

69kV

REPLACE 69kV WITH 115kV

REPLACE 69kV WITH 115kV

MP 38

S 10
T 031N
R 039E

S 11
T 031N
R 039E

S 8
T 031N
R 040E

S 9
T 031N
R 040E

S 10
T 031N
R 040E

S 15
T 031N
R 039E

S 14
T 031N
R 039E

S 13
T 031N
R 039E

S 18
T 031N
R 040E

Trout Pond Rd

S 17
T 031N
R 040E

S 16
T 031N
R 040E

S 15
T 031N
R 040E

SEE SHEET 10-03

SEE SHEET 10-04

MP 37

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips

TransCanada
In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-10-03-A | 03 of 09 | 0 |

S 34 T 032N R 039E
S 35 T 032N R 039E
S 36 T 032N R 039E
S 31 T 032N R 040E
S 32 T 032N R 040E
S 33 T 032N R 040E
SEE SHEET 10-02
SEE SHEET 10-03
S 3 T 031N R 039E
S 2 T 031N R 039E
S 1 T 031N R 039E
S 6 T 031N R 040E
S 5 T 031N R 040E
S 4 T 031N R 040E
S 3 T 031N R 040E
MP 41
MP 40
MP 39
MP 38
MP 37
Cherry Creek
Spring
Valley County
S 10 T 031N R 039E
S 11 T 031N R 039E
S 12 T 031N R 039E
S 7 T 031N R 040E
69kV
S 8 T 031N R 040E
S 9 T 031N R 040E
S 10 T 031N R 040E
REPLACE 69kV WITH 115kV
REPLACE 69kV WITH 115kV
Gravel Pits
Gravel Pit
Trout Pond Rd
S 18 T 031N R 040E
S 17 T 031N R 040E
S 16 T 031N R 040E
S 15 T 031N R 040E
S 15 T 031N R 039E
S 14 T 031N R 039E
S 13 T 031N R 039E
SEE SHEET 10-03
SEE SHEET 10-04
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-03 -Q | 03 of 09 | 0 |

S 17 T 031N R 040E
Olson Spring Rd
S 20 T 031N R 040E
S 29 T 031N R 040E
5th St
Oak Ct
Country Club
Pine St
Poplar St
Hickory St
Walnut Ct
Walnut St
Willow
Redmond St
Birch St
Poplar St
Laurel St
S 32 T 031N R 040E
S 5 T 030N R 040E
S 8 T 030N R 040E
S 17 T 030N R 040E
N
E
S
W
24
69kV
Trout Pond Rd
SEE SHEET 10-03
SEE SHEET 10-04
SEE SHEET 10-04
SEE SHEET 10-05
S 18 T 031N R 040E
S 19 T 031N R 040E
S 30 T 031N R 040E
S 31 T 031N R 040E
S 6 T 030N R 040E
Shipp Rd
S 7 T 030N R 040E
S 18 T 030N R 040E
MP 35
MP 34
MP 33
MP 32
Valley County
MP 36
MP 37
S 25 T 031N R 039E
REPLACE 69kV WITH 115kV
S 13 T 031N R 039E
REPLACE 69kV WITH 115kV
S 24 T 031N R 039E
S 36 T 031N R 039E
S 1 T 030N R 039E
S 12 T 030N R 039E
S 13 T 030N R 039E
S 14 T 031N R 039E
S 23 T 031N R 039E
S 26 T 031N R 039E
S 35 T 031N R 039E
Cherry Creek
S 2 T 030N R 039E
S 11 T 030N R 039E
S 14 T 030N R 039E
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-10-04-A | 04 of 09 | 0 |

S 17 T 031N R 040E
S 20 T 031N R 040E
S 29 T 031N R 040E
S 32 T 031N R 040E
S 5 T 030N R 040E
S 8 T 030N R 040E
S 17 T 030N R 040E
Olson Spring Rd
5th St
Oak Ct
Elm St
Pine St
Poplar St
Hilton Dr
Spruce St
Walnut Ct
Willow St
Birch St
Laurel St
Gravel Pits
69kV
SEE SHEET 10-04
SEE SHEET 10-05
Trout Pond Rd
SEE SHEET 10-03
SEE SHEET 10-04
S 18 T 031N R 040E
S 19 T 031N R 040E
S 30 T 031N R 040E
S 31 T 031N R 040E
S 6 T 030N R 040E
S 7 T 030N R 040E
S 18 T 030N R 040E
Shipp Rd
Wolf Fork
BM 2679
MP 35
MP 34
MP 33
MP 32
MP 36
MP 37
Valley County
S 25 T 031N R 039E
REPLACE 69kV WITH 115kV
S 13 T 031N R 039E
S 24 T 031N R 039E
S 36 T 031N R 039E
S 1 T 030N R 039E
S 12 T 030N R 039E
S 13 T 030N R 039E
S 14 T 031N R 039E
S 23 T 031N R 039E
S 26 T 031N R 039E
S 35 T 031N R 039E
S 2 T 030N R 039E
S 11 T 030N R 039E
S 14 T 030N R 039E
Cherry Creek
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-04 -Q | 04 of 09 | 0 |

S 9 T 030N R 040E
S 16 T 030N R 040E
S 21 T 030N R 040E
S 28 T 030N R 040E
S 33 T 030N R 040E
S 4 T 029N R 040E
S 8 T 030N R 040E
S 17 T 030N R 040E
S 20 T 030N R 040E
S 29 T 030N R 040E
S 32 T 030N R 040E
S 5 T 029N R 040E
S 8 T 029N R 040E
Gilbertson Rd
SEE SHEET 10-04
SEE SHEET 10-05
69kV
24
24
SEE SHEET 10-05
SEE SHEET 10-06
69kV
S 7 T 030N R 040E
S 18 T 030N R 040E
S 19 T 030N R 040E
S 30 T 030N R 040E
S 31 T 030N R 040E
S 6 T 029N R 040E
S 7 T 029N R 040E
Valley County
MP 31
MP 30
MP 29
MP 28
MP 27
MP 26
REPLACE 69kV WITH 115kV
REPLACE 69kV WITH 115kV
S 12 T 030N R 039E
S 13 T 030N R 039E
S 24 T 030N R 039E
S 25 T 030N R 039E
S 36 T 030N R 039E
S 1 T 029N R 039E
S 12 T 029N R 039E
Mcvee Rd
MP 67
Cherry Creek
S 23 T 030N R 039E
S 26 T 030N R 039E
S 35 T 030N R 039E
S 2 T 029N
S 11 T 029N
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-05 -A | 05 of 09 | 0 |

S 9 T 030N R 040E | S 16 T 030N R 040E | S 21 T 030N R 040E | S 28 T 030N R 040E | S 33 T 030N R 040E | S 4 T 029N R 040E

S 8 T 030N R 040E | S 17 T 030N R 040E | S 20 T 030N R 040E | S 29 T 030N R 040E | S 32 T 030N R 040E | S 5 T 029N R 040E | S 8 T 029N R 040E

S 7 T 030N R 040E | S 18 T 030N R 040E | S 19 T 030N R 040E | S 30 T 030N R 040E | S 31 T 030N R 040E | S 6 T 029N R 040E | S 7 T 029N R 040E

S 12 T 030N R 039E | S 13 T 030N R 039E | S 24 T 030N R 039E | S 25 T 030N R 039E | S 36 T 030N R 039E | S 1 T 029N R 039E | S 12 T 029N R 039E

S 23 T 030N R 039E | S 26 T 030N R 039E | S 12 T 029N | S 11 T 029N

Northern | Couley | Spring | Wells | Gravel Pit | Gilbertson Rd | Sewage Disposal Ponds | Foss | Section | School | Chester | Cherry Creek | McVee Rd

SEE SHEET 10-04 | SEE SHEET 10-05 | SEE SHEET 10-05 | SEE SHEET 10-06

69kV | 24 | 69kV

Valley County | Phillips County | McCone County

MP 31 | MP 30 | MP 29 | MP 28 | MP 27 | MP 26 | MP 67

REPLACE 69kV WITH 115kV | REPLACE 69kV WITH 115kV

7/31/08 Centerline

0 1,000 2,000 4,000 6,000 Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
PS-10

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-05 -Q | 05 of 09 | 0 |

S 4 T 029N R 040E
S 9 T 029N R 040E
S 16 T 029N R 040E
S 21 T 029N R 040E
S 28 T 029N R 040E
S 33 T 029N R 040E
S 5 T 029N R 040E
S 8 T 029N R 040E
S 17 T 029N R 040E
S 20 T 029N R 040E
S 29 T 029N R 040E
S 32 T 029N R 040E
S 6 T 029N R 040E
S 7 T 029N R 040E
S 18 T 029N R 040E
S 19 T 029N R 040E
S 30 T 029N R 040E
S 31 T 029N R 040E
S 1 T 029N
S 12 T 029N
S 13 T 029N R 039E
S 24 T 029N R 039E
S 25 T 029N R 039E
S 36 T 029N R 039E
S 3 T 028N R 040E
S 4 T 028N R 040E
S 5 T 028N R 040E

East Fork Cherry Creek
Spring Coulee Rd
Gilbertson Rd
Cherry Valley Rd
Robbins Rd
Hanson Rd
Cut Across Rd
Lindell Rd
Pliley Rd
Valley County

69kV
69kV

MP 72
MP 71
MP 70
MP 69
MP 68
MP 26
MP 25
MP 24
MP 23
MP 22
MP 21
MP 20
MP 19

REPLACE 69kV WITH 115kV
REPLACE 69kV WITH 115kV

SEE SHEET 10-05
SEE SHEET 10-06
SEE SHEET 10-06
SEE SHEET 10-07

24

0 1,000 2,000 4,000 6,000
Feet

N E S W

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-06 -A | 06 of 09 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA

**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-06 -Q | 06 of 09 | 0 |

DOUBLE CIRCUIT 115/WAPA 69kV

DOUBLE CIRCUIT 115/WAPA 69kV

REPLACE 69kV WITH 115kV

REPLACE 69kV WITH 115kV

MP 13

MP 14

MP 15

MP 16

MP 17

MP 18

MP 19

SEE SHEET 10-06

SEE SHEET 10-07

SEE SHEET 10-2

SEE SHEET

Valley County

Phillips County

McCon County

Fox Farm Rd

Roosevelt Trl

Pilley Rd

Lenz Rd

Dogie Creek

Milk River

S 35 T 029N R 040E

S 1 T 028N R 040E

S 12 T 028N R 040E

S 13 T 028N R 040E

S 24 T 028N R 040E

S 25 T 028N R 040E

S 36 T 028N R 040E

S 1 T 027N R 040E

S 34 T 029N R 040E

S 2 T 028N R 040E

S 11 T 028N R 040E

S 14 T 028N R 040E

S 23 T 028N R 040E

S 26 T 028N R 040E

S 35 T 028N R 040E

S 2 T 027N R 040E

S 33 T 029N R 040E

S 3 T 028N R 040E

S 10 T 028N R 040E

S 15 T 028N R 040E

S 22 T 028N R 040E

S 27 T 028N R 040E

S 34 T 028N R 040E

S 3 T 027N R 040E

S 32 T 029N R 040E

S 4 T 028N

S 9 T 028N R 040E

S 16 T 028N R 040E

S 21 T 028N R 040E

S 28 T 028N R 040E

S 33 T 028N R 040E

S 4 T 027N R 040E

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-10-07-A | 07 of 09 | 0 |

DOUBLE CIRCUIT
115/WAPA 69kV

DOUBLE CIRCUIT
115/WAPA 69kV

REPLACE 69kV WITH
115kV

REPLACE 69kV WITH
115kV

REPLACE 69kV WITH
115kV

7/31/08 Centerline

MP 13
MP 14
MP 15
MP 16
MP 17
MP 18
MP 19

SEE SHEET 10-06
SEE SHEET 10-07
SEE SHEET 10-08
SEE SHEET 10-09

S 35 T 029N R 040E
S 1 T 028N R 040E
S 12 T 028N R 040E
S 13 T 028N R 040E
S 24 T 028N R 040E
S 25 T 028N R 040E
S 36 T 028N R 040E
S 1 T 027N R 040E
S 34 T 029N R 040E
S 2 T 028N R 040E
S 11 T 028N R 040E
S 14 T 028N R 040E
S 23 T 028N R 040E
S 26 T 028N R 040E
S 35 T 028N R 040E
S 2 T 027N R 040E
S 33 T 029N R 040E
S 3 T 028N R 040E
S 10 T 028N R 040E
S 15 T 028N R 040E
S 22 T 028N R 040E
S 27 T 028N R 040E
S 34 T 028N R 040E
S 3 T 027N R 040E
S 32 T 029N R 040E
S 4 T 028N R 040E
S 9 T 028N R 040E
S 16 T 028N R 040E
S 21 T 028N R 040E
S 28 T 028N R 040E
S 33 T 028N R 040E
S 4 T 027N R 040E

House Rd
Lindstrom Rd
Itzer Rd
Roosevelt Trl
Whatley Rd
Fox Farm Rd
Memorial Garden (Cem)
Well
Gravel Pit
AQUEDUCT
Coulee
Whately
Gibraltar
Milk River
RIVER
Double Creek
Pilley Rd
Lenz Rd
MILK
SOUTH
CANAL

Valley County
MT

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-07 -Q | 07 of 09 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
**TROW ENGINEERING CONSULTANTS INC.**
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-08 -A | 08 of 09 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-08 -Q | 08 of 09 | 0 |

REPLACE VALLEY EC 12.5kV

REPLACE VALLEY EC 12.5kV

WAPA DOUBLE CIRCUIT 230kV CONSTRUCTION OPERATING AT 115kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

FOREST GROVE SUB

MP 86
MP 85
MP 84
MP 3
MP 2
MP 1
MP 0
MP 4
MP 5

S 6 T 027N R 042E
S 7 T 027N R 042E
S 18 T 027N R 042E
S 19 T 027N R 042E
S 30 T 027N R 042E
S 31 T 027N R 042E
S 1 T 027N R 041E
S 12 T 027N R 041E
S 24 T 027N R 041E
S 25 T 027N R 041E
S 1 T 026N R 041E
S 13 T 027N R 041E
S 36 T 027N R 041E
S 11 T 027N R 041E
S 23 T 027N R 041E
S 26 T 027N R 041E
S 35 T 027N R 041E
S 2 T 026N R 041E
S 14 T 027N R 041E
S 15 T 027N R 041E
S 3 T 027N R 041E
S 10 T 027N R 041E
S 22 T 027N R 041E
S 27 T 027N R 041E
S 34 T 027N R 041E
S 3 T 026N R 041E

Milk River
River Rd
Rexhausen Rd
Ball Rd
Carlson Rd
School Section Rd
Garwood Rd
Yager Rd
Turner Rd
Whatley Rd
Tiger Butte Rd
GC Rd
117
230

Valley County
McCone County

SEE SHEET 10-09
SEE SHEET 10-08

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-10-09-A | 09 of 09 | 0 |

REPLACE VALLEY EC 12.5kV

REPLACE VALLEY EC 12.5kV

WAPA DOUBLE CIRCUIT 230kV CONSTRUCTION OPERATING AT 115kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

FOREST GROVE SUB

MP 86 | MP 85 | MP 84 | MP 3 | MP 4 | MP 2 | MP 1 | MP 0 | MP 5

S 6 T 027N R 042E | S 7 T 027N R 042E | S 18 T 027N R 042E | S 19 T 027N R 042E | S 30 T 027N R 042E | S 31 T 027N R 042E | S T 026N R 042E

S 1 T 027N R 041E | S 12 T 027N R 041E | S 24 T 027N R 041E | S 25 T 027N R 041E | S 36 T 027N R 041E | S 1 T 026N R 041E

S 13 T 027N R 041E | S 14 T 027N R 041E | S 15 T 027N R 041E | S 22 T 027N R 041E | S 23 T 027N R 041E | S 26 T 027N R 041E | S 27 T 027N R 041E | S 34 T 027N R 041E | S 35 T 027N R 041E

S 2 T 026N R 041E | S 3 T 026N R 041E

S 8 T 027N R 041E | S 11 T 027N R 041E | S 10 T 027N R 041E | S 3 T 027N R 041E

Valley County | McCone County | Phillips County

Milk River | Canal | Ball Rd | Carlson Rd | Rexhausen Rd | River Rd | School Section Rd | Garwood Rd | Yager Rd | Wheeler Rd | Turner Rd | Tiger Butte Rd | Gravel Pit | Flowing Well | Pumping Sta | Pipeline | Valley Co Mc Cone Co | Aqueduct | Lateral | Gabino Sta | Railroad Grade | G C Rd | 230 | 117

SEE SHEET 10-09

SEE SHEET 10-08

0 1,000 2,000 4,000 6,000 Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, MONTANA
**PS-10**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 10-09 -Q | 09 of 09 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-11

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET




Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MCCONE COUNTY, MONTANA
PS-11

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-11-01-A | 01 of 02 | 0 |

MP 93
MP 94
MP 95
MP 96
MP 97
MP 98
PS-11
MP 8
MP 9
MP 10
MP 11
McCone County
SEE SHEET 11-01
SEE SHEET 11-02
Nickels Rd
Struble Coulee
Jorgenson Coulee
Patch Coulee
Coltman Coulee
Indian Hill
Coal Hill
Caprock Butte
Bridge
Costello
Bobcat Creek Rd
Bear Creek
Spring
Bear Trail
Hilliard
230
S 15 T 026N R 042E
S 16 T 026N R 042E
S 21 T 026N R 042E
S 20 T 026N R 042E
S 29 T 026N R 042E
S 28 T 026N R 042E
S 33 T 026N R 042E
S 32 T 026N R 042E
S 22 T 026N R 042E
S 23 T 026N R 042E
S 26 T 026N R 042E
S 27 T 026N R 042E
S 34 T 026N R 042E
S 35 T 026N R 042E
S 25 T 026N R 042E
S 36 T 026N R 042E
S 31 T 026N R 043E
S 1 T 025N R 042E
S 2 T 025N R 042E
S 3 T 025N R 042E
S 4 T 025N R 042E
S 10 T 025N
S 11 T 025N R 042E
S 12 T 025N R 042E
S 13 T 025N R 042E
S 14 T 025N R 042E
S 5 T 025N R 043E
S 6 T 025N R 043E
S 7 T 025N R 043E
T 026N R 042E
T 026N R 043E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MCCONE COUNTY, MONTANA
**PS-11**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 11-01 -Q | 01 of 02 | 0 |

REPLACE VALLEY EC 12.5kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

WAPA DOUBLE CIRCUIT 230kV CONSTRUCTION OPERATING AT 115kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

FOREST GROVE SUB

MP 0 MP 1 MP 2 MP 3 MP 4 MP 5 MP 6 MP 88 MP 89 MP 90 MP 91 MP 92

Valley County

McCone County

Missouri River

Lake Fort Peck

River Rd

School Section Rd

Garwood Rd

Yager Rd

Fort Peck Tower Hill Rd

Tower Hill Rd

230

24

SEE SHEET 11-01

SEE SHEET 11-02

S 19 T 027N R 042E
S 29 T 027N R 042E
S 33 T 027N R 042E
S 3 T 026N R 042E
S 11 T 026N R 042E
S 24 T 027N R 041E
S 30 T 027N R 042E
S 32 T 027N R 042E
S 4 T 026N R 042E
S 10 T 026N R 042E
S 25 T 027N R 041E
S 31 T 027N R 042E
S 5 T 026N R 042E
S 9 T 026N R 042E
S 15 T 026N R 042E
S 26 T 027N R 041E
S 6 T 026N R 042E
S 8 T 026N R 042E
S 16 T 026N R 042E
S 22 T 026N R 042E
S 36 T 027N R 041E
S 35 T 027N R 041E
S 1 T 026N R 041E
S 7 T 026N R 042E
S 17 T 026N R 042E
S 21 T 026N R 042E
S 2
S 12 T 026N R 041E
S 18 T 026N R 042E
S 20 T 026N R 042E

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

N W E S

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MCCONE COUNTY, MONTANA
PS-11

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-11-02-A | 02 of 02 | 0 |

REPLACE VALLEY EC 12.5kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

DOUBLE CIRCUIT 115/WAPA 34.5kV

WAPA DOUBLE CIRCUIT 230kV CONSTRUCTION OPERATING AT 115kV

FOREST GROVE SUB

MP 0 MP 1 MP 2 MP 3 MP 4 MP 5 MP 6 MP 88 MP 89 MP 90 MP 91 MP 92

Valley County

McCone County

Missouri River

Lake Fort Peck

Fort Peck Tower Hill Rd

River Rd

School Section Rd

Garwood Rd

Yeager Rd

Nickel's Ranch Landing Strip

SEE SHEET 11-01

SEE SHEET 11-02

7/31/08 Centerline

0 1,000 2,000 4,000 6,000 Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

### Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MCCONE COUNTY, MONTANA
PS-11

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 11-02 -Q | 02 of 02 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-12




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

S 23 T 019N R 048E
S 14 T 019N R 048E
S 11 T 019N R 048E
S 2 T 019N R 048E
S 35 T 020N R 048E
S 26 T 020N R 048E
S 24 T 019N R 048E
S 13 T 019N R 048E
S 12 T 019N R 048E
S 1 T 019N R 048E
S 36 T 020N R 048E
S 25 T 020N R 048E
S 24 T 020N R 048E
S 19 T 019N R 049E
S 18 T 019N R 049E
S 7 T 019N R 049E
S 6 T 019N R 049E
S 31 T 020N R 049E
S 30 T 020N R 049E
S 19 T 020N R 049E
S 20 T 019N R 049E
S 17 T 019N R 049E
S 8 T 019N R 049E
S 5 T 019N R 049E
S 32 T 020N R 049E
S 29 T 020N R 049E
S 20 T 020N R 049E

Mccune Creek Rd
Airport Loop Rd
Cottonwood Creek Rd
Lone Tree Creek
Redwater River
Gyp Creek
Lost Creek
McCone County

MP 146
MP 147
MP 148
MP 149
MP 150
MP 0
MP 1
MP 2
MP 3

PS-12

69kV
115kV
230

13
200

0 1,000 2,000 4,000 6,000 8,000
Feet

7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MCCONE COUNTY, MONTANA
PS-12

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 12-01 -A | 01 of 01 | 0 |

S 23 T 019N R 048E
S 14 T 019N R 048E
S 11 T 019N R 048E
S 2 T 019N R 048E
S 35 T 020N R 048E
S 26 T 020N R 048E
S 24 T 019N R 048E
S 13 T 019N R 048E
S 12 T 019N R 048E
S 1 T 019N R 048E
S 36 T 020N R 048E
S 25 T 020N R 048E
S 24 T 020N R 048E
S 19 T 019N R 049E
S 18 T 019N R 049E
S 7 T 019N R 049E
S 6 T 019N R 049E
S 31 T 020N R 049E
S 30 T 020N R 049E
S 19 T 020N R 049E
S 20 T 019N R 049E
S 17 T 019N R 049E
S 8 T 019N R 049E
S 5 T 019N R 049E
S 32 T 020N R 049E
S 29 T 020N R 049E
S 20 T 020N R 049E

Mccune Creek Rd
Airport Loop Rd
Cottonwood Creek Rd
Town County Airport
Lone Tree Creek
Buffalo Springs Creek
Gyp Creek
Redwater River
Lost Creek

MP 146
MP 147
MP 148
MP 149
MP 150
MP 0
MP 1
MP 2
MP 3

69kV
115kV
PS-12

McCone County

0 1,000 2,000 4,000 6,000 8,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MCCONE COUNTY, MONTANA
**PS-12**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 12-01 -Q | 01 of 01 | 0 |

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-13

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0




Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PRAIRIE COUNTY, MONTANA
**PS-13**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-13-01-A | 01 of 02 | 0 |

MP 198

MP 199

PS-13

MP 9

MP 8

MP 7

MP 6

MP 5

MP 4

MP 3

MP 2

Marsh Rd

FALLON FLAT

Prairie County

SEE SHEET 13-02

SEE SHEET 13-01

S 29 T 013N R 053E

S 28 T 013N R 053E

S 27 T 013N R 053E

S 26 T 013N R 053E

S 25 T 013N R 053E

S 30 T 013N R 054E

S 31 T 013N R 053E

S 32 T 013N R 053E

S 33 T 013N R 053E

S 34 T 013N R 053E

S 35 T 013N R 053E

S 36 T 013N R 053E

S 31 T 013N R 054E

S 32 T 013N R 054E

S 3 T 012N R 053E

S 2 T 012N R 053E

S 1 T 012N R 053E

S 6 T 012N R 054E

S 5 T 012N R 054E

S 4 T 012N R 054E

S 3 T 012N R 054E

S 10 T 012N R 053E

S 11 T 012N R 053E

S 12 T 012N R 053E

S 7 T 012N R 054E

S 8 T 012N R 054E

S 9 T 012N R 054E

S 10 T 012N R 054E

0 1,000 2,000 4,000 6,000 Feet

7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PRAIRIE COUNTY, MONTANA
PS-13

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-13-01-Q | 01 of 02 | 0 |




7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PRAIRIE COUNTY, MONTANA
**PS-13**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 13-02 -A | 02 of 02 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

# KEYSTONE XL PROJECT
## TRANSMISSION SUPPLY LINE ROUTE MAP
## PRAIRIE COUNTY, MONTANA
## PS-13

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 13-02 -Q | 02 of 02 | 0 |

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-14

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

N W E S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

S 3 T 008N R 058E
S 33 T 009N R 058E
S 26 T 009N R 058E
S 24 T 009N R 058E
S 10 T 008N R 058E
S 2 T 008N R 058E
S 34 T 009N R 058E
S 25 T 009N R 058E
Pennel Creek
644
MP 236
S 1 T 008N R 058E
S 35 T 009N R 058E
Antiteline Rd
S 30 T 009N R 059E
S 11 T 008N R 058E
S 6 T 008N R 059E
S 36 T 009N R 058E
Cabin Creek Rd
S 12 T 008N R 058E
115kV
PS-14
S 29 T 009N R 059E
Fallon County
MT
MP 237
MP 5
MP 4
MP 3
MP 2
MP 1
MP 0
S 14 T 008N R 058E
S 5 T 008N R 059E
S 31 T 009N R 059E
S 7 T 008N R 059E
Pennel Rd
S 13 T 008N R 058E
S 4 T 008N R 059E
S 32 T 009N R 059E
MP 238
S 8 T 008N R 059E
S 18 T 008N R 059E
S 3 T 008N R 059E
S 24 T 008N R 058E
S 9 T 008N R 059E
S 17 T 008N R 059E
S 2 T 008N R 059E
S 16 T 008N
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-14**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 14-01 -A | 01 of 01 | 0 |




Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
PS-14

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-14-01-Q | 01 of 01 | 0 |




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-15

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada In business to deliver

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

N W E S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

S 26 T 002N R 061E | S 23 T 002N R 061E | S 14 T 002N R 061E | S 11 T 002N R 061E | S 2 T 002N R 061E | S 35 T 003N R 061E | S 1 T 003N R 061E

S 25 T 003N R 061E

S 25 T 002N R 061E | S 24 T 002N R 061E | S 13 T 002N R 061E | S 12 T 002N R 061E | S 1 T 002N R 061E | S 36 T 003N R 061E

S 30 T 002N R 062E | S 19 T 002N R 062E | S 18 T 002N R 062E | S 7 T 002N R 062E | S 6 T 002N R 062E | S 31 T 003N R 062E | S 30 T 003N R 062E

S 29 T 002N R 062E | S 20 T 002N R 062E | S 17 T 002N R 062E | S 8 T 002N R 062E | S 5 T 002N R 062E | S 32 T 003N R 062E | S 29 T 003N R 062E

MP 278
MP 279
MP 280
MP 281
MP 37
MP 38
MP 39
MP 40
MP 41
MP 42

North Fork Coal Bank Creek
South Fork Coal Bank Creek
Sheep Creek
Boxelder Creek
Boxelder Creek
Boxelder Creek
Coal Bank Creek

MT
SD
ND
PS-15
Fallon County
Bowman County
Cox Rd
247
247

SEE SHEET 15-01
SEE SHEET 15-02

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-01 -A | 01 of 07 | 0 |

S 26 T 002N R 061E
S 23 T 002N R 061E
S 14 T 002N R 061E
S 11 T 002N R 061E
S 2 T 002N R 061E
S 35 T 003N R 061E
S 25 T 003N R 061E
S 13 T 002N R 061E
S 25 T 002N R 061E
S 24 T 002N R 061E
S 12 T 002N R 061E
S 1 T 002N R 061E
S 36 T 003N R 061E
MP 278
MP 279
MP 280
North Fork Coal Bank Creek
South Fork Coal Bank Creek
PS-15
MT
Fallon County
MP 281
MP 42
MP 41
MP 40
MP 39
MP 38
MP 37
Sheep Creek
SEE SHEET 15-01
SEE SHEET 15-02
S 19 T 002N R 062E
S 18 T 002N R 062E
S 7 T 002N R 062E
S 6 T 002N R 062E
S 31 T 003N R 062E
S 30 T 003N R 062E
S 30 T 002N R 062E
S 29 T 002N R 062E
S 20 T 002N R 062E
S 17 T 002N R 062E
S 8 T 002N R 062E
S 5 T 002N R 062E
S 32 T 003N R 062E
S 29 T 003N R 062E
Boxelder Creek
MONTANA
SOUTH DAKOTA
NORTH DAKOTA
FALLON CO.
Bowman County
7/31/08 Centerline
SD
ND
Cox Rd
Monument Butte
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-01 -Q | 01 of 07 | 0 |

S 35 T 003N R 061E
S 26 T 003N R 061E
S 23 T 003N R 061E
S 14 T 003N R 061E
S 11 T 003N R 061E
S 2 T 003N R 061E
S 35 T 004N R 061E
Sheep Creek
247
S 25 T 003N R 061E
S 36 T 004N R 061E
S 36 T 003N R 061E
MT
SEE SHEET 15-01
SEE SHEET 15-02
S 24 T 003N R 061E
S 13 T 003N R 061E
S 12 T 003N R 061E
S 1 T 003N R 061E
SEE SHEET 15-02
SEE SHEET 15-03
Fallon County
MP 31
MP 37
MP 36
MP 35
MP 34
MP 33
MP 32
S 31 T 004N R 062E
S 31 T 003N R 062E
S 30 T 003N R 062E
S 19 T 003N R 062E
S 18 T 003N R 062E
S 7 T 003N R 062E
S 6 T 003N R 062E
S 32 T 004N R 062E
S 32 T 003N R 062E
S 29 T 003N R 062E
Soda Creek
S 20 T 003N R 062E
S 17 T 003N R 062E
S 8 T 003N R 062E
S 5 T 003N R 062E
Bowman County
ND
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-02 -A | 02 of 07 | 0 |

S 35
T 003N
R 061E

S 26
T 003N
R 061E

S 23
T 003N
R 061E

S 14
T 003N
R 061E

S 11
T 003N
R 061E

S 2
T 003N
R 061E

S 35
T 004N
R 061E

Sheep Creek

247

S 25
T 003N
R 061E

S 36
T 004N
R 061E

SEE SHEET 15-02

SEE SHEET 15-03

S 36
T 003N
R 061E

SEE SHEET 15-01

SEE SHEET 15-02

S 24
T 003N
R 061E

S 13
T 003N
R 061E

S 12
T 003N
R 061E

S 1
T 003N
R 061E

MT

Fallon
County

MP 31

MP 37

MP 36

MP 35

MP 34

MP 33

MP 32

S 31
T 003N
R 062E

S 30
T 003N
R 062E

S 19
T 003N
R 062E

S 18
T 003N
R 062E

S 7
T 003N
R 062E

S 6
T 003N
R 062E

S 31
T 004N
R 062E

S 32
T 003N
R 062E

S 29
T 003N
R 062E

Soda Creek

S 20
T 003N
R 062E

S 17
T 003N
R 062E

S 8
T 003N
R 062E

S 5
T 003N
R 062E

S 32
T 004N
R 062E

FALLON CO.

BOWMAN CO.

MONTANA

NORTH DAKOTA

Bowman
County

ND

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-02 -Q | 02 of 07 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-15-03-A | 03 of 07 | 0 |

S 35 T 004N R 061E

S 26 T 004N R 061E

S 23 T 004N R 061E

S 14 T 004N R 061E

S 11 T 004N R 061E

S 2 T 004N R 061E

S 32 T 005N R 061E

S 36 T 004N R 061E

S 25 T 004N R 061E

S 24 T 004N R 061E

S 13 T 004N R 061E

S 12 T 004N R 061E

S 1 T 004N R 061E

S 33 T 005N R 061E

S 31 T 004N R 062E

S 30 T 004N R 062E

S 19 T 004N R 062E

S 18 T 004N R 062E

S 7 T 004N R 062E

S 6 T 004N R 062E

S 34 T 005N R 061E

S 32 T 004N R 062E

S 29 T 004N R 062E

S 20 T 004N R 062E

S 17 T 004N R 062E

S 8 T 004N R 062E

S 5 T 004N R 062E

S 35 T 005N R 061E

Mud Creek

Little Beaver Rd

SEE SHEET 15-02

SEE SHEET 15-03

SEE SHEET 15-04

Fallon County MT

Bowman County ND

MP 31

MP 30

MP 29

MP 28

MP 27

MP 26

MP 25

Gas Well

Oil Well

PIPELINE

Pumping Station

Big Gumbo Creek

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips

TransCanada
In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
PS-15

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-03 -Q | 03 of 07 | 0 |

S 3 T 004N R 061E | S 31 T 005N R 061E | S 30 T 005N R 061E | S 19 T 005N R 061E | S 18 T 005N R 061E | S 7 T 005N R 061E | S 6 T 005N R 061E

S 2 T 004N R 061E | S 32 T 005N R 061E | S 29 T 005N R 061E | S 20 T 005N R 061E | S 17 T 005N R 061E | S 8 T 005N R 061E | S 5 T 005N R 061E

SEE SHEET 15-03 | SEE SHEET 15-04 | SEE SHEET 15-04 | SEE SHEET 15-05

Fallon County MT

S 1 T 004N R 061E | S 33 T 005N R 061E | S 28 T 005N R 061E | S 21 T 005N R 061E | S 16 T 005N R 061E | S 9 T 005N R 061E | S 4 T 005N R 061E

MP 25 | MP 24 | MP 23 | MP 22 | MP 21 | MP 20 | MP 26

Little Beaver Creek

S 6 T 004N R 062E | S 34 T 005N R 061E | S 27 T 005N R 061E | S 22 T 005N R 061E | S 15 T 005N R 061E | S 10 T 005N R 061E | S 3 T 005N R 061E

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-15-04-A | 04 of 07 | 0 |

S 3 T 004N R 061E | S 31 T 005N R 061E | S 30 T 005N R 061E | S 19 T 005N R 061E | S 18 T 005N R 061E | S 7 T 005N R 061E | S 6 T 005N R 061E

S 2 T 004N R 061E | S 32 T 005N R 061E | S 29 T 005N R 061E | S 20 T 005N R 061E | S 17 T 005N R 061E | S 8 T 005N R 061E | S 5 T 005N R 061E

SEE SHEET 15-03 | SEE SHEET 15-04 | SEE SHEET 15-04 | SEE SHEET 15-05

Fallon County MT

S 1 T 004N R 061E | S 33 T 005N R 061E | S 28 T 005N R 061E | S 21 T 005N R 061E | S 16 T 005N R 061E | S 9 T 005N R 061E | S 4 T 005N R 061E

MP 25 | MP 24 | MP 23 | MP 22 | MP 21 | MP 20

MP 26

S 6 T 004N R 062E | S 34 T 005N R 061E | S 27 T 005N R 061E | S 22 T 005N R 061E | S 15 T 005N R 061E | S 10 T 005N R 061E | S 3 T 005N R 061E

Little Beaver Creek | Little Beaver | Beaver

Gas Well | Oil Well | Pipeline

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-15-04-Q | 04 of 07 | 0 |

T 005N R 060E
T 006N R 060E
T 006N R 060E
T 006N R 060E
T 006N R 060E
T 006N R 060E

S 6 T 005N R 061E
S 31 T 006N R 061E
S 30 T 006N R 061E
S 19 T 006N R 061E
S 18 T 006N R 061E
S 7 T 006N R 061E
S 6 T 006N R 061E

SEE SHEET 15-06
SEE SHEET 15-05

Buffalo Creek

MP 14

S 5 T 005N R 061E
MT
SEE SHEET 15-04
SEE SHEET 15-05

S 32 T 006N R 061E
S 29 T 006N R 061E
Fallon County
S 20 T 006N R 061E
S 17 T 006N R 061E
S 8 T 006N R 061E
S 5 T 006N R 061E

MP 15

MP 20
MP 19
MP 18
MP 17
MP 16

S 4 T 005N R 061E
S 33 T 006N R 061E
S 28 T 006N R 061E
S 21 T 006N R 061E
S 16 T 006N R 061E
S 9 T 006N R 061E
S 4 T 006N R 061E

Little Beaver Creek
Corral Creek

S 34 T 006N R 061E
S 27 T 006N R 061E
S 22 T 006N R 061E
S 15 T 006N
S 10 T 006N R 061E
S 3 T 006N R 061E

Waterhole Creek

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-15-05-A | 05 of 07 | 0 |

T 005N R 060E | T 006N R 060E | T 006N R 060E | T 006N R 060E | T 006N R 060E | T 006N R 060E

S 6 T 005N R 061E | S 31 T 006N R 061E | S 30 T 006N R 061E | S 19 T 006N R 061E | S 18 T 006N R 061E | S 7 T 006N R 061E | S 6 T 006N R 061E

S 5 T 005N R 061E | S 32 T 006N R 061E | S 29 T 006N R 061E | S 20 T 006N R 061E | S 17 T 006N R 061E | S 8 T 006N R 061E | S 5 T 006N R 061E

S 4 T 005N R 061E | S 33 T 006N R 061E | S 28 T 006N R 061E | S 21 T 006N R 061E | S 16 T 006N R 061E | S 9 T 006N R 061E | S 4 T 006N R 061E

S 34 T 006N R 061E | S 27 T 006N R 061E | S 22 T 006N R 061E | S 15 T 006N R 061E | S 10 T 006N R 061E | S 3 T 006N R 061E

MT

SEE SHEET 15-04

SEE SHEET 15-05

SEE SHEET 15-06

SEE SHEET 15-05

Fallon County

Buffalo Creek

Gas Well

Gas Well

Gas Well

PIPELINE

Little Beaver Creek

Little Beaver Creek

Corral Creek

Waterhole Creek

MP 14

MP 15

MP 16

MP 17

MP 18

MP 19

MP 20

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-05 -Q | 05 of 07 | 0 |

S 31 T 007N R 060E | S 32 T 007N R 060E | S 33 T 007N R 060E | S 34 T 007N R 060E | S 35 T 007N R 060E | S 36 T 007N R 060E | S 31 T 007N R 061E

N W E S

SEE SHEET 15-07

SEE SHEET 15-06

MP 7

MP 8

MP 9

MP 10

MP 11

MP 12

MP 13

S 6 T 006N R 060E | S 5 T 006N R 060E | S 4 T 006N R 060E | S 3 T 006N R 060E | S 2 T 006N R 060E | S 1 T 006N R 060E | S 6 T 006N R 061E

Red Butte Creek

Corral Creek

Fallon County

MT

S 7 T 006N R 060E | S 8 T 006N R 060E | S 9 T 006N R 060E | S 10 T 006N R 060E | S 11 T 006N R 060E | S 12 T 006N R 060E | S 7 T 006N R 061E

SEE SHEET 15-06

SEE SHEET 15-05

Buffalo Creek

S 18 T 006N R 060E | S 17 T 006N R 060E | S 16 T 006N R 060E | S 15 T 006N R 060E | S 14 T 006N R 060E | S 13 T 006N R 060E | S 18 T 006N R 061E

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-06 -A | 06 of 07 | 0 |

S 31 T 007N R 060E | S 32 T 007N R 060E | S 33 T 007N R 060E | S 34 T 007N R 060E | S 35 T 007N R 060E | S 36 T 007N R 060E | S 31 T 007N R 060E

S 6 T 006N R 060E | S 5 T 006N R 060E | S 4 T 006N R 060E | S 3 T 006N R 060E | S 2 T 006N R 060E | S 1 T 006N R 060E | S 6 T 006N R 061E

S 7 T 006N R 060E | S 8 T 006N R 060E | S 9 T 006N R 060E | S 10 T 006N R 060E | S 11 T 006N R 060E | S 12 T 006N R 060E | S 7 T 006N R 061E

S 18 T 006N R 060E | S 17 T 006N R 060E | S 16 T 006N R 060E | S 15 T 006N R 060E | S 14 T 006N R 060E | S 13 T 006N R 060E | S 18 T 006N R 061E

MP 7 | MP 8 | MP 9 | MP 10 | MP 11 | MP 12 | MP 13

SEE SHEET 15-07

SEE SHEET 15-06

SEE SHEET 15-06

SEE SHEET 15-05

Fallon County

Red Butte Creek

Buffalo Creek

Corral Creek

Oil Well

Gas Well

MT

ND

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-06 -Q | 06 of 07 | 0 |

S 1 T 006N R 059E
MP 250
S 36 T 007N R 059E
S 25 T 007N R 059E
S 24 T 007N R 059E
Baker, Lake
S 13 T 007N R 059E
Keirle Rd
S 12 T 007N R 059E
69kV
S 1 T 007N R 059E
MP 0
Burlington Northern Santa Fe R
Pleasher St
S 6 T 006N R 060E
S 31 T 007N R 060E
S 30 T 007N R 060E
S 19 T 007N R 060E
S 18 T 007N R 060E
S 7 T 007N R 060E
S 6 T 007N R 060E
Fallon County
Red Butte Creek
MT
MP 1
230
S 5 T 006N R 060E
SEE SHEET 15-06
SEE SHEET 15-07
S 32 T 007N R 060E
S 29 T 007N R 060E
S 20 T 007N R 060E
S 17 T 007N R 060E
Sandstone Creek
S 8 T 007N R 060E
S 5 T 007N R 060E
MP 2
S 4 T 006N R 060E
MP 7
S 33 T 007N R 060E
MP 6
S 28 T 007N R 060E
MP 5
S 21 T 007N R 060E
MP 4
S 16 T 007N R 060E
MP 3
S 9 T 007N R 060E
S 4 T 007N R 060E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-30-ML-2003-P-15-07-A | 07 of 07 | 0 |

MP 250

S 1 T 006N R 059E | S 36 T 007N R 059E | S 25 T 007N R 059E | S 24 T 007N R 059E | S 13 T 007N R 059E | S 12 T 007N R 059E | S 1 T 007N R 059E

S 6 T 006N R 060E | S 31 T 007N R 060E | S 30 T 007N R 060E | S 19 T 007N R 060E | S 18 T 007N R 060E | S 7 T 007N R 060E | S 6 T 007N R 060E

S 5 T 006N R 060E | S 32 T 007N R 060E | S 29 T 007N R 060E | S 20 T 007N R 060E | S 17 T 007N R 060E | S 8 T 007N R 060E | S 5 T 007N R 060E

S 4 T 006N R 060E | S 33 T 007N R 060E | S 28 T 007N R 060E | S 21 T 007N R 060E | S 16 T 007N R 060E | S 9 T 007N R 060E | S 4 T 007N R 060E

MP 0 | MP 1 | MP 2 | MP 3 | MP 4 | MP 5 | MP 6 | MP 7

69kV | 230 | 309

Baker, Lake | Municipal Airport | Fallon County | Red Butte Creek | Sandstone Creek

Burlington Northern Santa Fe R | Pleasant St | Lincoln St | Fallon Ave | Sewall | Kewaunee | Wabash | Keirle Rd | Texas Ave | Colorado Ave | Wyoming St | Dakota Ave | Milwaukee Ave | 1st St | 2nd St | 3rd St | 4th St | 5th St | 6th St | 7th St | Penne

SEE SHEET 15-06 | SEE SHEET 15-07

0 1,000 2,000 4,000 6,000 Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FALLON COUNTY, MONTANA
**PS-15**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 30-ML-2003-P- 15-07 -Q | 07 of 07 | 0 |




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-16

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

S 27 T 17N R 6E
S 22 T 17N R 6E
S 15 T 17N R 6E
S 10 T 17N R 6E
S 3 T 17N R 6E
West Squaw Creek
S 34 T 18N R 6E
SEE SHEET 16-01
SEE SHEET 16-02
W
N
E
S
MP 6
MP 328
S 26 T 17N R 6E
JJ Bird
S 23 T 17N R 6E
S 14 T 17N R 6E
S 11 T 17N R 6E
S 2 T 17N R 6E
MP 329
S 35 T 18N R 6E
MP 7
S 26 T 18N R 6E
Harding County
SD
MP 330
MP 331
MP 8
S 25 T 18N R 6E
S 25 T 17N R 6E
S 24 T 17N R 6E
S 13 T 17N R 6E
S 12 T 17N R 6E
S 1 T 17N R 6E
S 36 T 18N R 6E
MP 13
MP 332
MP 12
MP 11
MP 10
MP 9
Park Rd
Wolf Creek
MP 333
S 19 T 17N R 7E
S 18 T 17N R 7E
S 7 T 17N R 7E
S 6 T 17N R 7E
S 31 T 18N R 7E
S 30 T 17N R 7E
East Squaw Creek
S 30 T 17N R 7E
PS-16
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HARDING COUNTY, SOUTH DAKOTA
**PS-16**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 16-01 -A | 01 of 03 | 0 |

SEE SHEET 16-01

SEE SHEET 16-02

S 27 T 17N R 6E | S 22 T 17N R 6E | S 15 T 17N R 6E | S 10 T 17N R 6E | S 3 T 17N R 6E | S 34 T 18N R 6E

S 26 T 17N R 6E | S 23 T 17N R 6E | S 14 T 17N R 6E | S 11 T 17N R 6E | S 2 T 17N R 6E | S 35 T 18N R 6E | S 26 T 18N R 6E

S 25 T 17N R 6E | S 24 T 17N R 6E | S 13 T 17N R 6E | S 12 T 17N R 6E | S 1 T 17N R 6E | S 36 T 18N R 6E | S 25 T 18N R 6E

S 30 T 17N R 7E | S 19 T 17N R 7E | S 18 T 17N R 7E | S 7 T 17N R 7E | S 6 T 17N R 7E | S 31 T 18N R 7E | S 30 T 18N R 7E

MP 328 | MP 329 | MP 330 | MP 331 | MP 332 | MP 333 | MP 7 | MP 8 | MP 9 | MP 10 | MP 11 | MP 12 | MP 13

PS-16

Harding County

Butte County

J Bar Rd

West Squaw Creek

Squaw Creek

Bams Butte

Park Rd

Wolf Creek

East Squaw Creek

7/31/08 Centerline

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HARDING COUNTY, SOUTH DAKOTA
**PS-16**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 16-01 -Q | 01 of 03 | 0 |

S 33 T 18N R 6E
S 28 T 18N R 6E
S 21 T 18N R 6E
S 16 T 18N R 6E
S 9 T 18N R 6E
S 4 T 18N R 6E
S 33 T 19N R 6E
S 34 T 18N R 6E
S 27 T 18N R 6E
S 22 T 18N R 6E
S 15 T 18N R 6E
S 10 T 18N R 6E
S 3 T 18N R 6E
S 34 T 19N R 6E
S 35 T 18N R 6E
S 26 T 18N R 6E
S 23 T 18N R 6E
S 14 T 18N R 6E
S 11 T 18N R 6E
S 2 T 18N R 6E
S 35 T 19N R 6E
S 36 T 18N R 6E
S 25 T 18N R 6E
S 24 T 18N R 6E
S 13 T 18N R 6E
S 12 T 18N R 6E
S 1 T 18N R 6E
S 36 T 19N R 6E

MP 327
MP 1
MP 2
MP 3
MP 4
MP 5
MP 6
MP 7
MP 8

SEE SHEET 16-01
SEE SHEET 16-02
SEE SHEET 16-02
SEE SHEET 16-03

SD
Harding County
Butte County

Clarks Fork Creek
West Squaw Creek
West Squaw Creek
Park Rd
20
Sound 20

W
N
E
S

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

Harding County
Butte County
N


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HARDING COUNTY, SOUTH DAKOTA
**PS-16**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 16-02 -A | 02 of 03 | 0 |

S 33 T 18N R 6E | S 28 T 18N R 6E | S 21 T 18N R 6E | S 16 T 18N R 6E | S 9 T 18N R 6E | S 4 T 18N R 6E | S 33 T 19N R 6E

S 34 T 18N R 6E | S 27 T 18N R 6E | S 22 T 18N R 6E | S 15 T 18N R 6E | S 10 T 18N R 6E | S 3 T 18N R 6E | S 34 T 19N R 6E

S 35 T 18N R 6E | S 26 T 18N R 6E | S 23 T 18N R 6E | S 14 T 18N R 6E | S 11 T 18N R 6E | S 2 T 18N R 6E | S 35 T 19N R 6E

S 36 T 18N R 6E | S 25 T 18N R 6E | S 24 T 18N R 6E | S 13 T 18N R 6E | S 12 T 18N R 6E | S 1 T 18N R 6E | S 36 T 19N R 6E

MP 327 | MP 1 | MP 2 | MP 3 | MP 4 | MP 5 | MP 6 | MP 7 | MP 8

SEE SHEET 16-01 | SEE SHEET 16-02 | SEE SHEET 16-02 | SEE SHEET 16-03

Harding County | Butte County | Bown Coun

Clarks Fork Creek | West Squaw Creek | Squaw Creek | Park Rd | Sound 20

SD

W E S N

0 1,000 2,000 4,000 6,000 Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HARDING COUNTY, SOUTH DAKOTA
**PS-16**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 16-02 -Q | 02 of 03 | 0 |

S 33 T 19N R 6E
S 28 T 19N R 6E
S 21 T 19N R 6E
S 16 T 19N R 6E
S 9 T 19N R 6E
S 4 T 19N R 6E
S 33 T 20N R 6E
Jones Creek
W
S
N
E
S 34 T 19N R 6E
SEE SHEET 16-02
SEE SHEET 16-03
MP 1
MP 0
S 27 T 19N R 6E
S 22 T 19N R 6E
S 15 T 19N R 6E
Boxelder Creek
S 10 T 19N R 6E
S 3 T 19N R 6E
S 34 T 20N R 6E
Clarks Fork Creek
SD
Harding County
S 35 T 19N R 6E
S 26 T 19N R 6E
S 23 T 19N R 6E
S 14 T 19N R 6E
S 11 T 19N R 6E
S 2 T 19N R 6E
S 35 T 20N R 6E
69kV
Clarks Fork Creek
South Fork Grand River
Squaw Creek
Sioux Creek
S 36 T 19N R 6E
S 25 T 19N R 6E
S 24 T 19N R 6E
S 13 T 19N R 6E
S 12 T 19N R 6E
S 1 T 19N R 6E
S 36 T 20N R 6E
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips
TransCanada
In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HARDING COUNTY, SOUTH DAKOTA
**PS-16**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 16-03 -A | 03 of 03 | 0 |

S 33
T 19N
R 6E

S 28
T 19N
R 6E

S 21
T 19N
R 6E

S 16
T 19N
R 6E

S 9
T 19N
R 6E

S 4
T 19N
R 6E

S 34
T 19N
R 6E

S 27
T 19N
R 6E

S 22
T 19N
R 6E

S 15
T 19N
R 6E

S 10
T 19N
R 6E

S 3
T 19N
R 6E

S 34
T 20N
R 6E

SEE SHEET 16-02

SEE SHEET 16-03

MP 1

MP 0

Clarks Fork Creek

SD

Harding County

S 35
T 19N
R 6E

S 26
T 19N
R 6E

S 23
T 19N
R 6E

S 14
T 19N
R 6E

S 11
T 19N
R 6E

S 2
T 19N
R 6E

S 35
T 20N
R 6E

69kV

Clarks Fork Creek

Squaw Creek

Sioux Creek

South Fork Grand River

S 36
T 19N
R 6E

S 25
T 19N
R 6E

S 24
T 19N
R 6E

S 13
T 19N
R 6E

S 12
T 19N
R 6E

S 1
T 19N
R 6E

S 36
T 20N
R 6E

7/31/08 Centerline

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HARDING COUNTY, SOUTH DAKOTA
**PS-16**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 16-03 -Q | 03 of 03 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-17




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 13N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

MP 383
MP 384
MP 385
MP 386
MP 387
PS-17
MP 11
MP 10
MP 9
MP 8
MP 7
MP 6
MP 5
SD
Maurine Rd
Quartzite Rd
Triple Creek Rd
Opal Rd
177th Pl
Pine Creek
Middle Branch Pine Creek
Vansickel Lake
69kV
SEE SHEET 17-01
SEE SHEET 17-02
11N 13E 32
11N 13E 29
11N 13E 30
11N 13E 19
11N 13E 18
11N 13E 20
11N 13E 33
11N 13E 28
11N 13E 17
11N 13E 7
11N 12E 12
12E 13
12N 12E 36
11N 12E 1
11N 13E 6
11N 13E 8
11N 13E 5
12N 13E 31
12N 13E 32
12N 13E 29
11N 13E 21
11N 13E 16
11N 13E 9
11N 13E 4
11N 13E 27
11N 13E 22
11N 13E 15
11N 13E 10
11N 13E 26
11N 13E 23
12N 13E 33
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

# KEYSTONE XL PROJECT
## TRANSMISSION SUPPLY LINE ROUTE MAP
## MEADE COUNTY, SOUTH DAKOTA
## PS-17

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 17-01 -A | 01 of 02 | 0 |

S 30 T 11N R 13E
Charlize Rd
Maurine Rd
S 19 T 11N R 13E
Pine Creek
T 11N R 12E
MP 383
S 12 T 11N R 12E
S 32 T 11N R 13E
S 29 T 11N R 13E
Pine Creek
S 18 T 11N R 13E
MP 384
S 1 T 11N R 12E
69kV
Middle Branch Pine Creek
S 36 T 12N R 12E
S 7 T 11N R 13E
S 33 T 11N R 13E
S 20 T 11N R 13E
MP 385
S 17 T 11N R 13E
S 6 T 11N R 13E
S 28 T 11N R 13E
MP 386
10
MP 7
SEE SHEET 17-01
SEE SHEET 17-02
Triple Creek Rd
Meade County
MP 387
PS-17
MP 9
MP 6
S 8 T 11N R 13E
S 31 T 12N R 13E
S 21 T 11N R 13E
MP 8
MP 5
S 16 T 11N R 13E
S 5 T 11N R 13E
MP 11
S 27 T 11N R 13E
S 22 T 11N R 13E
Opal Rd
S 9 T 11N R 13E
S 32 T 12N R 13E
Vansickel Lake
S 4 T 11N R 13E
S 29 T 12N R 13E
S 15 T 11N R 13E
177th Pl
S 26 T 11N R 13E
S 23 T 11N R 13E
S 10 T 11N R 13E
S 33 T 12N R 13E
S 3 T 11N
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MEADE COUNTY, SOUTH DAKOTA
PS-17

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 17-01 -Q | 01 of 02 | 0 |

MP 381
MP 0
MP 1
MP 2
MP 3
MP 4
MP 5
230
69kV
115kV
212
177th Ave
Bixby Rd
Maurine Rd
Maurine Lake
Middle Branch Pine Creek
Deep Creek
Meade County
SD
SEE SHEET 17-01
SEE SHEET 17-02
11N 12E 2
12N 12E 35
12N 12E 26
12N 12E 23
12N 12E 14
12N 12E 11
12N 12E 1
11N 12E 1
12N 12E 36
12N 12E 25
12N 12E 24
12N 12E 13
12N 12E 12
12N 13E 31
11N 13E 6
12N 13E 30
12N 13E 19
12N 13E 18
12N 13E 7
12N 13E 6
11N 13E 5
12N 13E 32
12N 13E 29
12N 13E 20
12N 13E 17
12N 13E 8
12N 13E 5
N
S
W
E
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MEADE COUNTY, SOUTH DAKOTA
**PS-17**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 17-02 -A | 02 of 02 | 0 |

MP 381
MP 0
MP 1
MP 2
MP 3
MP 4
MP 5
230
69kV
115kV
DOUBLE WOODEN POLE TRANS LINE
177th Ave
Bixby Rd
Maurine Lake
Maurine Lake SPILLWAY
Middle Branch Pine Creek
Branch
Deep Creek
Maurine Rd
Meade County
SEE SHEET 17-01
SEE SHEET 17-02
S 2 T 11N R 12E
S 35 T 12N R 12E
S 26 T 12N R 12E
S 23 T 12N R 12E
S 14 T 12N R 12E
S 11 T 12N R 12E
S 1 T 11N R 12E
S 36 T 12N R 12E
S 25 T 12N R 12E
S 24 T 12N R 12E
S 13 T 12N R 12E
S 12 T 12N R 12E
S 1 T 12N R 12E
S 31 T 12N R 13E
S 30 T 12N R 13E
S 19 T 12N R 13E
S 18 T 12N R 13E
S 7 T 12N R 13E
S 6 T 12N R 13E
S 6 T 11N R 13E
S 5 T 11N R 13E
S 32 T 12N R 13E
S 29 T 12N R 13E
S 20 T 12N R 13E
S 17 T 12N R 13E
S 8 T 12N R 13E
S 5 T 12N R 13E
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MEADE COUNTY, SOUTH DAKOTA
**PS-17**

MAP PARAMETERS
PROJECTION: NAD83, UTM:13N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-46-ML-2003-P-17-02-Q | 02 of 02 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-18

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**

**TROW ENGINEERING CONSULTANTS, INC.**
**NOVEMBER 19, 2008**
**REVISION 0**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

S 18 T 5N R 20E
S 19 T 5N R 20E
S 30 T 5N R 20E
S 31 T 5N R 20E
S 5 T 4N R 20E
S 8 T 4N R 20E
S 17 T 4N R 20E
S 6 T 4N R 20E
S 7 T 4N R 20E
S 18 T 4N R 20E
S 13 T 5N R 19E
S 24 T 5N R 19E
S 25 T 5N R 19E
S 36 T 5N R 19E
S 1 T 4N R 19E
S 12 T 4N R 19E
S 13 T 4N R 19E
S 14 T 5N R 19E
S 23 T 5N R 19E
S 26 T 5N R 19E
S 35 T 5N R 19E
S 2 T 4N R 19E
S 11 T 4N R 19E
S 14 T 4N R 19E
S 15 T 5N R 19E
S 22 T 5N R 19E
S 27 T 5N R 19E
S 34 T 5N R 19E
S 3
S 10 T 4N R 19E
S 15 T 4N R 19E

West Plum Creek
Spotted Bear Creek
East Fork Spotted Bear Creek

MP 442
MP 441
MP 440
MP 439
MP 4
MP 5
MP 6
MP 7
MP 8
MP 9
MP 10

PS-18

SEE SHEET 18-02
SEE SHEET 18-01

SD
Haakon County

7/31/08 Centerline

0 1,000 2,000 4,000 6,000
Feet

N S

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

Ziebach County
Haakon County
Jackson County


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HAAKON COUNTY, SOUTH DAKOTA
**PS-18**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 18-01 -A | 01 of 02 | 0 |

S 18 T 5N R 20E
S 19 T 5N R 20E
S 30 T 5N R 20E
S 31 T 5N R 20E
S 5 T 4N R 20E
S 8 T 4N R 20E
S 17 T 4N 20E
S 6 T 4N R 20E
S 7 T 4N R 20E
S 18 T 4N R 20E
S 13 T 5N R 19E
S 24 T 5N R 19E
S 25 T 5N R 19E
S 36 T 5N R 19E
S 1 T 4N R 19E
S 12 T 4N R 19E
S 13 T 4N R 19E
S 14 T 5N R 19E
S 23 T 5N R 19E
S 26 T 5N R 19E
S 35 T 5N R 19E
S 2 T 4N R 19E
S 11 T 4N R 19E
S 14 T 4N R 19E
S 15 T 5N R 19E
S 22 T 5N R 19E
S 27 T 5N R 19E
S 34 T 5N R 19E
S 3
S 10 T 4N R 19E
S 15 T 4N R 19E

West Plum Creek
East Fork Spotted Bear Creek
Spotted Bear Creek

MP 442
MP 441
MP 440
MP 439
MP 4
MP 5
MP 6
MP 7
MP 8
MP 9
MP 10

PS-18

SEE SHEET 18-02
SEE SHEET 18-01

Haakon County

SD

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HAAKON COUNTY, SOUTH DAKOTA
**PS-18**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 18-01 -Q | 01 of 02 | 0 |

MP 444
MP 445
MP 446
MP 447
MP 448
MP 6
MP 5
MP 4
MP 3
MP 2
MP 1
MP 0
SEE SHEET 18-01
SEE SHEET 18-02
West Plum Creek
S 6 T 4N R 20E
S 5 T 4N R 20E
S 4 T 4N R 20E
S 3 T 4N R 20E
S 2 T 4N R 20E
S 1 T 4N R 20E
S 6 T 4N R 21E
S 7 T 4N R 20E
S 8 T 4N R 20E
S 9 T 4N R 20E
S 10 T 4N R 20E
S 11 T 4N R 20E
S 12 T 4N R 20E
S 7 T 4N R 21E
Haakon County
SD
73
S 18 T 4N R 20E
S 17 T 4N R 20E
S 16 T 4N R 20E
S 15 T 4N R 20E
S 14 T 4N R 20E
S 13 T 4N R 20E
S 18 T 4N R 21E
230
S 19
S 20 T 4N R 20E
S 21 T 4N R 20E
S 22 T 4N R 20E
S 23
S 24 T 4N R 20E
S 19 T 4N R 21E
Kroetch Lake
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HAAKON COUNTY, SOUTH DAKOTA
**PS-18**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 18-02 -A | 02 of 02 | 0 |

MP 444
MP 445
MP 446
MP 447
MP 448
MP 6
MP 5
MP 4
MP 3
MP 2
MP 1
MP 0
SEE SHEET 18-01
SEE SHEET 18-02
West Plum Creek
Brooks Ranch
Haakon County
SD
Kroetch Ranch
Kroetch Lake
Brak King Ranch
230
73
37
T5N R 20E
T5N R 21E
S 1 T 4N R 20E
S 2 T 4N R 20E
S 3 T 4N R 20E
S 4 T 4N R 20E
S 5 T 4N R 20E
S 6 T 4N R 20E
S 6 T 4N R 21E
S 7 T 4N R 20E
S 7 T 4N R 21E
S 8 T 4N R 20E
S 9 T 4N R 20E
S 10 T 4N R 20E
S 11 T 4N R 20E
S 12 T 4N R 20E
S 13 T 4N R 20E
S 14 T 4N R 20E
S 15 T 4N R 20E
S 16 T 4N R 20E
S 17 T 4N R 20E
S 18 T 4N R 20E
S 18 T 4N R 21E
S 19 T 4N R 21E
S 19
S 20 T 4N R 20E
S 21 T 4N R 20E
S 22 T 4N R 20E
S 23
S 24 T 4N R 20E
12 4N 9E
1 4N 19E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

Ziebach County
Haakon County
Jackson County


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HAAKON COUNTY, SOUTH DAKOTA
PS-18

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 18-02 -Q | 02 of 02 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-19




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

SEE SHEET 19-02

SEE SHEET 19-01

S 22 T 1N R 26E | S 24 T 1N R 26E | S 19 T 1N R 27E | S 20 T 1N R 27E | S 21 T 1N R 27E

S 23 T 1N R 26E

S 27 T 1N R 26E | S 26 T 1N R 26E | S 25 T 1N R 26E | S 30 T 1N R 27E | S 29 T 1N R 27E | S 28 T 1N R 27E | S 27 T 1N R 27E

S 34 T 1N R 26E | S 35 T 1N R 26E | S 36 T 1N R 26E | S 31 T 1N R 27E | S 32 T 1N R 27E | S 33 T 1N R 27E | S 34 T 1N R 27E

S 2 T 1S R 26E | S 1 T 1S R 26E | S 6 T 1S R 27E | S 5 T 1S R 27E | S 4 T 1S R 27E | S 3 T 1S R 27E | S 2 T 1S R 27E

MP 11 | MP 489 | MP 12 | MP 490 | MP 13 | MP 14 | MP 491 | MP 15 | MP 492 | MP 493 | MP 494 | MP 16 | MP 17 | MP 18

PS-19

Jones County

SD

N3

Dry Creek

Dry Creek

7/31/08 Centerline

N

W E

S

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JONES COUNTY, SOUTH DAKOTA
**PS-19**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 19-01 -A | 01 of 03 | 0 |

SEE SHEET 19-02

SEE SHEET 19-01

MP 11

MP 489

MP 12

MP 490

MP 13

MP 14

MP 491

MP 15

MP 492

MP 493

MP 494

MP 16

MP 17

MP 18

PS-19

S 22 T 1N R 26E

S 23 T 1N R 26E

S 24 T 1N R 26E

S 19 T 1N R 27E

S 20 T 1N R 27E

S 21 T 1N R 27E

S 27 T 1N R 26E

S 26 T 1N R 26E

S 25 T 1N R 26E

S 30 T 1N R 27E

S 29 T 1N R 27E

S 28 T 1N R 27E

S 27 T 1N R 27E

S 34 T 1N R 26E

S 35 T 1N R 26E

S 36 T 1N R 26E

S 31 T 1N R 27E

S 32 T 1N R 27E

S 33 T 1N R 27E

S 34 T 1N R 27E

S 2 T 1S R 26E

S 1 T 1S R 26E

S 6 T 1S R 27E

S 5 T 1S R 27E

S 4 T 1S R 27E

S 3 T 1S R 27E

S 2 T 1S R 27E

Jones County

Dry Creek

Gravel Pit

BASE LINE

BM 2213

SD

UTH CREEK

WASHINGTON

W A S

Creek

Dry Creek

7/31/08 Centerline

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

# KEYSTONE XL PROJECT
## TRANSMISSION SUPPLY LINE ROUTE MAP
## JONES COUNTY, SOUTH DAKOTA
## PS-19

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 19-01 -Q | 01 of 03 | 0 |

S 1 T 1N R 25E | S 6 T 1N R 26E | S 5 T 1N R 26E | S 4 T 1N R 26E | S 3 T 1N R 26E | S 2 T 1N R 26E | S 1 T 1N R 26E

S 12 T 1N R 25E | S 7 T 1N R 26E | S 8 T 1N R 26E | S 9 T 1N R 26E | S 10 T 1N R 26E | S 11 T 1N R 26E | S 12 T 1N R 26E

S 13 T 1N R 25E | S 18 T 1N R 26E | S 17 T 1N R 26E | S 16 T 1N R 26E | S 15 T 1N R 26E | S 14 T 1N R 26E | S 13 T 1N R 26E

S 24 T 1N R 25E | S 19 T 1N R 26E | S 20 T 1N R 26E | S 21 T 1N R 26E | S 22 T 1N R 26E | S 23 T 1N R 26E | S 24 T 1N R 26E

N

W E

S

South Creek

SEE SHEET 19-03

SEE SHEET 19-02

Haakon County

SD

Jones County

MP 484

MP 5

MP 6

MP 7

MP 8

MP 9

MP 10

MP 485

MP 486

MP 487

MP 488

N4

N3

SEE SHEET 19-02

SEE SHEET 19-01

7/31/08 Centerline

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JONES COUNTY, SOUTH DAKOTA
**PS-19**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 19-02 -A | 02 of 03 | 0 |

S 1 T 1N R 25E | S 6 T 1N R 26E | S 5 T 1N R 26E | S 4 T 1N R 26E | S 3 T 1N R 26E | S 2 T 1N R 26E

S 12 T 1N R 25E | S 7 T 1N R 26E | S 8 T 1N R 26E | S 9 T 1N R 26E | S 10 T 1N R 26E | S 11 T 1N R 26E | S 12 T 1N R 26E

SEE SHEET 19-03

SEE SHEET 19-02

South Creek

Haakon County

Jones County

MP 484

MP 5

MP 6

MP 7

MP 8

MP 9

MP 10

MP 485

MP 486

MP 487

MP 488

S 13 T 1N R 25E | S 18 T 1N R 26E | S 17 T 1N R 26E | S 16 T 1N R 26E | S 15 T 1N R 26E | S 14 T 1N R 26E | S 13 T 1N R 26E

S 24 T 1N R 25E | S 19 T 1N R 26E | S 20 T 1N R 26E | S 21 T 1N R 26E | S 22 T 1N R 26E | S 23 T 1N R 26E | S 24 T 1N R 26E

S O U T H C R E E K

SEE SHEET 19-02

SEE SHEET 19-01

7/31/08 Centerline

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JONES COUNTY, SOUTH DAKOTA
**PS-19**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 19-02 -Q | 02 of 03 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JONES COUNTY, SOUTH DAKOTA
**PS-19**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 19-03 -A | 03 of 03 | 0 |

MP 480
MP 0
MP 481
MP 1
MP 482
MP 2
MP 483
MP 3
MP 4
MP 484
MP 5
115kV
69kV
Midland
Haakon County
Jones County
Bad River
Lone Tree Cr
Ash Creek
Main St
Western Ave
Stanley St
Elm St
Ash St
Bridge St
Russell Ave
Midland Ave
Walnut St
NORTH WESTERN
CHICAGO AND
SEE SHEET 19-03
SEE SHEET 19-02
N4
7/31/08 Centerline
0 1,000 2,000 4,000 6,000
Feet

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JONES COUNTY, SOUTH DAKOTA
**PS-19**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 19-03 -Q | 03 of 03 | 0 |




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-20

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

S 33 T 102N R 77W | S 4 T 101N R 77W | S 9 T 101N R 77W | S 16 T 101N R 77W | S 21 T 101N R 77W | S 28 T 101N R 77W

S 32 T 102N R 77W | S 5 T 101N R 77W | S 8 T 101N R 77W | S 17 T 101N R 77W | S 20 T 101N R 77W | S 29 T 101N R 77W | S 32 T 101N R 77W

S 31 T 102N R 77W | S 6 T 101N R 77W | S 7 T 101N R 77W | S 18 T 101N R 77W | S 19 T 101N R 77W | S 30 T 101N R 77W | S 31 T 101N R 77W

S 36 T 102N R 78W | S 1 T 101N R 78W | S 12 T 101N R 78W | S 13 T 101N R 78W | S 24 T 101N R 78W | S 25 T 101N R 78W | S 36 T 101N R 78W

MP 548 | MP 547 | MP 546 | MP 545 | MP 16 | MP 15 | MP 14 | MP 13 | MP 12 | MP 11

PS-20

SD

6140

263rd St | 265th St | 267th St | 268th St | 264th St

304th Ave | 305th Ave

Tripp County | Township Rd

SEE SHEET 20-01 | SEE SHEET 20-02

Cottonwood Creek

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
PS-20

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 20-01 -A | 01 of 03 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

# KEYSTONE XL PROJECT
## TRANSMISSION SUPPLY LINE ROUTE MAP
## TRIPP COUNTY, SOUTH DAKOTA
## PS-20

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 20-01 -Q | 01 of 03 | 0 |







**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-20**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 20-02 -A | 02 of 03 | 0 |

S 28 T 101N R 77W | S 33 T 101N R 77W | S 10 T 100N R 78W | S 15 T 100N R 78W | S 22 T 100N R 78W | S 27 T 100N R 78W | S 34 T 100N R 78W | S 3 T 99N R 78W

305th Ave | 268th St | 269th St | 270th St | 271st St | Cottonwood Creek | West Cottonwood Creek

SEE SHEET 20-01 | SEE SHEET 20-02 | SEE SHEET 20-03

S 29 T 101N R 77W | S 32 T 101N R 77W | S 9 T 100N R 78W | S 16 T 100N R 78W | S 21 T 100N R 78W | S 28 T 100N R 78W | S 33 T 100N R 78W | S 4 T 99N R 78W

Witten Dam Reservoir | Witten | New Witten | A St | B St | C St | D St | E St | 1st St | 2nd St | 3rd St | 4th St

304th Ave | 270th St | 271st St | John the Baptist Cem

Tripp County | SD

MP 11 | MP 10 | MP 9 | MP 8 | MP 7 | MP 6 | MP 5

S 30 T 101N R 77W | S 31 T 101N R 77W | S 8 T 100N R 78W | S 17 T 100N R 78W | S 20 T 100N R 78W | S 29 T 100N R 78W | S 32 T 100N R 78W | S 5 T 99N R 78W

R 78 W | Cottonwood Creek | 272nd St | 273rd St | 274th St

S 25 T 101N R 78W | S 36 T 101N R 78W | S 7 T 100N R 78W | S 18 T 100N R 78W | S 19 T 100N R 78W | S 30 T 100N R 78W | S 31 T 100N R 78W | S 6 T 99N R 78W

302nd Ave

0 1,000 2,000 4,000 6,000 Feet

**7/31/08 Centerline**

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-20**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 20-02 -Q | 02 of 03 | 0 |

S 34 T 100N R 78W
S 3 T 99N R 78W
S 10 T 99N R 78W
S 15 T 99N R 78W
S 22 T 99N R 78W
S 27 T 99N R 78W
S 34 T 99N R 78W
Horsewood Creek
East Cottonwood Creek
305th Ave
Witten Dam Reservoir
S 33 T 100N R 78W
S 4 T 99N R 78W
S 9 T 99N R 78W
S 16 T 99N R 78W
S 21 T 99N R 78W
S 28 T 99N R 78W
S 33 T 99N R 78W
SEE SHEET 20-02
SEE SHEET 20-03
278th St
B St
A St
1st St
3rd St
Main St
C St
D St
E St
New Witten
Tripp County
SD
18
115kV
East Cottonwood Creek
304th Ave
MP 5
MP 4
MP 3
MP 2
MP 1
MP 0
275th St
S 32 T 100N R 78W
S 5 T 99N R 78W
S 8 T 99N R 78W
S 17 T 99N R 78W
West Cottonwood Creek
S 20 T 99N R 78W
S 29 T 99N R 78W
S 32 T 99N R 78W
274th St
276th St
18
303rd Ave
279th St
S 31 T 100N R 78W
S 6 T 99N R 78W
S 7 T 99N R 78W
S 18 T 99N R 78W
S 19 T 99N R 78W
S 30 T 99N R 78W
S 31 T 99N R 78W
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline
West Cottonwood Creek

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-20**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 20-03 -A | 03 of 03 | 0 |

S 34 T 100N R 78W
S 3 T 99N R 78W
S 10 T 99N R 78W
S 15 T 99N R 78W
S 22 T 99N R 78W
S 27 T 99N R 78W
S 33 T 100N R 78W
S 4 T 99N R 78W
S 9 T 99N R 78W
S 16 T 99N R 78W
S 21 T 99N R 78W
S 28 T 99N R 78W
S 33 T 99N R 78W
S 32 T 100N R 78W
S 5 T 99N R 78W
S 8 T 99N R 78W
S 17 T 99N R 78W
S 20 T 99N R 78W
S 29 T 99N R 78W
S 32 T 99N R 78W
S 31 T 100N R 78W
S 6 T 99N R 78W
S 7 T 99N R 78W
S 18 T 99N R 78W
S 19 T 99N R 78W
S 30 T 99N R 78W
S 31 T 99N R 78W

East Cottonwood Creek
Witten Dam Reservoir
Witten
Tripp County
SD
305th Ave
304th Ave
303rd Ave
274th St
275th St
276th St
277th St
115kV
West Cottonwood Creek
Poomuoon Creek
SEE SHEET 20-02
SEE SHEET 20-03
MP 5
MP 4
MP 3
MP 2
MP 1
MP 0

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
PS-20

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 20-03 -Q | 03 of 03 | 0 |




# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-21

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-21**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 21-01 -A | 01 of 03 | 0 |




Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines, Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-21**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 21-01 -Q | 01 of 03 | 0 |

S 20 T 96N R 74W | S 17 T 96N R 74W | S 8 T 96N R 74W | S 5 T 96N R 74W | S 32 T 97N R 74W | S 29 T 97N R 74W

328th Ave

Roosevelt Lake

S 21 T 96N R 74W | S 16 T 96N R 74W | S 9 T 96N R 74W | S 4 T 96N R 74W | S 33 T 97N R 74W | S 28 T 97N R 74W | S 21 T 97N R 74W

SEE SHEET 21-01

SEE SHEET 21-02

293rd St

Tripp County

SD

Viaduct Rd

SEE SHEET 21-02

SEE SHEET 21-03

MP 9 | MP 8 | MP 7 | MP 6 | MP 5 | MP 4

S 22 T 96N R 74W | S 15 T 96N R 74W | S 10 T 96N R 74W | S 3 T 96N R 74W | S 34 T 97N R 74W | S 27 T 97N R 74W | S 22 T 97N R 74W

295th St

294th St

291st St

290th St

330th Ave

S 23 T 96N R 74W | S 14 T 96N R 74W | S 11 T 96N R 74W | S 2 T 96N R 74W | S 35 T 97N R 74W | S 26 T 97N R 74W | S 23 T 097N R 074W

292nd St

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-21**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 21-02 -A | 02 of 03 | 0 |

S 20 T 96N R 74W | S 17 T 96N R 74W | S 8 T 96N R 74W | S 5 T 96N R 74W | S 32 T 97N R 74W | S 29 T 97N R 74W | T 9 R 74W

Roosevelt Lake

328th Ave

S 21 T 96N R 74W | S 16 T 96N R 74W | S 9 T 96N R 74W | S 4 T 96N R 74W | S 33 T 97N R 74W | S 28 T 97N R 74W | S 21 T 97N R 74W

SEE SHEET 21-01

SEE SHEET 21-02

SEE SHEET 21-02

SEE SHEET 21-03

SD

Tripp County

Viaduct Rd

NOLAN

MP 9 | MP 8 | MP 7 | MP 6 | MP 5 | MP 4

S 22 T 96N R 74W | S 15 T 96N R 74W | S 10 T 96N R 74W | S 3 T 96N R 74W | S 34 T 97N R 74W | S 27 T 97N R 74W | S 22 T 97N R 74W

295th St | 294th St | 292nd St | 291st St | 290th St

330th Ave

S 23 T 96N R 74W | S 14 T 96N R 74W | S 11 T 96N R 74W | S 2 T 96N R 74W | S 35 T 97N R 74W | S 26 T 97N R 74W | S 23 T 097N R 074W

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-21**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 21-02 -Q | 02 of 03 | 0 |

S 29 T 97N R 74W
S 20 T 97N R 74W
Roosevelt Lake
328th Ave
S 17 T 97N R 74W
288th St
S 8 T 97N R 74W
S 32 T 098N R 074W
S 28 T 97N R 74W
S 21 T 97N R 74W
SEE SHEET 21-02
SEE SHEET 21-03
289th St
S 16 T 97N R 74W
Tripp County
18
S 9 T 097N R 074W
SD
S 4 T 097N R 074W
115kV
286th St
S 33 T 098N R 074W
S 28 T 098N R 074W
Viaduct Rd
Viadock Rd
285th St
284th St
MP 4
MP 3
MP 2
MP 1
MP 0
S 27 T 97N R 74W
S 22 T 97N R 74W
S 15 T 097N R 074W
115kV
290th St
288th St
330th Ave
S 10 T 097N R 074W
287th St
S 3 T 097N R 074W
S 34 T 098N R 074W
S 27 T 098N R 074W
S 22 T 098N R 074W
S 26 T 97N R 74W
S 23 T 097N R 074W
S 14 T 097N R 074W
Ponca Creek
288th St
S 11 T 097N R 074W
18
S 2 T 097N R 074W
S 35 T 098N R 074W
S 26 T 098N R 074W
S 23 T 098N R 074W
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-21**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 21-03 -A | 03 of 03 | 0 |

S 29 T 97N R 74W | S 20 T 97N R 74W | S 17 T 97N R 74W | S 8 T 97N R 74W | S 32 T 098N R 074W | S 29 T 098N R 074W

Roosevelt Lake | 328th Ave | 289th St | CHICAGO, MILWAUKEE AND ST. PAUL AND NORTH WESTERN | Ponca Creek | West Branch

S 28 T 97N R 74W | S 21 T 97N R 74W | SEE SHEET 21-02 | SEE SHEET 21-03 | S 16 T 97N R 74W | S 9 T 097N R 074W | S 4 T 097N R 074W | 115kV | 286th St | S 33 T 098N R 074W | S 28 T 098N R 074W

Tripp County | SD | E L L I S O N

Viaduct Rd | Viadock Rd | 285th St

MP 4 | MP 3 | MP 2 | MP 1 | MP 0

S 27 T 97N R 74W | S 22 T 97N R 74W | S 15 T 097N R 074W | S 10 T 097N R 074W | S 3 T 097N R 074W | S 34 T 098N R 074W | S 27 T 098N R 074W | 284th St

290th St | 288th St | 287th St

115kV | 330th Ave

S 26 T 97N R 74W | S 23 T 097N R 074W | S 14 T 097N R 074W | S 11 T 097N R 074W | S 2 T 097N R 074W | S 35 T 098N R 074W | S 26 T 098N R 074W

Ponca Creek

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
TRIPP COUNTY, SOUTH DAKOTA
**PS-21**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 46-ML-2003-P- 21-03 -Q | 03 of 03 | 0 |




# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-22

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

S 10 T 28N R 16W | S 3 T 28N R 16W | S 35 T 29N R 16W | S 26 T 29N R 16W | S 23 T 29N R 16W | S 14 T 29N R 16W

S 11 T 28N R 16W | S 2 T 28N R 16W | S 36 T 29N R 16W | S 25 T 29N R 16W | S 24 T 29N R 16W | S 13 T 29N R 16W | S 12 T 29N R 16W

S 12 T 28N R 16W | Holt County | S 1 T 28N R 16W | S 31 T 29N R 15W | S 30 T 29N R 15W | S 19 T 29N R 15W | S 18 T 29N R 15W | S 7 T 29N R 15W

S 7 T 28N R 15W | S 6 T 28N R 15W | S 32 T 29N R 15W | S 29 T 29N R 15W | S 20 T 29N R 15W | S 17 T 29N R 15W | S 8 T 29N R 15W

S 5 T 28N R 15W

MP 637 | MP 638 | MP 639 | MP 640 | MP 641 | MP 642

PS-22

MP 7 | MP 6 | MP 5 | MP 4

Dry Creek

SEE SHEET 22-01

SEE SHEET 22-02

W S E N

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HOLT COUNTY, NEBRASKA
PS-22

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-22-01-A | 01 of 02 | 0 |

MP 637
MP 638
MP 639
MP 640
MP 641
MP 642
PS-22
MP 7
MP 6
MP 5
MP 4
S 10 T 28N R 16W
S 3 T 28N R 16W
S 35 T 29N R 16W
S 26 T 29N R 16W
S 23 T 29N R 16W
S 14 T 29N R 16W
S 11 T 28N R 16W
S 2 T 28N R 16W
S 36 T 29N R 16W
S 25 T 29N R 16W
S 24 T 29N R 16W
S 13 T 29N R 16W
S 12 T 28N R 16W
Holt County
S 1 T 28N R 16W
S 12 T 29N R 16W
S 31 T 29N R 15W
S 30 T 29N R 15W
S 19 T 29N R 15W
S 18 T 29N R 15W
S 7 T 29N R 15W
S 7 T 28N R 15W
S 6 T 28N R 15W
S 32 T 29N R 15W
S 29 T 29N R 15W
S 20 T 29N R 15W
S 17 T 29N R 15W
S 8 T 29N R 15W
S 5 T 28N R 15W
SEE SHEET 22-01
SEE SHEET 22-02
Flowing Well
Well
Dry Creek
School No. 169
R 16 W
R 15 W
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HOLT COUNTY, NEBRASKA
PS-22

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 22-01 -Q | 01 of 02 | 0 |

S 14 T 29N R 16W | S 11 T 29N R 16W | S 2 T 29N R 16W | S 35 T 30N R 16W | S 26 T 30N R 16W | S 23 T 30N R 16W

Keegan Creek

S 13 T 29N R 16W | S 12 T 29N R 16W | S 1 T 29N R 16W | S 36 T 30N R 16W | S 25 T 30N R 16W | S 24 T 30N R 16W | S 13 T 30N R 16W

SEE SHEET 22-01

SEE SHEET 22-02

115kV

Holt County

NE

MP 4 | MP 3 | MP 2 | MP 1 | MP 0

S 18 T 29N R 15W | S 7 T 29N R 15W | S 6 T 29N R 15W | S 31 T 30N R 15W | S 30 T 30N R 15W | S 19 T 30N R 15W | S 18 T 30N R 15W

S 17 T 29N R 15W | S 8 T 29N R 15W | S 5 T 29N R 15W | S 32 T 30N R 15W | S 29 T 30N R 15W | S 20 T 30N R 15W | S 17 T 30N R 15W

Elkhorn River

0 1,000 2,000 4,000 6,000

Feet

**7/31/08 Centerline**

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HOLT COUNTY, NEBRASKA
**PS-22**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-22-02-A | 02 of 02 | 0 |

S 14 T 29N R 16W
S 11 T 29N R 16W
S 2 T 29N R 16W
S 35 T 30N R 16W
S 26 T 30N R 16W
S 23 T 30N R 16W
S 13 T 29N R 16W
S 12 T 29N R 16W
S 1 T 29N R 16W
S 36 T 30N R 16W
S 25 T 30N R 16W
S 24 T 30N R 16W
S 13 T 30N R 16W
S 18 T 29N R 15W
S 7 T 29N R 15W
S 6 T 29N R 15W
S 31 T 30N R 15W
S 30 T 30N R 15W
S 19 T 30N R 15W
S 18 T 30N R 15W
S 17 T 29N R 15W
S 8 T 29N R 15W
S 5 T 29N R 15W
S 32 T 30N R 15W
S 29 T 30N R 15W
S 20 T 30N R 15W
S 17 T 30N R 15W

SEE SHEET 22-01
SEE SHEET 22-02

Holt County

115kV

MP 4
MP 3
MP 2
MP 1
MP 0

Creek
Keegan Creek
Windmill
Well
School No 169
School No 168
Keegan
Elkhorn River

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

Loup County
Rock County
Boyd County
Garfield County
Holt County

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
HOLT COUNTY, NEBRASKA
PS-22

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 22-02 -Q | 02 of 02 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-23

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

T 21N R 12W
S 31 T 21N R 12W
S 29 T 21N R 12W
S 21 T 21N R 12W
S 15 T 21N R 12W
S 11 T 21N R 12W
S 12 T 21N R 12W
S 14 T 21N R 12W
S 22 T 21N R 12W
S 28 T 21N R 12W
S 32 T 21N R 12W
SEE SHEET 23-02
SEE SHEET 23-01
Michigan Ave
Huron Lake
Cheseal Ave
Nantucket St
Nanticoke St
Sterling Ave
Stillwater St
Stevens St
Stratton St
Arlington St
Cranford Ave
Cranford Ave
Erickson
Cedar River
MP 692
70
S 6 T 20N R 12W
S 23 T 21N R 12W
S 13 T 21N R 12W
S 33 T 21N R 12W
Wheeler County
S 27 T 21N R 12W
MP 18
MP 19
MP 20
MP 21
MP 22
MP 693
NE
S 5 T 20N R 12W
S 24 T 21N R 12W
S 18 T 21N R 11W
S 26 T 21N R 12W
The Blvd
Francke Ave
Rittman Westfield Rd
Forest Ridge Blvd
The Blvd
Bittersweet Hill Trl
Bittersweet Hill Trl
The Blvd
Woodside Ln
PS-23
MP 23
70
S 4 T 20N R 12W
Greeley County
S 34 T 21N R 12W
S 8 T 20N R 12W
S 19 T 21N R 11W
MP 694
S 25 T 21N R 12W
S 35 T 21N R 12W
S 3 T 20N R 12W
S 9 T 20N R 12W
S 36 T 21N R 12W
S 30 T 21N R 11W
S 20 T 21N R 11W
S 10 T 20N R 12W
S 2 T 20N R 12W
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
WHEELER COUNTY, NEBRASKA
PS-23

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 23-01 -A | 01 of 04 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
WHEELER COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 23-01 -Q | 01 of 04 | 0 |

S 16 T 20N R 13W
S 10 T 20N R 13W
S 2 T 20N R 13W
S 36 T 21N R 13W
S 31 T 21N R 12W
S 21 T 20N R 13W
S 15 T 20N R 13W
S 11 T 20N R 13W
S 1 T 20N R 13W
Wheeler County
S 32 T 21N R 12W
SEE SHEET 23-02
SEE SHEET 23-01
S 22 T 20N R 13W
S 14 T 20N R 13W
S 12 T 20N R 13W
S 6 T 20N R 12W
SEE SHEET 23-03
SEE SHEET 23-02
Valley County
NE
MP 12
MP 15
MP 16
MP 17
MP 18
S 5 T 20N R 12W
S 23 T 20N R 13W
S 7 T 20N R 12W
S 13 T 20N R 13W
S 27 T 20N R 13W
MP 13
MP 14
Greeley County
S 4 T 20N R 12W
S 8 T 20N R 12W
S 18 T 20N R 12W
S 26 T 20N R 13W
S 24 T 20N R 13W
S 34 T 20N R 13W
S 25 T 20N R 13W
S 19 T 20N R 12W
S 17 T 20N R 12W
S 9 T 20N R 12W
S 35
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
GREELEY COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 23-02 -A | 02 of 04 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
GREELEY COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-23-02-Q | 02 of 04 | 0 |

S 35 T 20N R 14W
S 25 T 20N R 14W
T 20N R 13W
T 20N R 13W
S 36 T 20N R 14W
S 30 T 20N R 13W
S 20 T 20N R 13W
Elm Cr
70
S 2 T 19N R 14W
S 21 T 20N R 13W
S 15 T 20N R 13W
S 29 T 20N R 13W
S 31 T 20N R 13W
SEE SHEET 23-04
SEE SHEET 23-03
S 1 T 19N R 14W
S 11 T 019N R 014W
70
S 28 T 20N R 13W
S 22 T 20N R 13W
SEE SHEET 23-03
SEE SHEET 23-02
Valley County
NE
S 32 T 20N R 13W
S 6 T 19N R 13W
S 12 T 19N R 14W
MP 7
MP 8
MP 9
MP 10
MP 11
MP 12
Oak Canyon Rd
S 27 T 20N R 13W
S 33 T 20N R 13W
S 5 T 19N R 13W
S 7 T 19N R 13W
S 13 T 019N R 014W
S 34 T 20N R 13W
S 26 T 20N R 13W
S 4 T 19N R 13W
S 8 T 19N R 13W
S 18 T 19N R 13W
S 3
S 35 T 20N R 13W
Messenger Creek
S 9 T 19N R 13W
S 17 T 19N R 13W
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-23-03-A | 03 of 04 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 23-03 -Q | 03 of 04 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-23-04-A | 04 of 04 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
VALLEY COUNTY, NEBRASKA
**PS-23**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 23-04 -Q | 04 of 04 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-24




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

MP 752
MP 751
MP 750
MP 749
MP 748
MP 10
MP 9
MP 8
MP 7
MP 6
PS-24
S 6 T 14N R 5W
S 7 T 14N R 5W
S 18 T 14N R 5W
S 19 T 14N R 5W
S 30 T 14N R 5W
S 31 T 14N R 5W
S 6 T 13N R 5W
S 1 T 14N R 6W
S 12 T 14N R 6W
S 13 T 14N R 6W
S 24 T 14N R 6W
S 25 T 14N R 6W
S 36 T 14N R 6W
S 1 T 13N R 6W
S 2 T 14N R 6W
S 11 T 14N R 6W
S 14 T 14N R 6W
S 23 T 14N R 6W
S 26 T 14N R 6W
S 35 T 14N R 6W
S 2 T 13N R 6W
S 3 T 14N R 6W
S 10 T 14N R 6W
S 15 T 14N R 6W
S 22 T 14N R 6W
S 27 T 14N R 6W
S 34 T 14N R 6W
S 3 T 13N R 6W
Merrick County
NE
Silver Creek
Warm Slough
18th Rd
19th Rd
17th Rd
8th St
10th St
T Rd
R Rd
Q Rd
P Rd
92
30
14
SEE SHEET 24-01
SEE SHEET 24-02
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MERRICK COUNTY, NEBRASKA
**PS-24**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-24-01-A | 01 of 02 | 0 |

MP 752
MP 751
MP 750
MP 749
MP 748
MP 10
MP 9
MP 8
MP 7
MP 6
PS-24
18th Rd
19th Rd
17th Rd
SEE SHEET 24-01
SEE SHEET 24-02
Merrick County
Silver Creek
Silver T Airport
Central City Cemetery
Radio Towers (KMMJ)
Warm Slough
Keystone XL Pipeline
92
30
230
0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MERRICK COUNTY, NEBRASKA
**PS-24**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 24-01 -Q | 01 of 02 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MERRICK COUNTY, NEBRASKA
**PS-24**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-24-02-A | 02 of 02 | 0 |

SEE SHEET 24-01

SEE SHEET 24-02

MP 6

MP 5

MP 4

MP 3

MP 2

MP 1

MP 0

115kV

7/31/08 Centerline

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

### Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:

TROW ENGINEERING CONSULTANTS INC.

1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
MERRICK COUNTY, NEBRASKA
**PS-24**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-24-02-Q | 02 of 02 | 0 |




# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-25

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FILLMORE COUNTY, NEBRASKA
**PS-25**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-25-01-A | 01 of 02 | 0 |

MP 796
MP 797
MP 798
MP 799
MP 7
MP 8
MP 9
MP 10
MP 11
MP 12
MP 13
MP 14
PS-25
Fillmore County
SEE SHEET 25-02
SEE SHEET 25-01
Meridian Hwy
BURLINGTON NORTHERN
CHICAGO AND NORTH WESTERN
Indian Creek
S 4 T 8N R 2W
S 8 T 8N R 2W
S 9 T 8N R 2W
S 10 T 8N R 2W
S 11 T 8N R 2W
S 13 T 8N R 2W
S 14 T 8N R 2W
S 15 T 8N R 2W
S 16 T 8N R 2W
S 17 T 8N R 2W
S 19 T 8N R 1W
S 20 T 8N
S 21 T 8N R 2W
S 22 T 8N R 2W
S 23 T 8N R 2W
S 24 T 8N R 2W
S 25 T 8N R 2W
S 26 T 8N R 2W
S 27 T 8N R 2W
S 28 T 8N R 2W
S 30 T 8N R 1W
S 31 T 8N R 1W
S 32 T 8N R 1W
S 34 T 8N R 2W
S 35 T 8N R 2W
S 36 T 8N R 2W
S 1 T 7N R 2W
S 2 T 7N R 2W
S 6 T 7N R 1W
S 12 T 7N R 2W
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FILLMORE COUNTY, NEBRASKA
**PS-25**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-25-01-Q | 01 of 02 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FILLMORE COUNTY, NEBRASKA
**PS-25**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-25-02-A | 02 of 02 | 0 |

S 13 T 9N R 3W
S 19 T 9N R 2W
S 29 T 9N R 2W
S 33 T 9N R 2W
S 3 T 8N R 2W
S 10 T 8N R 2W
S 24 T 9N R 3W
S 30 T 9N R 2W
S 32 T 9N R 2W
S 4 T 8N R 2W
S 23 T 9N R 3W
S 25 T 9N R 3W
S 31 T 9N R 2W
S 5 T 8N R 2W
S 9 T 8N R 2W
York County
S 26 T 9N R 3W
S 36 T 9N R 3W
S 6 T 8N R 2W
Fillmore County
S 8 T 8N R 2W
S 16 T 8N R 2W
S 27 T 9N R 3W
S 35 T 9N R 3W
S 1 T 8N R 3W
S 7 T 8N R 2W
S 17 T 8N R 2W
S 34 T 9N R 3W
S 2 T 8N R 3W
S 12 T 8N R 3W
S 18 T 8N R 2W
S 20 T 8N R 2W
S 3 T 8N R 3W
MP 0
MP 1
MP 2
MP 3
MP 4
MP 5
MP 6
MP 7
15kV
Stone Creek
Big Blue River
West Fork Big Blue River
Indian Creek
Meridian Hwy
SEE SHEET 25-02
SEE SHEET 25-01
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
FILLMORE COUNTY, NEBRASKA
PS-25

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-25-02-Q | 02 of 02 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-26

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

N W E S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

Steele City
Vanna Ave
Tango Rd
Caroline St
Main St
1st St
2nd St
Curtis St
Sty St
Little Blue River
Romeo Rd
577th Ave
708th Rd
S 31 T 1N R 4E
S 30 T 1N R 4E
S 19 T 1N R 4E
S 18 T 1N R 4E
S 7 T 1N R 4E
S 6 T 1N R 4E
S 32 T 1N R 4E
S 29 T 1N R 4E
S 20 T 1N R 4E
S 17 T 1N R 4E
S 8 T 1N R 4E
S 5 T 1N R 4E
S 32 T 2N R 4E
MP 850.25766
MP 850
MP 849
MP 848
MP 847
PS-26
SEE SHEET 26-01
SEE SHEET 26-02
Jefferson County
NE
578th Ave
MP 13
MP 12
MP 11
MP 10
S 33 T 1N R 4E
703rd Rd
S 28 T 1N R 4E
S 21 T 1N R 4E
S 16 T 1N R 4E
S 9 T 1N R 4E
707th Rd
S 4 T 1N R 4E
S 33 T 2N R 4E
704th Rd
579th Ave
S 34 T 1N R 4E
S 27 T 1N R 4E
S 22 T 1N R 4E
S 15 T 1N R 4E
706th Rd
S 10 T 1N R 4E
S 3 T 1N R 4E
S 34 T 2N R 4E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JEFFERSON COUNTY, NEBRASKA
**PS-26**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-26-01-A | 01 of 03 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JEFFERSON COUNTY, NEBRASKA
**PS-26**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 31-ML-2003-P- 26-01 -Q | 01 of 03 | 0 |

S 6 T 1N R 4E
S 31 T 2N R 4E
S 30 T 2N R 4E
S 19 T 2N R 4E
S 18 T 2N R 4E
S 7 T 2N R 4E
S 6 T 2N R 4E
708th Rd
709th Rd
710th Rd
712th Rd
577th Ave
MP 842
MP 843
MP 844
MP 845
MP 846
S 5 T 1N R 4E
S 32 T 2N R 4E
S 29 T 2N R 4E
S 20 T 2N R 4E
S 17 T 2N R 4E
S 8 T 2N R 4E
S 5 T 2N R 4E
Big Indian Creek
SEE SHEET 26-01
SEE SHEET 26-02
SEE SHEET 26-02
SEE SHEET 26-03
Jefferson County
NE
578th Ave
MP 9
MP 8
MP 7
MP 6
MP 5
MP 4
S 4 T 1N R 4E
S 33 T 2N R 4E
S 28 T 2N R 4E
S 21 T 2N R 4E
Pwr Rd
S 16 T 2N R 4E
S 9 T 2N R 4E
S 4 T 2N R 4E
716th Rd
579th Ave
S 3 T 1N R 4E
S 34 T 2N R 4E
S 27 T 2N R 4E
S 22 T 2N R 4E
Big Indian Creek
S 15 T 2N R 4E
S 10 T 2N R 4E
S 3 T 2N R 4E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JEFFERSON COUNTY, NEBRASKA
**PS-26**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-26-02-A | 02 of 03 | 0 |

MP 842
MP 843
MP 844
MP 845
MP 846
MP 4
MP 5
MP 6
MP 7
MP 8
MP 9
SEE SHEET 26-01
SEE SHEET 26-02
SEE SHEET 26-03
577th Ave
578th Ave
579th Ave
708th Rd
709th Rd
710th Rd
711th Rd
712th Rd
PLEASANT
Big Indian Creek
Jefferson County
S 6 T 1N R 4E
S 31 T 2N R 4E
S 30 T 2N R 4E
S 19 T 2N R 4E
S 18 T 2N R 4E
S 7 T 2N R 4E
S 6 T 2N R 4E
S 5 T 1N R 4E
S 32 T 2N R 4E
S 29 T 2N R 4E
S 20 T 2N R 4E
S 17 T 2N R 4E
S 8 T 2N R 4E
S 5 T 2N R 4E
S 4 T 1N R 4E
S 33 T 2N R 4E
S 28 T 2N R 4E
S 21 T 2N R 4E
S 16 T 2N R 4E
S 9 T 2N R 4E
S 4 T 2N R 4E
S 3 T 1N R 4E
S 34 T 2N R 4E
S 27 T 2N R 4E
S 22 T 2N R 4E
S 15 T 2N R 4E
S 10 T 2N R 4E
S 3 T 2N R 4E
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JEFFERSON COUNTY, NEBRASKA
PS-26

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-26-02-Q | 02 of 03 | 0 |

S 6 T 2N R 4E
S 31 T 3N R 4E
S 30 T 3N R 4E
S 19 T 3N R 4E
S 18 T 3N R 4E
S 7 T 3N R 4E
S 6 T 3N R 4E
714th Rd
716th Rd
577th Ave
W
S
N
E
S 5 T 2N R 4E
SEE SHEET 26-02
SEE SHEET 26-03
S 32 T 3N R 4E
S 29 T 3N R 4E
S 20 T 3N R 4E
S 17 T 3N R 4E
S 8 T 3N R 4E
S 5 T 3N R 4E
136
115kV
Cub Creek
578th Ave
Jefferson County
NE
MP 4
MP 3
MP 2
MP 1
MP 0
S 4 T 2N R 4E
S 33 T 3N R 4E
S 28 T 3N R 4E
S 21 T 3N R 4E
S 16 T 3N R 4E
S 9 T 3N R 4E
S 4 T 3N R 4E
715th Rd
717th Rd
718th Rd
Curtiss St
Adams St
William St
Sandman St
Barry St
Letton St
579th Ave
713th Rd
Harbine
S 3 T 2N R 4E
S 34 T 3N R 4E
S 27 T 3N R 4E
S 22 T 3N R 4E
S 15 T 3N R 4E
S 10 T 3N R 4E
S 3 T 3N R 4E
Wall Rd
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JEFFERSON COUNTY, NEBRASKA
**PS-26**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-26-03-A | 03 of 03 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
JEFFERSON COUNTY, NEBRASKA
**PS-26**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-31-ML-2003-P-26-03-Q | 03 of 03 | 0 |

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-27

**7/11/07 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE CUSHING EXTENSION
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0




**Legend**

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
CLAY COUNTY, KANSAS
**PS-27**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-20-CE-2003-P-27-01-A | 01 of 02 | 0 |




**Legend**

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
CLAY COUNTY, KANSAS
**PS-27**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 20-CE-2003-P- 27-01-Q | 01 of 02 | 0 |

S 33 T 008S R 003E | S 4 T 009S R 003E | S 9 T 009S R 003E | S 16 T 009S R 003E | S 21 T 009S R 003E | S 28 T 009S R 003E

13th Rd

Osage Rd

S 32 T 008S R 003E | S 5 T 009S R 003E | S 8 T 009S R 003E | S 17 T 009S R 003E | S 20 T 009S R 003E | S 29 T 009S R 003E | S 32 T 009S R 003E

12th Rd

KS

Navajo Rd

15

115kV

Clay County

MP 4 | MP 3 | MP 2 | MP 1 | MP 0

SEE SHEET 27-01

SEE SHEET 27-02

S 31 T 008S R 003E | S 6 T 009S R 003E | S 7 T 009S R 003E | S 18 T 009S R 003E | S 19 T 009S R 003E | S 30 T 009S R 003E | S 31 T 009S R 003E

11th Rd

10th Rd

Otter Creek

9th Rd

8th Rd

Meadowlark Rd

S 36 T 008S R 002E | S 1 T 009S R 002E | S 12 T 009S R 002E | S 13 T 009S R 002E | S 24 T 009S R 002E | S 25 T 009S R 002E | S 36 T 009S R 002E

7/11/07 Centerline

0 1,000 2,000 4,000 6,000

Feet

## Legend

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
CLAY COUNTY, KANSAS
**PS-27**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-20-CE-2003-P-27-02-A | 02 of 02 | 0 |

S 33 T 008S R 003E
S 4 T 009S R 003E
S 9 T 009S R 003E
S 16 T 009S R 003E
S 21 T 009S R 003E
S 28 T 009S R 003E
S 32 T 008S R 003E
S 5 T 009S R 003E
S 8 T 009S R 003E
S 17 T 009S R 003E
S 20 T 009S R 003E
S 29 T 009S R 003E
S 32 T 009S R 003E
S 31 T 008S R 003E
S 6 T 009S R 003E
S 7 T 009S R 003E
S 18 T 009S R 003E
S 19 T 009S R 003E
S 30 T 009S R 003E
S 31 T 009S R 003E
S 36 T 008S R 002E
S 1 T 009S R 002E
S 12 T 009S R 002E
S 13 T 009S R 002E
S 24 T 009S R 002E
S 25 T 009S R 002E
S 36 T 009S R 002E

13th Rd
12th Rd
11th Rd
10th Rd
9th Rd
8th Rd
Osage Rd
Navajo Rd
Meadowlark Rd
15
Mt. Vernon Sch
Lutheran Cem
Otter Creek

Clay County

MP 4
MP 3
MP 2
MP 1
MP 0

SEE SHEET 27-01
SEE SHEET 27-02

115kV

0 1,000 2,000 4,000 6,000
Feet

7/11/07 Centerline

## Legend

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
CLAY COUNTY, KANSAS
**PS-27**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 20-CE-2003-P- 27-02-Q | 02 of 02 | 0 |

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS-29

**7/11/07 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE CUSHING EXTENSION
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

N W E S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

S 30 T 023S R 004E
S 29 T 023S R 004E
S 28 T 023S R 004E
S 27 T 023S R 004E
S 26 T 023S R 004E
S 25 T 023S R 004E
S 30 T 023S R 005E
130th St
MP 141
Shumway Rd
Cherokee Rd
Hopkins Switch Rd
N
W
E
S
Diamond Rd
Lane
S 31 T 023S R 004E
S 32 T 023S R 004E
S 33 T 023S R 004E
East Branch Whitewater River
S 34 T 023S R 004E
Ohio Street Rd
S 35 T 023S R 004E
S 36 T 023S R 004E
SEE SHEET 29-01
SEE SHEET 29-02
S 31 T 023S R 005E
Buffalo Rd
MP 142
120th St
Butler County
Diamond Rd
KS
MP 9
MP 8
MP 7
Diamond Creek
MP 6
MP 5
S 6 T 024S R 004E
115th St
S 5 T 024S R 004E
S 4 T 024S R 004E
S 3 T 024S R 004E
S 2 T 024S R 004E
S 1 T 024S R 004E
S 6 T 024S R 005E
Henry Creek
Whitewater River
MP 143
Hunter Rd
345
110th St
Shumway Rd
PS-29
MP 10
Adams Rd
S 7 T 024S R 004E
S 8 T 024S R 004E
River Valley Rd
S 9 T 024S R 004E
S 10 T 024S R 004E
S 11 T 024S R 004E
S 12 T 024S R 004E
Fourmile Creek
S 7 T 024S R 005E
0 1,000 2,000 4,000 6,000
Feet
7/11/07 Centerline

**Legend**

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
BUTLER COUNTY, KANSAS
**PS-29**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-20-CE-2003-P-29-01-A | 01 of 02 | 0 |

MP 141
MP 142
MP 143
MP 5
MP 6
MP 7
MP 8
MP 9
MP 10
PS-29
SEE SHEET 29-01
SEE SHEET 29-02
7/11/07 Centerline
Butler County
Harvey County
Sedgwick County
Greenwood County
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
BUTLER COUNTY, KANSAS
**PS-29**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-20-CE-2003-P-29-01-Q | 01 of 02 | 0 |

S 25 T 023S R 004E
S 30 T 023S R 005E
S 29 T 023S R 005E
S 28 T 023S R 005E
S 27 T 023S R 005E
S 26 T 023S R 005E
Hopkins Switch Rd
Diamond Creek
Purity Springs Rd
Haverhill Rd
130th St
West Branch Walnut River
N
S
E
W
S 36 T 023S R 004E
S 31 T 023S R 005E
S 32 T 023S R 005E
S 33 T 023S R 005E
S 34 T 023S R 005E
S 35 T 023S R 005E
S 36 T 023S R 005E
SEE SHEET 29-01
SEE SHEET 29-02
345
161kV
KS
120th St
120th St
Butler County
MP 5
MP 4
MP 3
MP 2
MP 1
MP 0
56
S 1 T 024S R 004E
S 6 T 024S R 005E
S 5 T 024S R 005E
S 4 T 024S R 005E
S 3 T 024S R 005E
S 2 T 024S R 005E
S 1 T 024S R 005E
Boyer Rd
Klova Rd
77
110th St
Trumbull Rd
S 12 T 024S R 004E
S 7 T 024S R 005E
S 8 T 024S R 005E
S 9 T 024S R 005E
S 10 T 024S R 005E
S 11 T 024S R 005E
S 12 T 024S R 005E
Fourmile Creek
Pickerell Rd
0 1,000 2,000 4,000 6,000
Feet
7/11/07 Centerline

**Legend**

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
BUTLER COUNTY, KANSAS
**PS-29**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-20-CE-2003-P-29-02-A | 02 of 02 | 0 |

S 25
T 023S
R 004E

S 30
T 023S
R 005E

S 29
T 023S
R 005E

S 28
T 023S
R 005E

S 27
T 023S
R 005E

S 26
T 023S
R 005E

S 36
T 023S
R 004E

S 31
T 023S
R 005E

S 32
T 023S
R 005E

S 33
T 023S
R 005E

S 34
T 023S
R 005E

S 35
T 023S
R 005E

S 36
T 023S
R 005E

S 1
T 024S
R 004E

S 6
T 024S
R 005E

S 5
T 024S
R 005E

S 4
T 024S
R 005E

S 3
T 024S
R 005E

S 2
T 024S
R 005E

S 1
T 024S
R 005E

S 12
T 024S
R 004E

S 7
T 024S
R 005E

S 8
T 024S
R 005E

S 9
T 024S
R 005E

S 10
T 024S
R 005E

S 11
T 024S
R 005E

S 12
T 024S
R 005E

Hopkins Switch Rd
Purity Springs Rd
Haverhill Rd
Boyer Rd
Kiowa Rd
Pickerell Rd
Diamond Creek
Fourmile Creek
West Branch Walnut River
HAZLETT OIL FIELD
OLD RAILROAD GRADE
Humboldt Rd
De Graff
BM 1395
BM 1432

130th St
120th St
110th St

345
56
77
11

SEE SHEET 29-01
SEE SHEET 29-02

161kV

MP 5
MP 4
MP 3
MP 2
MP 1
MP 0

Butler County

0 1,000 2,000 4,000 6,000
Feet

7/11/07 Centerline

Legend

- Milepost
- Keystone Cushing Extension
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.11.07 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE CUSHING EXTENSION
TRANSMISSION SUPPLY LINE ROUTE MAP
BUTLER COUNTY, KANSAS
PS-29

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-20-CE-2003-P-29-02-Q | 02 of 02 | 0 |




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 32

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

N W E S

**TROW ENGINEERING CONSULTANTS, INC.**
**NOVEMBER 19, 2008**
**REVISION 0**




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PAYNE COUNTY, OKLAHOMA
**PS-32**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 40-ML-2003-P- 32-01 -A | 01 of 01 | 0 |




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
PAYNE COUNTY, OKLAHOMA
**PS-32**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 40-ML-2003-P- 32-01 -Q | 01 of 01 | 0 |

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 33

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
SEMINOLE COUNTY, OKLAHOMA
**PS-33**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 40-ML-2003-P- 33-01 -A | 01 of 01 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
SEMINOLE COUNTY, OKLAHOMA
**PS-33**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-40-ML-2003-P-33-01-Q | 01 of 01 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 34

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

Tupelo
OK
Coal County
PS - 34
MP 0
MP 1
MP 2
MP 3
MP 4
MP 95
MP 96
MP 97
7/31/08 Centerline
S 35 T002N R008E
S 2 T001N R008E
S 24 T002N R008E
S 25 T002N R008E
S 7 T002N R009E
S 18 T002N R009E
S 8 T002N R009E
S 36 T002N R008E
S 19 T002N R009E
S 1 T001N R008E
S 30 T002N R009E
S 17 T002N R009E
S 9 T002N R009E
S 31 T002N R009E
S 20 T002N R009E
S 12 T001N R008E
S 29 T002N R009E
S 16 T002N R009E
S 6 T001N R009E
S 21 T002N R009E
S 7 T001N R009E
S 32 T002N R009E
S 28 T002N R009E
S 15 T002N R009E
S 5 T001N R009E
S 33 T002N R009E
S 22 T002N R009E
S 8 T001N R009E
S 4 T001N R009E
S 27
Maple St
Angel Rd
Lone Oak Rd
Guffey Rd
Ponderosa Rd
E3710 Rd
E1665 Rd
Peanut Rd
E1680 Rd
Farm Rd
Hogue Dr
E1650 Rd
N3725 Rd
N3730 Rd
N3740 Rd
Bridges Rd
N3733 Rd
E1670 Rd
Chriss Rd
Peach Creek
Leader Creek
Coon Creek
Singleton Blvd
Old State Hwy 3
Stonecipher Rd
Old Owl Rd
Gold Rd
E1645 Rd
E1640 Rd
N3750 Rd
N3730
38kV
0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
COAL COUNTY, OKLAHOMA
PS-34

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-40-ML-2003-P-34-01-A | 01 of 01 | 0 |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line
- Section Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
COAL COUNTY, OKLAHOMA
PS-34

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 40-ML-2003-P- 34-01 -Q | 01 of 01 | 0 |

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 35

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

ConocoPhillips | TransCanada *In business to deliver*

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 14N
NTS

PROJECT: 50388X

SHEET: **COVER SHEET**

N W E S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0




PREPARED BY:
**TROW ENGINEERING CONSULTANTS INC.**
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

# KEYSTONE XL PROJECT
## TRANSMISSION SUPPLY LINE ROUTE MAP
## BRYAN COUNTY, OKLAHOMA
## PS-35

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-40-ML-2003-P-35-01-A | 01 of 01 | 0 |




PREPARED BY:
**TROW ENGINEERING CONSULTANTS INC.**
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
BRYAN COUNTY, OKLAHOMA
**PS-35**

MAP PARAMETERS
PROJECTION: NAD83, UTM:14N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 40-ML-2003-P- 35-01 -Q | 01 of 01 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 36




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
DELTA COUNTY, TEXAS
**PS-36**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 36-01 -A | 01 of 01 | 0 |

MP 0
MP 1
MP 2
MP 3
MP 4
MP 5
MP 6
MP 7
MP 192
MP 193
PS - 36

De Rd 4315
De Rd 4320
De Rd 4325
De Rd 4330
De Rd 4331
De Rd 4345
De Rd 4350
De Rd 4355
De Rd 4360
De Rd 4365
De Rd 4366
De Rd 4375
De Rd 4385
De Rd 4395
De Rd 4430
De Rd 4530
De Rd 4532
De Rd 4534
De Rd 4620
De Rd 4705
De Rd 4810
De Rd 4815
De Rdc 4265
De Rdc 4270
Farm To Market Rd
Lake Creek
Brushy Creek
Bruton
Post Oak Creek
Prattville
Delta County
69kV
0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
DELTA COUNTY, TEXAS
PS-36

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 36-01 -Q | 01 of 01 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 37




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada *In business to deliver*

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

Johnson Lake
69kV
Homebrew Branch
Mill Creek
Stout Creek
EXISTING 69kV
MP 235
MP 236
MP 237
MP 238
MP 239
PS - 37
MP 8
MP 7
MP 6
MP 5
MP 4
MP 3
69kV REBUILT AS 138/69kV DOUBLE CIRCUIT
Farm To Market Rd
Wood County
TX
Caney Creek
White Oak Dr
Autum Ridge Rd
Pine Bluff
Ridge Rd
South Fork Brushy Creek
South Lilly Creek
SEE SHEET 37-01
SEE SHEET 37-02
4590
4559
4586
4575
4570
4568
4564
4560
4539
4536
4532
4490
4460
4467
4449
4441
4440
4450
4426
4430
4420
4470
4480
W
S
N
E
0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
WOOD COUNTY, TEXAS
PS-37

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 37-01 -A | 01 of 02 | 0 |

EXISTING 69kV

69kV REBUILT AS 138/69kV DOUBLE CIRCUIT

MP 235
MP 236
MP 237
MP 238
MP 239
MP 7
MP 8
MP 6
MP 5
MP 4
MP 3

PS - 37

SEE SHEET 37-01
SEE SHEET 37-02

Wood County

Farm To Market Rd

Ridge Rd

White Oak Dr

Autumn Ridge Rd

Pine Bluff

Stout Creek

Homebrew Branch

Mill Creek

Caney Creek

Morris Chapel Fork

South Fork Brushy Creek

South Lilly Creek

Johnson Lake

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
WOOD COUNTY, TEXAS
**PS-37**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-48-ML-2003-P-37-01-Q | 01 of 02 | 0 |

69kV REBUILT AS 138/69kV
DOUBLE CIRCUIT

SEE SHEET 37-01

SEE SHEET 37-02

TX

Wood County

Franklin County

MP 3

MP 2

MP 1

MP 0

69kV

Farm To Market Rd

Knight St

Briary Creek

Mayfield

Brushy Creek

Bullard Branch

Indian Creek

Farm To Market Rd

South Fork Brushy Creek

Carver Branch

Attway Branch

Brushy Creek

Farm To Market Rd Ramp

4441 4440 4353 4430 3470 4315 Se 4315 Se 4340 4335 4336 Se 4335 4354 Mayfield 4358 4450 4360 4361 4460 4367 4425 4435 4420 4415 Se4345 4340 4365 4415 Se 4350 4380 4426 4405 4410 4480 4470 4390

W N S E

0 1,000 2,000 4,000 6,000
Feet

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

Electric Lines
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

7/31/08 Centerline

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
WOOD/FRANKLIN COUNTY, TEXAS
PS-37

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 37-02 -A | 02 of 02 | 0 |

69kV REBUILT AS 138/69kV
DOUBLE CIRCUIT

SEE SHEET 37-01

SEE SHEET 37-02

MP 3

MP 2

MP 1

MP 0

69kV

Franklin
County

Wood
County

Mayfield

Farm To Market Rd

Knight St

Binary Creek

Brushy Creek

South Fork Brushy Creek

Carver Branch

Attway Branch

Bullard Branch

Clearwater

Indian Creek

LOUISIANA

TEXAS

Hopkins County

Smith County

Upshur County

Camp County

Titus County

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
WOOD/FRANKLIN COUNTY, TEXAS
**PS-37**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 37-02 -Q | 02 of 02 | 0 |




# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 38

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

MP 282
MP 283
MP 284
MP 285
MP 0
PS - 38
138kV
138kV
Bob Still Rd
Ridge Cir
Farm To Market Rd
Swinney Rd
Smith County
TX
Simon Branch
Whispering Pines St
Main St
Front St
School St
Jackson St
Mitchell Cade St
Ramp
Ramp
Kickapoo Creek
Farm To Market Rd
345
345
64
64
294
232
230
295
298
299
297
2311
2103
2104
2102
2100
2101
247
246
248
249
251
252
253
254
257
135
135
227
223
2290
3191
2321
N
W
E
S
0 1,000 2,000 4,000 6,000
Feet
7/31/08 Centerline

Legend
- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

Electric Lines
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
SMITH COUNTY, TEXAS
PS-38

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL-48-ML-2003-P-38-01-A | 01 of 01 | 0 |

MP 282
MP 283
PS - 38
MP 0
MP 284
MP 285
7/31/08 Centerline
Ridge Cir
Farm To Market Rd
Swinneytown Ct
Bob Still Rd
138kV
138kV
Smith County
Whispering Pines St
Main St
Front St
School St
Jackson St
Mitchell Cade Rd
Ramp
Ramp
Farm To Market Rd
Shiloh
Spring Chapel
Kickapoo Creek
MISSOURI PACIFIC
PIPELINE
Simon Branch
North Bridge Cove
South Bridge Cove
0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
SMITH COUNTY, TEXAS
**PS-38**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 38-01 -Q | 01 of 01 | 0 |

# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 39




KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

PS - 39

MP 333

MP 9

MP 334

MP 8

MP 335

MP 7

MP 6

MP 5

MP 4

MP 3

Nacogdoches County

Cherokee County

Angelina County

TX

Angelina River

Farm To Market Rd

Wide Rd

Stokes Creek

Doyle Creek

SEE SHEET 39-02
SEE SHEET 39-01

N

E

W

S

0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips

TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
CHEROKEE COUNTY, TEXAS
PS-39

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 39-01 -A | 01 of 02 | 0 |

PS - 39

MP 333

MP 9

MP 334

MP 8

MP 335

MP 7

MP 6

MP 5

MP 4

MP 3

Nacogdoches County

Cherokee County

Angelina County

TX

Angelina River

Farm To Market Rd

Durst Lakes

Eagle Lake

Mitchell Slough

Old River Channel

Horseshoe Lake

ANGELINA RIVER

Wide Rd

Old River Channel

Woodley Slough

Turkey Creek

Doyle Creek

Stokes Creek

NACOGDOCHES CO

CHEROKEE CO

ANGELINA CO

INDEP BDY

SEE SHEET 39-02

SEE SHEET 39-01

N

W

E

S

0 1,000 2,000 4,000 6,000

Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

ConocoPhillips

TransCanada
In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
CHEROKEE COUNTY, TEXAS
**PS-39**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 39-01 -Q | 01 of 02 | 0 |

Wide Rd
765
769
727
Farm To Market Rd
724
Bonnido Creek
Gravel Ridge Rd
726
620
Jon Collins Jon Collin Ln
Morral Bayou
Guy Blount Ext
627
7
628
629
635
747
138kV
Cafe Rd
Alazan Lake
Angelina River
Loco Bayou
TX
SEE SHEET 39-01
SEE SHEET 39-02
Nacogdoches County
MP 3
MP 2
MP 1
MP 0
N
W
E
S
0 1,000 2,000 4,000 6,000
Feet

**7/31/08 Centerline**

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 39-02 -A | 02 of 02 | 0 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
NACOGDOCHES COUNTY, TEXAS
**PS-39**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

Wide Rd
Well
765
769
SEE SHEET 39-01
SEE SHEET 39-02
Nacogdoches County
MP 3
MP 2
MP 1
MP 0
Loco Bayou
Bonaldo Creek
Bonaldo
Gravel Pits
Cafe Rd
Bayou
PIPELINE
Angelina River
138kV
727
Farm To Market Rd
724
Guy Blount Ext
Harmony
Cem
726
620
Jon Collins Rd
Jon Collins Ln
Alazan
Alazan Bayou
Morral Bayou
627
628
629
747
Alazan Lake
635
N
S
E
W
0 1,000 2,000 4,000 6,000
Feet

7/31/08 Centerline

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC





PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow


ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
NACOGDOCHES COUNTY, TEXAS
**PS-39**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 39-02 -Q | 02 of 02 | 0 |




# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 40

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

**7/31/08 Centerline**

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |




**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

# KEYSTONE XL PROJECT
## TRANSMISSION SUPPLY LINE ROUTE MAP
## POLK COUNTY, TEXAS
## PS-40

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 40-01 -A | 01 of 01 | 0 |

MP 376

MP 377

PS - 40

MP 378

138kV

7/31/08 Centerline

0 1,000 2,000 4,000 6,000
Feet

## Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
POLK COUNTY, TEXAS
**PS-40**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 40-01 -Q | 01 of 01 | 0 |




# TransCanada Keystone Pipeline, L.P.
# United States Department of State
# Keystone XL Project
# Appendix B
# Powerline Aerial and
# USGS Route Sheets
# PS - 41

KEYSTONE XL PROJECT

KEYSTONE CUSHING EXTENSION

N
W E
S

## TROW ENGINEERING CONSULTANTS, INC.
## NOVEMBER 19, 2008
## REVISION 0

**7/31/08 Centerline**

PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523

Trow

ConocoPhillips | TransCanada — In business to deliver

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

KEYSTONE XL PROJECT
ROUTE SHEETS

MAP PARAMETERS
PROJECTION: NAD83, UTM: 15N
NTS

PROJECT: 50388X

SHEET: COVER SHEET

| DRAWING NUMBER | DRAWN BY | CHECKED BY | APPROVED BY |
|---|---|---|---|
| XL-FIPS-ML-2003-P-000 | GS | SS | RG |




Legend

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

Electric Lines

Voltage

- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC




PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523
Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips | TransCanada — In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
LIBERTY COUNTY, TEXAS
PS-41

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 41-01 -A | 01 of 01 | 0 |

MP 430
MP 431
MP 432
MP 433
MP 1
MP 0
PS - 41
7/31/08 Centerline
PIPELINE
POWERLINE
Liberty County
Hardin County
Harris County
Jefferson County
Montgomery County
Buddy Dennson Rd
Island Creek
Long Island Creek
Baltistic Creek
Creek 2074
Knight Cemetery
Oman Rd.
HARDIN CO
LIBERTY CO
2069
2068
2067
2066
2059
2050
2041
2071
2073
2074
2075
2076
2077
2078
105
230
162

0 1,000 2,000 4,000 6,000
Feet

**Legend**

- Milepost
- Keystone XL Project
- Transmission Supply Line Route
- Roads
- Matchline
- Pump Station
- State Line
- County Line

**Electric Lines**
Voltage
- Below 230kV
- 230kV - 344kV
- 345kV - 499kV
- 500kV - 734kV
- 735kV - 999kV
- AC-DC-AC Tie
- DC


PREPARED BY:
TROW ENGINEERING CONSULTANTS INC.
1300 Metropolitan Boulevard, Suite 200
Tallahassee, Florida , USA 32308
Phone: 1-850-385-5441
Fax: 1-850-385-5523


Trow

| NO. | REVISION | DATE |
|---|---|---|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 | ISSUED FOR UNITED STATES DEPARTMENT OF STATE (7.31.08 CL) | 11.19.08 |

ConocoPhillips
TransCanada
In business to deliver

KEYSTONE XL PROJECT
TRANSMISSION SUPPLY LINE ROUTE MAP
LIBERTY COUNTY, TEXAS
**PS-41**

MAP PARAMETERS
PROJECTION: NAD83, UTM:15N
SCALE: 1:24000 ; 1"=2000'

| DRAWN BY | CHECKED BY | APPROVED BY | PROJECT: | DRAWING NUMBER | SHEET | REV. |
|---|---|---|---|---|---|---|
| AH | SS | RG | 50388X | XL- 48-ML-2003-P- 41-01 -Q | 01 of 01 | 0 |